

# Full Line Catalog

# LITE-IT





Agricultural  
Lights



Marine  
Lights




Off-Road  
Lights



Safety  
Lights



Towing  
Lights



Work  
Lights



Trailer  
Lights



**Custer Products believes in the relentless pursuit of excellence in everything we do. We take pride in our commitment to quality products and service. We are the Leader in Lights™ for a reason.**

**Custer Products manufactures and distributes LED lights, towing lights and related lighting products to the trucking, towing, agricultural, off-road and safety industries through a network of distributors in the United States, Canada, Central and South America and Europe. We sell under the Custer, Lite-It and Lite-It Wireless brand names. Founded in 1993, we operate out of a 32,000 square foot facility in Massillon, Ohio.**

## Contents

LED Marker & Auxiliary Lights	4-7
Mounting Boxes	8
Color Safety Flashers	9
LED Rooftop Light Bars	10-11
Trailer Lights and Kits	12
Agricultural Lights	13
Commercial Tow Lights	14-15
LED Work Light Bars	16-17
LED Work Lights	18-19
Beacons	20-21
LED Strobes	22-23
LED Tow Light Bars	24
Incandescent Tow Light Bars	25
Lite-it-Wireless Bars	26-27
Accessories	28
Plugs, Sockets and Adapters	29
Specialty Products	30
SMV & Conspicuity	31
Incandescent Lights	32
Product Warranty	33
Glossary	34

# NEW AT CUSTER PRODUCTS



**LED WIRELESS LIGHT DUTY TOW LIGHT**  
More info on page 26

**MINI-EXTREME LED STROBE LIGHTS**  
More info on page 22



**LED 36-WATT DIN MOUNT STROBE BEACON**  
More info on page 21



**LED BUILD-A-BAR**  
More info on page 17



**LED FLOOD LIGHT FOR JOHN DEERE TRACTORS**  
More info on page 13



**LED AMBER/WHITE ROOFTOP STROBE**  
More info on page 11



**ENHANCED AGRICULTURAL LIGHT KITS**  
More info on page 13



**LED AMBER/WHITE STROBE WORK LIGHT KIT**  
More info on page 18



**48-WATT LED PEDESTAL LIGHT**  
More info on page 18

# LED MARKER & AUXILIARY LIGHTS



## 4" x 0.75" LED NARROW MARKER LAMP

**CPL95A** Amber Light, 7 LED  
**CPL95R** Red Light, 7 LED

- Built in 2-wire pigtail
- 3" hole mount centers



## LED MARKER LIGHTS WITH REFLEX

**CPL126A** Amber Light, 3 LED  
**CPL127R** Red Light, 3 LED

- Built in 2 wire pigtail
- Reflex lens
- 4" long x 1.5" high



## 4" x 2" SEALED LED MARKER LIGHTS

**CPL120A** Amber Light, 16 LED  
**CPL120R** Red Light, 16 LED  
**G120B-C** Chrome Bracket

- Built in 2 wire pigtail
- 3" hole mount centers



## 2" SEALED LED MARKER LIGHTS

**CPL2A** Amber light, 10 LED  
**CPL2R** Red light, 10 LED

- Uses G2G rubber grommet
- Standard GP1 2-wire plug



## 2.5" SEALED LED MARKER LIGHTS

**CPL25A** Amber Light, 13 LED  
**CPL25R** Red Light, 13 LED  
**CPL25AR** Amber Light, 8 LED with reflex  
**CPL25RR** Red Light, 8 LED with reflex  
**GP1** 2-wire plug  
**G25G** 2.5" rubber grommet  
**G25G-O** Open-back grommet  
**G25G-CB** Closed-back grommet



## 2.5" x 1.25" SEALED LED MARKER LIGHTS

**CPL26A** Amber, 3 LED  
**CPL26R** Red, 2 LED  
**G26G** Rubber grommet  
**G26B-C** Chrome (wired) mounting bracket



## 3.75" x 1.25" SEALED LED LIGHTS

**CPL375A** Amber light, 4 LED  
**CPL375R** Red light, 4 LED  
**CPL375RA** Red/Amber, 6 LED  
**G3B-C** Wired chrome mount  
**G3B-B** Wired black mount



## LED 4" x 2" OBLONG CLEARANCE /SIDE MARKER LIGHTS WITH REFLEX

**CPL42A** Amber light, 4 LED  
**CPL42R** Red light, 4 LED

- Built in 2 wire pigtail



## LED 2 7/8" x 2 1/8" STUD MOUNT SIDE MARKER LIGHT WITH REFLEX

**CPL275A** Amber light, 6 LED  
**CPL275R** Red light, 6 LED

- Built in 2 wire pigtail



### 3/4" LED LIGHTS

- CPL1A** Amber light
- CPL1R** Red light
- CPL1W** White light
- CPL1A-CL** Amber light with clear lens
- CPL1R-CL** Red light with clear lens
- CPL1-BEZEL** Chrome bezel
- 3/4" Diameter



### 3/4" LED LIGHTS WITH BULLET ENDS

- CPL1AH** Amber Light with bullet ends
- CPL1RH** Red Light with bullet ends
- CPL1WH** White light with bullet ends
- 3/4" Diameter



### 5.5" SEALED RECTANGULAR LED LIGHTS

- CPL55A** Amber turn signal light, 15 LED
- CPL55R** Red stop/tail/turn light, 15 LED
- GP2** 3-wire plug
- G55G** 5.5" rubber grommet



### 4" SEALED ROUND LED LIGHTS

- CPL4A10** Amber turn signal light, 10 LED
- CPL4R10** Red stop/tail/turn light, 10 LED
- CPL4CL10** Clear light, 10 LED
- GP2** 3-wire plug
- G4G** 4" rubber grommet



### 4" SEALED ROUND LED LIGHTS

- CPL4A** Amber turn signal light, 18 LED
- CPL4R** Red stop/tail/turn light, 18 LED
- GP2** 3-wire plug
- G4G** 4" rubber grommet



### 4" SEALED LED LIGHTS WITH MIRROR FINISH

- CPL4AM** Amber turn signal light, 24 LED
- CPL4RM** Red stop/tail/turn light, 24 LED
- GP2** 3-wire plug
- G4G** 4" rubber grommet



### 6.5" SEALED OVAL LED LIGHTS

- CPL65R10** Red stop/tail/turn light, 10 LED
- CPL65CL10** Clear backup light, 10 LED
- GP2** 3-wire plug
- G65G** 6.5" rubber grommet



### 6.5" SEALED OVAL LED LIGHTS

- CPL65A** Amber turn signal light, 20 LED
- CPL65R** Red stop/tail/turn light, 20 LED
- GP2** 3-wire plug
- G65G** 6.5" rubber grommet



### 6.5" SEALED OVAL LED LIGHTS WITH MIRROR FINISH

- CPL65AM** Amber turn signal light, 24 LED
- CPL65RM** Red stop/tail/turn light, 24 LED
- GP2** 3-wire plug
- G65G** 6.5" rubber grommet

# LED MARKER & AUXILIARY LIGHTS



## 6.5" SEALED OVAL LED AMBER SEQUENCING TURN SIGNAL LIGHTS

CPL65A-SEQ 6.5" Amber


- Dual Function, either trailing arrow or sequencing single arrow
- Uses G65G rubber grommet & GP3 plug



## CLEARANCE LED MARKER/UTILITY LIGHTS

CPL27AO Amber Light, 3 LED  
CPL27RO Red Light, 3 LED

- High impact acrylic lens
- 2-3/4" center to center holes for mounting
- No plug needed - includes 2-wire pigtail



## 6.5" SEALED OVAL WHITE LED BACK-UP LIGHTS

CPL65CL 6.5" oval white, 28 LED


- GP2 3-Wire Plug
- G65G 6.5" rubber grommet



## 4" LED PEDESTAL LIGHTS

CPL4RA-DC 4" Red/Amber LED  
CPL4AA-DC 4" Amber/Amber LED  
CPL4RCL-4W Red/Clear LED with 4 wires for separate functions

- LED lights with 42 diodes (21 per side) and chrome die cast housings



## LED RGB ROCK LIGHTS

RGB4K Multicolored Lights

- Comes with Four 9-Watt Lights, 10 ft. wire from lights, 6.5 ft. from controller
- Lights change to any color - all controlled from free smartphone app
- 10-30V Operation, polycarbonate lens
- Each light-head is 1-3/4" high x 3" wide x 1/2" deep
- *Video Demonstration available on our website!*



## 6.5" LED AMBER TURN SIGNAL LIGHTS

CPL65A-SMA 6.5" Amber

- Dual Function, either trailing arrow or sequencing single arrow
- Uses G65G rubber grommet & GP2 plug



## CLEARANCE LED MARKER LIGHT WITH CHROME BEZEL

CPL50A Amber  
CPL50R Red

- 4 LED, Built-in 2-wire



## LED 2" ROUND SEALED FLANGE MOUNT CLEARANCE SIDE MARKER LIGHTS

CPL2RF Red light, 2-wire  
CPL2AF Amber Light, 2-wire

- Polycarbonate lens and housing
- 10 LEDs per light
- Pigtail wires (no plugs needed)



### 4" RED QUAD FLASH LED STROBE KIT

**CPL4R-STR** Red Strobe Kit

- Self-contained flash unit
- Includes 2 lights, grommets and plugs



### 6.5" AMBER QUAD FLASH LED STROBE KIT

**CPL65A-STR** Amber Strobe Kit


- Self-contained flash unit
- Includes 2 lights, grommets and plugs



### 17" IDENTIFICATION LIGHT BARS

**CPL65A-STR** LED  
**G26R-3BAR** Incandescent

- Mounts on 16" centers
- Includes three 2.5" lights



### 4-5/8" SQUARE LED RED/AMBER LIGHT

**CPL68R** Right Side  
**CPL68L** Left Side

- 25 Red LEDs & 25 Amber LEDs
- Double stud pedestal light



### LED TAIL, LICENSE, BACKUP LIGHTS

**CPL62** Without license light  
**CPL62L** With license light

- Stop/tail/turn light



### 4" SEALED RED LED ROUND LIGHT WITH FLANGE MOUNT & BEZEL

**CPL4R10FB** Red light with Bezel

- Flush Mount Design
- 10 LEDs
- Acrylic lens and ABS housing
- Stop/tail/turn
- Built-in pigtail & hardware included



### 6.5" CLEAR OVAL LED UTILITY LIGHT

**CPL65CL10FB** Clear Light with Bezel

- Surface Mount Design
- 10 LED clear light
- Built-in pigtail



### 6.5" SEALED LED OVAL LIGHT WITH FLANGE MOUNT & BEZEL

**CPL65A10FB** Amber Light with Bezel  
**CPL65R10FB** Red S/T/T light with Bezel

- Flush Mount Design
- 10 LEDs
- Acrylic lens and ABS housing
- Built-in pigtail & hardware included

# MOUNTING BOXES



## STEEL MOUNTING BOXES

- MT-BOX4** Steel box for ONE 4" round light (6.5" L x 6.5" H x 3" D)
- MT-BOX4-2** Steel box for TWO 4" round lights (12.5" L x 6" H x 3.5" D)
- MT-BOX4-3** Steel box for THREE 4" round lights (18.25" L x 6" H x 3.5" D)
- MT-BOX65** Steel box for ONE 6.5" oval light (8.5" L x 4" H x 3.5" D)
- MT-BOX65-2** Steel box for TWO 6.5" oval lights (16.75" L x 4.25" H x 3.5" D)
- MT-BOX65-3** Steel box for THREE 6.5" oval lights (25" L x 4.25" H x 3.5" D)

## ALUMINUM MOUNTING BOXES

- AL4R** Aluminum box for ONE 4" round light (6.5" L x 6.5" H x 3" D)
- AL4R3** Aluminum box for THREE 4" round lights (18.5" L x 6" H x 3.5" D)
- AL650** Aluminum box for ONE 6.5" oval light (8.5" L x 3.75" H x 3.5" D)
- AL6502** Aluminum box for TWO 6.5" oval lights (16.75" L x 4.25" H x 3.5" D)
- AL6503** Aluminum box for THREE 6.5" oval lights (25" L x 4.25" H x 3.5" D)

**BTR-3-R**



22" L x 6.75" H x 3.25" D

**BTR-2-R**



12.5" L x 6.75" H x 3.25" D

**BTR-1-R**



6.5" L x 6.5" H x 3" D

**BTR-3-OV**



25" L x 4.25" H x 3.5" D

**BTR-2-OV**



16.75" L x 4.25" H x 3.5" D

**BTR-1-OV**



8.5" L x 4.25" H x 3.5" D

## POLYETHYLENE MOUNTING BOXES - WILL NOT WARP OR CRACK



## CHROME PLATED PLASTIC BEZELS

- CPL1-BEZEL** 1" round chrome plated plastic bezel
- B2** 2" round chrome plated plastic bezel
- B25** 2.5" round chrome plated plastic bezel
- B4** 4" round chrome plated plastic bezel
- B65** 6.5" oval chrome plated plastic bezel



# COLOR SAFETY FLASHERS



## LED 2 FUNCTION SAFETY FLASHERS WITH HEAVY DUTY MAGNETS

<b>HF18A-PHD</b>	Amber light, 18 LED
<b>HF18R-PHD</b>	Red light, 18 LED
<b>HF18W-PHD</b>	White light, 18 LED
<b>HF18SG-PHD</b>	Green light, 18 LED

**COMES WITH 2 MAGNETS - 25 LBS. PULL EACH**

These reliable safety flashers feature 18 highly visible, super bright LEDs that can be seen up to 1 mile away! They can be attached securely to the back of a vehicle, truck, car, trailer, emergency vehicle etc. with built in magnets.

The 18 LED lights can be set to flashing or steady lights. Use for any emergency situation - at home or on the road. All weather resistant. Approximate size is 6" wide by 4" high. Will flash for up to 32 hours (or more) with 4 AA alkaline batteries.



## LED 2 FUNCTION SAFETY FLASHERS WITH ADJUSTABLE MAGNETIC BASE

<b>HF18A-MB</b>	Amber Light, 18 LED
<b>HF18R-MB</b>	Red light, 18 LED

- 6" wide x 4" high
- Battery-operated - Takes 4 AA batteries
- Can flash or be steady on

**ADJUSTABLE, STRONG MAGNETIC BASE WITH 40 LBS. PULL**



## LED 2 FUNCTION PORTABLE SAFETY LIGHTS

<b>HF24A</b>	Amber Light, 24 LED
<b>HF24R</b>	Red light, 24 LED

- 24 LED diodes
- 7" wide x 3" high
- Takes 4 AA batteries
- Can flash or be steady on
- Dual mounting capability

**REMOVABLE 70 LBS. PULL MAGNET**



# LED ROOFTOP LIGHT BARS



## MULTI-FUNCTION 34" LED LIGHT BAR

STR-56

- Permanent mount & hardware included
- 34" long with 56 powerful amber LEDs
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right

## MULTI-FUNCTION 23" LED LIGHT BAR

STR-40-S      Suction mount (pictured)  
STR-40      Permanent mount

- Choose between suction mount & permanent mount
- 23" long with 40 powerful amber LEDs
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right



## MULTI-FUNCTION LED LIGHT BAR

STR51AAC-V2      51 inches long  
STR56AAC-V2      56 inches long (pictured)

- Permanent mount with hardware included
- Choose between 51" & 56" long
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right



## MULTI-FUNCTION 56" LED LIGHT BAR WITH S/T/T

STR56STT-V2

- Permanent mount with hardware included
- 56" long with 18 amber modules
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right
- Red modules on rear end of the bar have stop / tail / turn functions
- *Video Demonstration available on our website!*



# LED ROOFTOP LIGHT BARS



## LED MAGNETIC MINI STROBE BAR

**STR13AW-MAG** Amber/White (pictured)  
**STR13A-MAG** Amber

- 13" long x 8½" wide x 3¼" high, 13 ft. cord
- 6 bright 10-watt LED's, 360 degree coverage
- 10 flash patterns controlled from the cigarette lighter plug
- 2 strong magnets for mounting
- COB (Chip on Board) light source
- *Video Demonstration available on our website!*



## LED MINI STROBE BAR

**STR11AWP** Amber/White, Permanent mount (pictured)  
**STR11AP** Amber, Permanent mount  
**STR11AW-MAG** Amber/White, Magnetic mount  
**STR11A-MAG** Amber, Magnetic mount

- 11" long x 6½" wide x 1¾" high, 15 ft. cord
- 40 watts, 10-30V operating voltage
- 10 flash patterns controlled from the cigarette lighter plug
- IP67 waterproof rating
- Choose between magnetic mount & permanent mount
- *Video Demonstration available on our website!*

## LED AMBER/WHITE STROBE WITH S/T/T & DASHBOARD CONTROLLER

**STR-LB56AW**



- 56" long Amber/White strobe light bar
- 30 different flash patterns
- Control pad is small and mounts easily in the cab
- 25 ft. cord from light bar to control pad
- LED side marker lights
- LED alley lights with on/strobe option
- LED stop/tail/turn red rear facing lights
- Day/Night mode for 30% less brightness
- LED take down lights with on/strobe option
- Has quiet modem which allows you to use only the front or back or the light bar depending on traffic direction
- Arrow stick / traffic control built in with 7 patterns for each function
- Adjustable mounting brackets with rubber insulators included
- *Video Demonstration available on our website!*

# TRAILER LIGHTS & KITS



## LED SUBMERSIBLE TRAILER LIGHTS

- CPL001** Trailer light
- CPL002** Trailer light with license light

- 12 LEDs



## LED TRAILER LIGHTS

- CPL100** Trailer light
- CPL100L** Trailer light with license light

- 15 LEDs



## LED OVER 80" SUBMERSIBLE TRAILER LIGHTS

- CPL001-80** Trailer light
- CPL002-80L** Trailer light with license light

- Acrylic lens / high impact housing
- Stop/Tail/Turn rear and side reflector, side marker and license illuminator



## LED OVER 80" WIDE SUBMERSIBLE TRAILER LIGHTS

- CPL83** Trailer light
- CPL83L** Trailer light with license light

- Acrylic lens / polypropylene housing
- 18 gauge wire



## INCANDESCENT TRAILER LIGHTS

- TL01** Non-submersible S/T/T light
- TL01L** Non-submersible S/T/T with license light

# AGRICULTURAL LIGHTS



## INCANDESCENT AGRICULTURAL LIGHT KIT

**AG-KIT-MAG** AG Kit with magnet kit (pictured)  
**AG-KIT** Standard AG Kit


- 4 amber lights and 2 red lights per kit
- Kit has turn signal function, tail light and brake functions
- 35' bonded cable (wishbone) with 7-pin plug



## LED AGRICULTURAL LIGHT KIT

**AG-KIT-LED** Standard LED AG Kit (pictured)  
**AG-KIT-LED-MAG** LED AG Kit with magnet kit  
**AG-KIT-LED-HD** LED AG Kit with heavy duty cable  
**AG-KIT-LED-HD-MAG** LED AG Kit with heavy duty cable & magnet kit

- 4 amber LED lights and 2 red LED lights per kit
- Kit has turn signal function, tail light and brake functions
- 35' bonded cable (wishbone) with 7-pin plug



## AGRICULTURAL LIGHT KIT WITH ENHANCEMENT MODULE

**AG-KIT-LED-ENH** LED (pictured)  
**AG-KIT-ENH** Incandescent

- 4 amber lights and 2 red LED lights per kit
- Kit has turn signal function, tail light and enhanced brake & turn functions
- Lighting enhancement module with 6' lead cord
- 35' bonded cable (wishbone) with 7-pin plug
- Also available with magnet kit and/or heavy duty cable



## HEAVY DUTY INCANDESCENT AGRICULTURAL LIGHT KIT

**AG-KIT-HD** AG Kit with heavy duty cable (pictured)  
**AG-KIT-HD-MAG** AG Kit with heavy duty cable & magnet kit

- 4 amber lights and 2 red lights per kit
- Kit has turn signal function, tail light and brake functions
- 35' bonded cable (wishbone) with 7-pin plug



## LED FLOOD LIGHT FOR JOHN DEERE EQUIPMENT

**WL12JDF**

- Fits in John Deere Equipment
- 12 Watts, 1080 lumens, 2 pin connection
- Four 3-Watt high intensity CREE LED diodes
- IP68 waterproof rating
- Die cast aluminum housing & polycarbonate lens



## TRACTOR LIGHT CONTROL BOX

**LCB400**

- Connect to 12V Battery
- Accepts 7-Round plugs
- Magnet mount
- Controls tail lights, turn signals & emergency flashers

# COMMERCIAL TOW LIGHTS



## INCANDESCENT ROUND BASE HEAVY-DUTY TOWING LIGHTS

**HDTL30B** 70# Round magnets Stock Box

- 30 ft. cord
- 4R Plug
- 7 ft. span

*Available with any plug.*



## LED HEAVY-DUTY TOWING LIGHTS

**LED30B-SQ** 90# Square Magnets Stock Box  
**LED30B** 70# Round Magnets Stock Box

- 30 ft. cord
- 4R Plug
- 7 ft. span

*Available with any plug.*



## MAGNETIC TOW LIGHTS

**ATL20A** Clamshell Packaging

- 20 ft. cord
- 4-flat plug & strong magnets
- 5 ft. span



## E-Z MOUNT TOW LIGHTS

**EZT20B** Clamshell Packaging

- 20 ft. cord
- 4-flat plug
- 5 ft. span



## LED HEAVY-DUTY TOWING LIGHTS

**LED30CC-SQ** 90# Square Magnets Carry case  
**LED30CC** 70# Round Magnets Carry case

- 30 ft. cord
- 4R Plug
- 7 ft. span
- *Carrying case color may vary*

*Available with any plug.*

## INCANDESCENT HEAVY-DUTY TOWING LIGHTS

**HDTL30CC** 70# Round Magnets Carry case  
**HD30CC-SQ** 90# Square Magnets Carry case  
**HD30B-SQ** 90# Square Magnets Stock Box

- 30 ft. cord
- 4R Plug
- 7 ft. span
- *Carrying case color may vary*

*Available with any plug.*



## SUCTION CUP MOUNTED TOWING LIGHTS IN CASE

**HDSC30CC** Incandescent  
**LEDSC30CC** LED

- Industrial strength
- 30 ft. cord
- 4R Plug
- *Carrying case color may vary*

*Available with any plug.*

# LED WORK LIGHT BARS



## COMBO FLOOD/SPOT LED WORK LIGHT BARS

- WL120WBARCB** 120-watt LED bar with 40 CREE diodes, 8800 lumens
- WL72WBARCB** 72-watt LED bar with 24 CREE diodes, 5280 lumens
- WL36WBARCB** 36-watt LED bar with 12 CREE diodes, 2640 lumens

- 10-30V operation
- IP67 waterproof rating
- Includes "L" shaped end brackets
- Includes adjustable bottom brackets (pictured)
- Die cast aluminum housing
- *Video Demonstration on how to use new mounting brackets available on our website!*

## COMBO FLOOD/SPOT LED OFF-ROAD WORK LIGHT BARS

- IP67 waterproof rating
- Polycarbonate lens
- 12-24V operation
- 2 mounting brackets included

15" LONG



**WL60WBARC**

- 5,400 lumens
- 60 Watts

22½" LONG



**WL100WBARC**

- 9,000 lumens
- 100 Watts



50" LONG

- WL240WBAR-CURV** 50" long, curved
- WL240WBARC** (not pictured) 41½" long, straight

- 21,600 lumens
- 240 Watts



51½" LONG

- WL288WBAR-CURV** 51½" long, curved

- 26,000 lumens
- 288 Watts





## BUILD-A-BAR

WL30BAB-SPT Spot  
WL30BAB-FLD Flood

- Build your own customized light bar!
- Each unit is 7" long
- 30-Watts with CREE diodes
- 3000 lumens
- Easily connects together with included hardware
- Make any length or height you need!
- 10-30V operation
- Polycarbonate lens, IP67



SPOT



FLOOD

# WORK LIGHT BAR ACCESSORIES

## SNAP-ON LENSES

- |          |    |            |
|----------|----|------------|
| WL6ALENS | 6" | Amber Lens |
| WL6RENS  | 6" | Red Lens   |
| WL6BLENS | 6" | Black Lens |
| WL8ALENS | 8" | Amber Lens |
| WL8BLENS | 8" | Black Lens |



## PLUG & PLAY WIRING HARNESSES

**HARDT1:** Wire harness with 1 DT waterproof connector, one relay and lighted switch

- Will light up one of the following: WL36WBARCB, WL60WBARC, WL72WBARCB, WL100WBARC, & WL120WBARCB

**HARDT2:** Wire harness with 2 DT waterproof connectors, one relay and lighted switch

- Will light up two of the following: WL36WBARCB, WL60WBARC, WL72WBARCB, WL100WBARC, & WL120WBARCB

**HARATP1:** Wire harness with 1 ATP waterproof connector, one relay and lighted switch

- Will light up one of the following: WL240WBARC, WL240WBAR-CURV & WL288WBAR-CURV



# LED WORK LIGHTS



## LED AMBER/WHITE STROBE WORK LIGHT KIT

### WL32AW-KIT

- Comes with two light heads and wiring harness with relay and switch
- 16-Watts and 1455 lumens per light head
- 3" high x 3" wide x 3" deep
- IP68 waterproof rating
- Can be steady on or flashing both amber and white
- IP68 waterproof rating
- 10-30V operation
- *Video Demonstration available on our website!*



## 48-WATT LED PEDESTAL LIGHT

### WL48F

- 3840 lumens
- 10-30V operation
- 4 1/4" x 4 1/4" lens
- Stud or surface mount
- IP67 waterproof rating
- Unique diamond cut polycarbonate lens for diffused flood light



## 18-WATT LED SLIM FLOOD LIGHT

### WL19F

- 1320 lumens
- 10-30V operation
- 6 1/2" L x 1 3/4" H x 2 1/2" D
- 90 degree flood
- Die cast aluminum housing
- Polycarbonate lens



## 22-WATT LED SLIM WORK LIGHT

### WL22RCT

- 2850 lumens
- 10-30V operation
- 6" L x 3 3/4" H x 1 1/4" D
- 60 degree flood pattern
- IP67 waterproof rating



## 15-WATT COMPACT LED LIGHT

### WL15SMTM

- 1260 lumens
- 10-30V operation
- 1 3/4" H x 3" L x 1/2" D
- 90 degree flood
- Rubber mounting pads
- Surface or pipe mount



## PAR 36 LED RETROFIT 18-WATT LIGHT

- **WL18-HP** Flood
- **WL18HP-TRAP** Trapezoid
- 1500 lumens
- 12-24V operation
- 4.5" diameter
- CREE diodes
- Polycarbonate lens
- Fits in PAR36 Housing (CP2203)



## 60-WATT LED FLOOD LIGHT

### WL6000

- 5400 lumens
- 10-30V operation
- CREE diodes, IP67
- 90 degree flood
- 4.75" H x 5.32" W x 4.8" D

### WL6000ALENS



## 80-WATT LED SPOT / FLOOD LIGHT

### WL80FS

- 6720 lumens
- 10-30V operation
- Spot & flood dual light beams
- 7" Diam. x 8 1/2" H x 4 1/2" D
- 16 5-Watt CREE LEDs
- Die cast aluminum housing
- IP69 waterproof rating



### 27-WATT LED FLOOD LIGHT

**WL93FR** Round Light  
**WL93FW** Square Light

- 1900 lumens
- 10-30V operation
- Stud or surface mount
- IP67 waterproof rating



### 24-WATT LED FLOOD LIGHT

**WL83FR** Round Light  
**WL83FQ** Square Light

- 1680 lumens
- 10-30V operation
- Stud or surface mount
- IP67 waterproof rating



### 9-WATT LED WIDE FLOOD LIGHT

**WL9RCT**

- 720 lumens
- 10-30V operation
- Stud or surface mount
- 4 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ " x 2 $\frac{1}{4}$ "
- 90 degree flood pattern
- IP67 waterproof rating



### 18-WATT LED FLOOD LIGHT

**WL18RCT**

- 1350 lumens
- 10-30V operation
- Stud or surface mount
- 4 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ " x 2 $\frac{1}{4}$ "
- 60 degree flood pattern
- IP67 waterproof rating



### 20-WATT LED FLOOD LIGHT

**WL20WF**

- 1800 lumens
- 10-30V operation
- CREE diodes
- Stud or surface mount
- 4 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ " x 2 $\frac{1}{4}$ "
- 90 degree wide flood pattern
- IP67 waterproof rating



### 10-WATT LED FLOOD LIGHT

**WL10F**

- 900 lumens
- 10-30V operation
- CREE diodes
- 40 degree flood pattern
- Stud or surface mount
- 2 $\frac{3}{8}$ " x 2 $\frac{3}{8}$ " x 2 $\frac{3}{8}$ "
- IP67 waterproof rating



### 15-WATT LED FLOOD LIGHT

**WL15F**

- 1200 lumens
- 10-30V operation
- 4 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " lens
- Less than 1 $\frac{1}{2}$ " thickness
- Stud or surface mount
- IP67 waterproof rating



### 18-WATT LED FLOOD LIGHT

**WL18F**

- 1350 lumens
- 10-30V operation
- 4 $\frac{1}{2}$ " diameter lens
- Durable aluminum housing
- Stud or surface mount
- IP67 waterproof rating

# BEACONS



## LED BATTERY OPERATED ROTATING BEACON MAGNET MOUNT

- LED Rotating Beacon
- 25 lb. pull magnet
- Battery operated (Takes 4 AA Batteries)
- Adjustable rotation speed
- 5" diameter x 4 1/4" high
- Use on farm equipment, warehouse equipment, cars or trucks



HF45A

HF45R

## LED BATTERY OPERATED FLASHING / ROTATING BEACON MAGNET MOUNT

- Can flash or rotate
- Strong magnetic mount
- Battery operated (Takes 4 AA Batteries)
- IP65 waterproof rating
- Durable polycarbonate lens
- Flashing: 180/minute
- Rotating: 85/minute



## 3 1/2" AMBER LED BEACON PERMANENT/MAGNET MOUNT

STR30AM

- Can flash or rotate
- Can be permanent or magnet mount
- Battery operated (Takes 4 AA Batteries)
- IP65 waterproof rating
- Durable polycarbonate lens
- Flashing: 180/minute
- Rotating: 85/minute



## 27-WATT LED CLASS I ROTATING BEACON PERMANENT/MAGNET MOUNT

STR27RFM

- Can be permanent or magnet mount
- Class I
- 10-30V operation
- IP65 waterproof rating
- Can flash or rotate
- Cigarette plug
- Polycarbonate lens
- 5.59" diameter x 4.29" high



**QUAD FLASH 120 LED STROBE BEACON**  
*PERMANENT MOUNT*

**STR-120LED**

- Class I
- Permanent mount with rubber base
- 10-30V operation
- 5" diameter x 4¾" high
- 120 bright LEDs



**QUAD FLASH 60 LED STROBE BEACON**  
*PERMANENT MOUNT*

**STR-60LED**

- Class I
- Flange mount
- 10-30V operation
- 5" diameter x 5" high
- 60 bright LEDs



**36-WATT CLASS I AMBER BEACON LIGHT**  
*PERMANENT MOUNT*

**STR-36LED**

- 36-Watts, Class I
- Polycarbonate lens
- 12-36V operation
- 6½" base diameter x 4¾" lens diameter x 4" high
- Includes 4 flash patterns & 2 rotating patterns
- IP66 waterproof rating



**POLE MOUNT AMBER BEACON LIGHT**  
*DIN MOUNT*

**STR36DIN**

- 36-Watts, Class I
- Flexible rubber DIN mount, polycarbonate lens
- 12-36V operation
- 4¾" diameter x 4" high
- Includes 4 flash patterns & 2 rotating patterns
- IP66 waterproof rating



**POLE MOUNT ROTATING BEACON LIGHT**  
*DIN MOUNT*

**STR-DIN-A**

- Polycarbonate amber lens
- 55-watt rotating light
- Flexible hard rubber case
- Mounts on standard DIN mount



**POLE MOUNT FOR STR36DIN & STR-DIN-A**

**MNT-DIN**

- Mounting bracket for DIN rotating light
- This bracket is a 2-wire hook-up
- Light slides onto this pole for quick mounting
- Threaded to mount 1" hole

# LED STROBES



## COLORS AVAILABLE IN 6-WATT

STR61A	Amber
STR61B	Blue
STR61W	White
STR61R	Red
STR61AW	Amber/White (pictured)
STR61GA	Green/Amber
STR61GW	Green/White
STR61RB	Red/Blue
STR61RW	Red/White

## LED SLIM LINE STROBES

- 19 flash patterns
- Can synchronize with other lights
- 10-30V operation
- IP67 waterproof rating
- CREE Diodes
- Weatherproof with vibration resistant design
- 1 3/4" high x 1/2" deep
- 6-watts are 4 1/2" long
- 4-watts are 3 3/4" long



**SUPER LOW-PROFILE FOR DISCREET MOUNTING!**



## COLORS AVAILABLE IN 4-WATT

STR41A	Amber
STR41W	White
STR41AW	Amber/White (pictured)



## LED MINI-EXTREME STROBE LIGHTS

STR-MXA	Amber
STR-MXR	Red
STR-MXW	White

- 17 flash patterns in alternating mode, synchronized mode, or steady on function
- Circuit protection keeps LED cooler by lowering power to extend the life of the LED
- IP67 waterproof rating
- 1" diameter on lens
- 1 1/2" diameter on total light
- 1 3/8" between screw holes
- 10-30V operation
- *Video Demonstration available on our website!*



STR1AW-LED



STR1RW-LED

## PAIR OF DOUBLE-COLOR 18-WATT LED STROBE LIGHTS

- Choose between Amber/White & Red/White
- Waterproof connectors
- 6-foot main cable
- 9-feet of cable between lights
- 14 different flash patterns
- Low power consumption LEDs
- 1" diameter when used as hideaway
- 2 3/8" x 2" black bezel
- Can be synchronized with multiple lights



## LED HIGH POWER STROBE LIGHT

STR3A	Amber
STR3R	Red
STR3W	White

- 15 flash patterns
- 4 7/8" L x 1 3/4" H x 7/8" D
- Synchronize or stand-alone operation
- 10-30V operation
- Amp draw less than 0.5A
- Available in amber, red & white



## 10-WATT LED HIDEAWAY STROBES

STR1A-LED	Amber
STR1R-LED	Red
STR1W-LED	White

- 14 flash patterns
- Extremely powerful 10-watt diode
- 1" diameter on lens
- Can be mounted inside headlights & tail lights



## LED HIGH POWER STROBE LIGHTS

- Polycarbonate lens
- 4-watt LEDs
- Extremely bright LEDs
- 4.85" L x 2" H
- Self contained strobe
- Polished aluminum base
- 10-30V operation
- 0.5 amp draw
- Flush mount




**STRL4A**  
Amber



**STRL4R**  
Red




**STRL4W**  
White



**STRL4G**  
Green

## QUAD FLASH STROBE RELAY FOR LED LIGHTS

- Hook up to any LED light and make it strobe
- Drives up to 420mA or a pair of "most" LED tail lights



## MULTI-FUNCTION STROBE RELAY FOR LED LIGHTS

- Hook up to any LED light and make it strobe
- Drives up to 420mA or a pair of "most" LED tail lights
- Several selectable flash patterns



**STR8W**



**STR8R**



**STR8A**



**STR8AG**



**STR8AW**

## DUAL ROW STROBES

- 15 flash patterns
- Synchronize function with more lights
- 10-30V operation
- Surface mount
- 4½" wide x 3" high x 1¼" deep
- Available in 5 color options

# LED TOW LIGHT BARS




- All units have LED side markers
- Cables sold separately
- Rubber strap mounting



25" LONG

## BTR-25

- Powered by 4-Pin Socket



36" LONG

## BTR-36-SM


- Separate turn and brake signals
- Comes with both 4 and 7 pin sockets



48" LONG

## BTR-48-O

- Separate turn and brake signals
- Comes with 7 pin heavy duty round socket



48" LONG

## BTR-48-R

- Separate turn and brake signals
- Comes with 7 pin heavy duty round socket



48" LONG

## BTR-48-RF

- Separate turn and brake signals
- Includes 2 flashing amber lights that come on with markers
- Comes with 7 pin heavy duty round socket



48" LONG

## BTR-48-R9

- Separate turn and brake signals
- 2 extra 4" brake lights
- Comes with 7 pin heavy duty round socket

## HEAVY-DUTY EXTENSIONS

- |           |          |                  |
|-----------|----------|------------------|
| EXT30-4PP | 30' cord | 4 plug to 4 plug |
| EXT60-4PP | 60' cord | 4 plug to 4 plug |





# INCANDESCENT TOW LIGHT BARS




- All units have LED side markers
- Cables sold separately
- Rubber strap mounting
- Available in white PVC only



36" LONG

## WP36SM

- Separate turn and brake signals
- Comes with 4 and 7 pin sockets



48" LONG

## WP48O

- Separate turn and brake signals
- Comes with 4 and 7 pin sockets



48" LONG

## WP48R

- Separate turn and brake signals
- Comes with 4 and 7 pin sockets



48" LONG

## WP48R-F

- Separate turn and brake signals
- Includes 2 flashing amber lights that come on with markers
- Comes with 4 and 7 pin sockets



60" LONG

## WP60R

- Separate turn and brake signals
- Comes both 4 and 7 pin sockets



60" LONG

## WP60R-F

- Separate turn and brake signals
- Includes 2 flashing amber lights that come on with markers
- Comes with 4 and 7 pin sockets

## HEAVY-DUTY EXTENSIONS

EXT30-7PP	30'	14/7 cord	7 plug to 7 plug
EXT60-7PP	60'	14/7 cord	7 plug to 7 plug
EXT30-7PP-6	30'	16/6 cord	7 plug to 7 plug
EXT60-7PP-6	60'	16/6 cord	7 plug to 7 plug



# LITE-IT (i) wireless

Lite-It Wireless Tow Lights are unsurpassed in durability. Among the many features, our units are individually serialized to protect against loss, theft and prevent cross talk between other units in the vicinity. All Lite-it Wireless tow lights are FCC approved. Each bar or set have full stop, turn signal, tail light and side marker functions. The taillights only come on when they are needed thus saving battery life.

- Auto-grade circuitry
- All connectors are shrink-tube
- All lights are hard wired
- 3 year warranty
- FCC approved
- Individually serialized and programmed to eliminate cross talk between other units
- Lights come with transmitter, 12V charger and port covers
- Run times from 12 to 30 hours
- 1000 foot line of site visibility
- Charge indicator light
- Made in the U.S.A.



## 36" WIDE WITH AMBER/WHITE STROBES

### LIW-36STR-7R

- Two amber/white strobes operated on a separate switch
- Rubber strap mounting
- 7-Pin connection



## 23" LIGHT DUTY TOW LIGHT

### LIW-LDTL

- Magnetic mount
- 4-Pin connection (7-Blade connection also available)



## AGRICULTURAL WIRELESS TOW LIGHTS

### LIW-AGKIT

- 120# pull rubber coated magnetic mount
- 2½" strobes on front to warn oncoming traffic
- 7-Blade connection (also available in 4 or 6-pin round)



## RC-MONITOR KIT

### LIW-RC-MON

- Monitors battery strength and status
- 96 dB alarm and red warning light when bar is left behind
- Individually programmed to your light bar
- No additional wiring needed



## 25" WIDE

### LIW-250-4

- Two 105# pull rubber coated magnetic mount
- 4-Pin connection



### 36" WIDE

LIW-36R-7R

- Rubber strap mounting
- 7-Pin connection



### 42" WIDE

LIW-42O-7R

- Rubber strap mounting
- 7-Pin connection

### 48" WIDE

LIW-48R-7R

- Rubber strap mounting
- 7-Pin connection



### 48" WIDE WITH FLASHERS


LIW-48RFS-7R

- Auto delay flasher that turns off when a turn signal or brake is applied
- Rubber strap mounting plus ratchet straps
- 7-Pin connection

### 60" WIDE

LIW-60R-7R

- Rubber strap mounting
- 7-Pin connection



### 60" WIDE WITH FLASHERS

LIW-60RFS-7R

- Auto delay flasher that turns off when a turn signal or brake is applied
- Rubber strap mounting plus ratchet straps
- 7-Pin connection

# ACCESSORIES



## RUBBER MOUNTING GROMMETS

<b>G2G</b>	2" Round	<b>G26G</b>	2.5" Rectangular
<b>G25G</b>	2.5" Round	<b>G55G</b>	5.5" Rectangular
<b>G25G-O</b>	2.5" Open Back	<b>G4G</b>	4" Round
<b>G25G-CB</b>	2.5" Closed Back	<b>G65G</b>	6.5" Oval




## STEEL MOUNTS FOR LIGHTS

<b>MNT2</b>	Fits 2" grommet & light
<b>MNT25</b>	Fits 2.5" grommet & light
<b>MNT4R</b>	Fits 4" grommet & light
<b>MNT65</b>	Fits 6.5" grommet & light



**4-PIN TO 4-PIN  
CABLE UNION**  
BTR-4-CU



**7-PIN TO 7-PIN  
CABLE UNION**  
BTR-7-CU

## HEAVY-DUTY EXTENSIONS

<b>EXT30B</b>	30'	4 plug to 4 socket
<b>EXT60B</b>	60'	4 plug to 4 socket



## RUBBER BOOTS FOR MAGNETS

**MB100** Rubber Boots (pair)

- Protects against scratching
- Fits CP0808 magnet



## DUAL PURPOSE MOUNTING BRACKET

**MNT-STRL**

- Aluminum mounting bracket for STRL lights
- Bracket is pre-drilled for mounting 3 of our CPL1 lights




## TOW LIGHT PARTNERS

**TLP01** Tow light partners (pair)

- For use with magnets on non-metallic surfaces

## BULK TRAILER WIRE

<b>CP39D</b>	16/4 trailer cable
<b>CP39C</b>	16/6 trailer cable
<b>CP39F</b>	14/7 trailer cable
<b>CP39G</b>	14/2 trailer cable



## SQUARE MAGNETIC BASE


**CP70**  
• 90# pull



## REPLACEMENT MAGNETS

<b>CP0850</b>	35# pull	2 1/8" diameter
<b>CP0865</b>	65# pull	2 3/4" diameter
<b>CP0808</b>	95# pull	3 1/4" diameter
<b>CP0885</b>	110# pull	3 3/8" diameter

# PLUGS, SOCKETS & ADAPTERS



- |                        |   |                     |  |
|------------------------|---|---------------------|--|
| 1. <b>PLG4R</b>        | 4-round plug with wire guard, die cast, trailer end   | 13. <b>KIT-6R-4</b> | 6-round connector kit, prewired for 4-flat           |
| 2. <b>PLG4R-SKT</b>    | Receiver socket for 4-round plug, die cast, truck end | 14. <b>12VBA</b>    | 12V battery adapter, battery clips to cigarette plug |
| 3. <b>PLG6R</b>        | 6-round plug with wire guard, die cast, trailer end   | 15. <b>ADP001</b>   | Adapter, 4-round to 4-flat (1 piece)                 |
| 4. <b>PLG6R-SKT</b>    | Receiver socket for 6-round plug, die cast, truck end | 16. <b>ADP6R-4F</b> | Adapter, 6-round to 4-flat                           |
| 5. <b>PLG7B</b>        | 7-blade plug, no wire guard, ABS, trailer end         | 17. <b>ADP7B-6R</b> | Adapter, 7-blade to 6-round                          |
| 6. <b>PLG7B-SKT</b>    | 7-blade receiver socket, ABS, truck end               | 18. <b>ADP7B-4F</b> | Adapter, 7-blade to 4-flat                           |
| 7. <b>PLG7R</b>        | 7-round plug with wire guard, ABS, trailer end        | 19. <b>ADP7B-5F</b> | Adapter, 7-blade to 5-flat (not pictured)            |
| 8. <b>PLG7R-SKT</b>    | 7-round receiver socket, ABS truck end                | 20. <b>ADP7P-4F</b> | Adapter, 7-round to 4-flat                           |
| 9. <b>PLG7R-DC</b>     | 7-round plug with wire guard, die cast, trailer end   | 21. <b>ADP7R-7B</b> | Adapter, 7-round trailer to 7-blade truck end        |
| 10. <b>PLG7RSKT-DC</b> | 7-round receiver socket, die cast, trailer end        | 22. <b>ADP7B-7R</b> | Adapter, 7-blade to 7-pin (for lights)               |
| 11. <b>KIT-7B-4</b>    | 7-blade connector kit, prewired for 4-flat            | 23. <b>ADP7R-4R</b> | Adapter, 7-round to 4-round socket                   |
| 12. <b>KIT-7P-4</b>    | 7-pole connector kit, prewired for 4-flat             |                     |  |

# SPECIALTY PRODUCTS



## 3 FT. EXTENSION CORD

EXT3-CIG

- Cigarette plug extension
- Illuminated Switch



## BACK-UP ALARM

BK97DB

- 97 dB
- 12-24V Operation
- Surface mount



## LED LICENSE LIGHTS

LL-LED-CHR Chrome  
LL-LED Black

- 2 wire



FKL6W

- 6-watts
- Blue spotlight with clear lens
- 8 degree spot beam
- IP67 waterproof rating
- Two 3-watt CREE diodes

## BLUE SPOT LIGHTS

- Use on agricultural sprayers to increase visibility!
- Use on fork lifts to increase warehouse safety!



FKL8W

- 8-watts
- Blue spotlight with clear lens
- 9-32V operation
- IP68 waterproof rating
- Two 4-watt CREE diodes



## GREEN OR RED LED BOAT "BOW" LIGHT

BOW-GR-B Green  
BOW-RED-B Red



## CLEAR INTERIOR LED LIGHT

CPL33C

- With chrome bezel
- 4 LED
- Built-in 2 wire


# SMV & CONSPICUITY



## ½ MOON REFLECTORS

**RFL-HMA** Amber  
**RFL-HMR** Red  
**RFL-HMA-12** Amber (12-pack)  
**RFL-HMR-12** Red (12-pack)

- Adhesive backs



## ADHESIVE REFLECTORS

**RFL-12R**  
**RFL-12W**

- 12" x 1"
- Adhesive backs & mounting holes

# CONSPICUITY / REFLECTIVE TAPE



## ROLLS

<b>CTRW-30RL</b>	30' roll	Red/White Reflective
<b>CTRW-150RL</b>	150' roll	Red/White Reflective
<b>CTRW-150RL-DP</b>	150' roll	Red/White Reflective (diamond plate pattern)
<b>CTOR-30RL</b>	30' roll	Fluorescent Orange
<b>CTOR-150RL</b>	150' roll	Fluorescent Orange
<b>CTRED-30RL</b>	30' roll	Red Reflective
<b>CTRED-150RL</b>	150' roll	Red Reflective
<b>CTWHITE-30RL</b>	30' roll	Silver Reflective
<b>CTWHITE-150RL</b>	150' roll	Silver Reflective
<b>CTYELLOW-30RL</b>	30' roll	Yellow Reflective
<b>CTYELLOW-150RL</b>	150' roll	Yellow Reflective


## STRIPS

<b>CT-OR</b>	9" strip	Fluorescent Orange
<b>CT-RED</b>	9" strip	Red Reflective
<b>CT-WHITE</b>	9" strip	Silver Reflective
<b>CT-YELLOW</b>	9" strip	Yellow Reflective
<b>CTRW-18</b>	18" strip	Red/White Reflective

## EMERGENCY WARNING TRIANGLES

**EMT3-KIT-1**


- Weighted
- Three in compact case



## REFLECTIVE SLOW MOVING VEHICLE (SMV) EMBLEM

**EMB20A** Adhesive SMV sticker  
**EMB20GM** Galvanized metal SMV sign  
**EMP20P** Plastic backed SMV sign  
**EMB-HDW-SKT** Mount kit receiver  
**EMB-HDW-SPD** Mount kit spade

- All SMV signs conform to ASAE S276.5



# INCANDESCENT LIGHTS



<b>G119A</b>	4" X 1.5" Amber Lamp w/ Reflex, 1 Wire	<b>G2R-K</b>	2" Round Red Light, Grommet, Plug
<b>G119R</b>	4" x 1.5" Red Lamp w/ Reflex, 1 Wire	<b>G3A</b>	3 13/16" Amber Sealed Clearance/Marker Light
<b>G120A</b>	4" x 2" Amber Sealed Bullseye Light	<b>G3A-K</b>	3 13/16" Amber Light, Mounting Bracket
<b>G120B-C</b>	Chrome Plated Steel Bracket for 120 Series Lights	<b>G3B-B</b>	Black Mounting Bracket for G3A, G3R, CPL375A, CPL375R
<b>G120R</b>	4" x 2" Red Sealed Bullseye Light	<b>G3B-C</b>	Chrome Mounting Bracket for G3A, G3R, CPL375A, CPL375R
<b>G25A</b>	2.5" Round Amber Sealed Clearance/Marker Light	<b>G3R</b>	3 13/16" Red Sealed Clearance/Marker Light
<b>G25A-K</b>	2.5" Round Amber Light, Grommet, Plug	<b>G3RA</b>	3 13/16" Red/Amber Sealed Clearance/Marker Light
<b>G25APC</b>	2.5" Round Amber Sealed Clearance/Marker Light, PC Rated	<b>G3RA-K</b>	3 13/16" Red/Amber Light, Mounting Bracket
<b>G25AR-K</b>	2.5" Round Amber Light w/ Reflex, Grommet, Plug	<b>G3R-K</b>	3 13/16" Red Light, Mounting Bracket
<b>G25B-G</b>	Surface Mount Bracket for 2.5" Lights w/ Grommet	<b>G42A</b>	4" x 2" Amber Oblong Marker Light
<b>G25G</b>	2.5" Round Rubber Grommet	<b>G42R</b>	4" x 2" Red Oblong Marker Light
<b>G25G-CB</b>	2.5" Round Rubber Grommet, Closed Back	<b>G4A</b>	4" Round Amber Sealed Turn Signal Light
<b>G25G-O</b>	2.5" Round Rubber Grommet, Open Back	<b>G4A-K</b>	4" Round Amber Light, Grommet, Plug
<b>G25R</b>	2.5" Round Red Sealed Clearance/Marker Light	<b>G4CL</b>	4" Round Clear Sealed Back-Up Light
<b>G25R-K</b>	2.5" Round Red Light, Grommet, Plug	<b>G4CL-K</b>	4" Round Clear Light, Grommet, Plug
<b>G25RPC</b>	2.5" Round Red Sealed Clearance/Marker Light, PC Rated	<b>G4G</b>	4" Round Rubber Grommet
<b>G25R-R</b>	2.5" Round Red Sealed Clearance/Marker Light, w/ Reflex	<b>G4R</b>	4" Round Red Sealed Stop/Tail/Turn Light
<b>G25RR-K</b>	2.5" Round Red Light w/ Reflex, Grommet, Plug	<b>G4R-K</b>	4" Round Red Light, Grommet Plug
<b>G26A</b>	2.5" x 1.25" Rectangular Amber Clearance/Marker Light	<b>G4R-R</b>	4" Round Red Sealed Stop/Tail/Turn Light, w/ Reflex
<b>G26A-K</b>	2.5" x 1.25" Rectangular Amber Light, Mounting Bracket	<b>G55A</b>	5.5" x 3.5" Amber Sealed Turn Signal Light
<b>G26CL</b>	2.5" x 1.25" Rectangular White Clearance/Marker Light	<b>G55A-K</b>	5.5" x 3.5" Amber Light, Grommet, Plug
<b>G26CL-K</b>	2.5" x 1.25" Rectangular White Light, Mounting Bracket	<b>G55G</b>	5.5" Rectangular Grommet
<b>G26B-C</b>	Chrome Mounting Bracket for G26A, G26R, CPL26A, CPL26R	<b>G55R</b>	5.5" x 3.5" Red Sealed Stop/Tail/Turn Light
<b>G26G</b>	2.5" Rectangular Rubber Grommet	<b>G55RCL</b>	5.5" x 3.5" Red Sealed Stop/Tail/Turn Light w/ Clear Back-Up Light
<b>G26R</b>	2.5" x 1.25" Red Clearance/Marker Light	<b>G55RCL-K</b>	5.5" x 3.5" Red Sealed Stop/Tail/Turn/Back-Up Light, Grommet, Plug
<b>G26R-3BAR</b>	Identification Light Bar w/ 3 G26R Lights	<b>G55R-K</b>	5.5" x 3.5" Red Sealed Stop/Tail/Turn Light, Grommet, Plug
<b>G26R-K</b>	2.5" x 1.25" Rectangular Red Light, Mounting Bracket	<b>G65A</b>	6.5" Oval Amber Sealed Turn Signal Lamp
<b>G275A</b>	2 7/8" x 2 1/8" Amber Marker Light	<b>G65A-K</b>	6.5" Oval Amber Light, Grommet, Plug
<b>G275R</b>	2 7/8" x 2 1/8" Red Marker Light	<b>G65ASMA</b>	6.5" Oval Amber Side Marker Sealed Turn Signal Lamp
<b>G2A</b>	2" Round Amber Sealed Clearance/Marker Light	<b>G65CL</b>	6.5" Oval Clear Sealed Back-Up Light
<b>G2A-K</b>	2" Round Amber Light, Grommet, Plug	<b>G65CL-K</b>	6.5" Oval Clear Light, Grommet, Plug
<b>G2B-G</b>	Surface Mount Bracket for 2" Lights w/ Grommet	<b>G65G</b>	6.5" Oval Rubber Grommet
<b>G2G</b>	2" Round Rubber Grommet	<b>G65R</b>	6.5" Oval Red Sealed Stop/Tail/Turn Lamp
<b>G2R</b>	2" Round Red Sealed Clearance/Marker Light	<b>G65R-K</b>	6.5" Oval Red Light, Grommet, Plug



# GLOSSARY

**Amperage** – the strength of a current of electricity expressed in amperes; Amperage can be calculated by using formula:  $\text{Watts} \div \text{Volts} = \text{Amps}$ .

**CREE** – market leading lighting manufacturer; known for longevity of 100,000 hour lifetime, brighter LEDs, and less amperage draw.

**COB (Chips on Board)** – Multi-LED chips are packed together as one lighting module; significantly brighter than standard LED lights; saves energy and has a very long lifespan.

**Diode** – an electronic device that restricts current flow chiefly to one direction.

**Flange** – A part used to mount lights to surfaces.

**Flood** – wide pattern of light; light distribution is done by the lens, used best for short distance.

**Incandescent** – emitting light as a result of the filament being heated.

**IP Rating** – used to define levels of sealing effectiveness of electrical enclosures intrusion from foreign bodies (dust, dirt) and moisture.

**Joule** – the equivalent of one watt of power radiated or dissipated for one second.

**LED** – Light Emitting Diode.

**Lumens** – the measure of the total “amount” of visible light emitted by a source; there are about 80 lumens per watt.

**PC Rated** – means that the light is viewable from a 90 degree angle.

**Polycarbonate** – tough transparent thermoplastics characterized by high impact strength; up to 10 times more impact-resistant than standard plastic or glass.

**Polyethylene** – lightweight thermoplastic that is resistant to chemicals and moisture.

**Spot** – narrow intense beam on a small area.

**Watts** – the measure of electrical power.

[View other trailer lights made by Custer Products Limited on our website.](#)