




IGNITION CONTROL PANEL



START



Ever since our entry into the world of performance race products in 1992, the principles of quality, innovation and performance have been the foundation of QuickCar Racing Products. Thanks to the continued input from satisfied racers everywhere, the product line continues to expand by offering competitively priced quality components that will maximize results on and off the track.



SECTION	PAGE NO.
New Products	2-7
Wiring Kits	8-9
Wiring Accessories	10
Battery Cable Kits	11
Battery Accessories	12
Electrical Accessories	13-14
Ignition System Accessories	15
Ignition Control Panels	16-23
Wiring Harnesses	24-25
Ignition Control Panel Accessories	26-27
Electric Gauge Panels	28-29
Gauge Panels	30-37
Tachometers	38
Gauge Panel Accessories	39-41
Sprint Car Gauge Panels	42-43
Sprint Car Gauge Panel Accessories	44
Wraparound Gauge Panels	45
Gauge Panels	46-53
Gauge And Switch Panel Accessories	54-55
Tire Gauges	56-57
Chassis Components	58-59
Steering Wheels And Accessories	60-61
Tire Management	62-63
Chassis Set-Up	64
Carburetor Accessories	65
Timing Systems	66-68
Spark Plug Wires	69
Cooling Systems	70-71
Tools	72-73
Safety Equipment	74-76
Brake System Accessories	77
QuickCar Extras	78-79
Decals, Shirts And Hats	80
Wiring Harness Measurement Guide	79
Product Index	81-82
Product Number Index	23-24







Redline Gauge Panels



2-Gauge Panel 63-2001 **See Page 28**

3-Gauge Panel 63-3011 **See Page 28**





3-Gauge Panel 63-3012 **See Page 28**

3-Gauge Panel 63-3016 See Page 28





3-Gauge Panel 63-3017 See Page 28



4-Gauge Panel 63-4021 **See Page 29**





4-Gauge Panel 63-4026 **See Page 29**

4-Gauge Panel 63-4027 See Page 29





5-Gauge Panel 63-5036 **See Page 29**

5-Gauge Panel 63-5037 **See Page 29**





3" Dia. Redline Multi-Recall Tachometers

Multi-Recall Tachometer (White) 63-001
See Page 38



Multi-Recall Tachometer (Black) 63-002 See Page 38



Redline Gauges See Page 29



63-000Fuel Pressure 0-15 PSI



63-003Oil Pressure 0-100 PSI.



63-006Water Temperature 100°-280° F.



63-007Volt Gauge 8-18 Volts



63-008Water Pressure 0-60 PSI



63-009Oil Temperature 140°-320° F.

Wrap Around Gauge Panels

Wrap Around Gauge Panels Standard Gauges See Page 45





Ignition Control Panels With Rocker Switches See Page 27

52-165 (Checkered Flag) 52-865 (Black)







52-166 (Checkered Flag) 52-866 (Black)



52-163 (Checkered Flag) 52-863 (Black)







52-164 (Checkered Flag) 52-864 (Black)



Replacement/Accessory Rocker Switches







6 Switch Weatherproof Ignition Control Panels See Page 23

3 Switch Weatherproof Ignition Control Panels See Page 23









LED Light Strips See Page 14

61-791	Yellow LED Strip
61-792	Blue LED Strip
61-793	Green LED Strip
61-794	Purple LED Strip
61-9790	Red LED Strip
61-9795	White LED Strip

LED Bulbs See Page 39

61-698	White LED Bulbs, 4-Pack
61-699	White LED Bulb, Each
61-691	Red LED Bulbs, Pair
61-692	Blue LED Blubs, Pair
61-693	Amber LED Bulbs, Pair
61-694	Green LED Bulbs, Pair









Torque Absorber Biscuit / Green 66-509
See Page 59

Digital Tread Depth Gauge 56-102 See Page 63



Heavy Duty Automatic Wire Stripper Pliers 50-393 **See Page 10,55,73**







QuickCar Racing Products has set the performance racing industry standard for battery cables and wiring. Our fine-stranded, rope-lay copper construction wire offers the absolute best in current carrying capabilities, while the 220°F.+ insulation can withstand the high temperatures and fluids common to racing. QuickCar offers a complete line of battery cable kits and wiring accessories that are reliable, durable and affordable.

Premium 4-Gauge Wiring Kit 50-232

Premium 4-gauge wiring kit includes the 50-020 ignition control panel, 4 AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps.



Premium 4-Gauge Wiring Kit With Black Switch Panel/Master Disconnect 50-832



4-Gauge Wiring Kit 50-231

QuickCar's 4-gauge wiring kit is sold with the 50-022 ignition control panel, 4 AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps.

4-Gauge
Wiring Kit With Black Switch Panel/
Master Disconnect 50-831

2-Gauge Wiring Kit 50-230

Heavy duty, 2-gauge wiring kit includes the 50-053 ignition control panel, 2 AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps.





2-Gauge
Wiring Kit With Black Switch Panel/Master Disconnect 50-830





4-Gauge Wiring Kit 50-235

QuickCar's 4-gauge wiring kit is sold with the 50-102 ignition control panel, 4 AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps.



4-Gauge
Wiring Kit With Black Switch Panel / Master Disconnect 50-835

2-Gauge Wiring Kit Less Master Disconnect 50-234 NEW!

Heavy duty, 2-gauge wiring kit includes standard 50-102 switch panel, 50-200 wiring harness, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps. Master disconnect sold separately.





2-Gauge
Wiring Kit With Black Switch Panel / Less Master Disconnect 50-834



4-Gauge Wiring Kit Less Master Disconnect 50-236 NEW!

Four-gauge wiring kit is sold with standard 50-102 ignition control panel, 4-gauge battery cable, wiring harness, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps. Master disconnect sold separately.





Race Wire

Used by many racing teams and chassis builders. Constructed with very fine stranded rope-lay copper wire for high flexibility and superior power flow with insulation capable of withstanding extreme temperatures.

2-Gauge		
57-101	Red, Per Ft.	
57-102	Red, 125' Roll	
57-103	Black, Per Ft.	
57-104	Black, 125' Roll	
4-Gauge		
57-091	Red, Per Ft.	
57-092	Red, 125' Roll	
57-093	Black, Per Ft.	
57-094	Black, 125' Roll	

8-Gauge		
57-240	Red, Per Ft.	
57-2401	Red, 10'	
14-Gauge		
57-201	Red, Per Ft.	
57-2011	Red, 10'	
57-203	Black, Per Ft.	
57-2031	Black, 10'	
57-236	White, Per Ft.	
57-2361	White, 10'	

Clear Shielded Distributor Wire 57-200

Specially shielded, three wire harness protects the trigger signal from the distributor from EMI (Electro Magnetic Interference). Sold per foot.

Power Rings

Heavy duty, gold plated copper ring terminals are sold in pairs with heat shrink tubing.



2-Gauge		
57-540	5/16"	
57-550	3/8"	
4-Gauge		
57-520	5/16"	
57-525	1/4"	
57-530	3/8"	
8-Gauge		
57-490	3/8" Open	
12-Gauge		
57-450	#6	
57-470	#10	
57-944	Female Quickslide	



Heat Shrink Tubing


Sold each.

57-440	Small
57-441	8 AWG
57-443	4 AWG
57-445	2 AWG



Ratcheting Crimper Pliers 50-395 NEW!

Perform consistent, professional quality crimps to a wide variety of electrical terminals including insulated, non-insulated, Weatherpack, small gauge or spark plug wire. Unique design allows



Heavy Duty Automatic Wire Stripper Pliers 50-393 NEW!

Heavy duty, 6" pliers allow quickly stripping 8-18 gauge wires for termination. A bolt-on depth adjustment guide provides consistent, reliable strip length.



Excellent for crimping standard power rings onto battery cables for permanent







QuickCar Battery Cable Kits includes 15 feet of red power cable, 2 feet of black ground cable, one pair of nickel-plated marine style battery terminals, eight gold plated power ring terminals and heat shrink tubing. All battery cables are made from copper.

57-008	4-Gauge, Side Mount
57-009	4-Gauge, Top Post Mount
57-010	2-Gauge, Top Post Mount
57-011	2-Gauge, Side Mount
57-014	4-Gauge, Top Post Mount, Includes Master Disconnect Switch

Drag Kit 57-012

QuickCar Drag Race Kit contains all you need to wire a dual battery system. The kit includes 25 feet of 2 gauge red power cable, 8 feet of 2 gauge black ground cable, 2 pair of nickel plated brass marine type battery terminals, 14 gold-plated power ring terminals and heat shrink tubing.

57-009

Battery Ground Cables

Pre-terminated with gold-plated copper terminals for maximum conductivity, ground cables are 18" in length. Choose from 2- or 4-gauge.

57-1809	4-Gauge
57-1810	2-Gauge

Gator Clamps 50-435

Heavy duty gator clamps are ideal for repairing or customizing battery charger connectors, remote starters, etc. Sold in pairs, (1) red and (1) black rubber coated.



Side Mount Battery Terminals 57-660

Battery terminals are 24k gold plated for optimum conductivity. Side mount terminals allow you to attach cables to GM style side mount batteries. Comes with nut and lock washers for 5/16" studs. Long stud allows use of multiple or thick power ring connectors. Sold in pairs.





Top Mount Battery Terminals

Made from solid brass and 24k gold or nickel plated for optimum conductivity, terminals allow attaching battery cables to top mount batteries. The 57-620 has two extra ports for accessory wires. Sold in pairs.

57-607	Battery Terminal Covers
57-610	Brass/Nickel Plated Terminals
57-620	Brass/Gold Plated Terminals

Remote Jumper Posts



Provides remote access to the battery. Terminals have insulated covers to prevent accidental contact from parts with opposing polarity.

57-701	Red
57-702	Black
57-703	Red And Black, Pair

Battery Cable Boots 57-604



May be used for covering battery terminals on small terminal batteries or starter solenoid connections. Boots may be used with up to 2-gauge cable. Sold as a pair, (1) red and (1) black.

Charging Post Mounting Brackets

Charging post brackets allow 57-703 remote charging posts to be professionally mounted. Machined aluminum brackets are black anodized and offered in flat, for mounting to a flat surface, or bent for mounting on firewall or inside of trunk. Brackets have two holes to accept red and black remote charging posts. Brackets may also be purchased complete with charging posts.

57-708	Flat Mounting Bracket	
57-709	Bent Mounting Bracket	
57-718	7-718 Flat Mounting Bracket With Charging Posts	
57-719	Bent Mounting Bracket With Charging Posts	










55-010







Master Disconnects

Most sanctioning bodies require these for an emergency cut-off switch. Our Master Disconnect Switches come complete with a red epoxy-coated handle and mounting plate. Mounting plate is 2-1/2"

55-009	Switch With Flag Mounting Plate	
55-010	Switch With Black Mounting Plate	
55-021	Switch With Silver Mounting Plate	
55-011	Switch With Black Mounting Plate, Cars w/Alternator	
55-012	Switch With Flag Mounting Plate, Cars w/Alternator	
55-022	Switch With Silver Mounting Plate, Cars w/Alternator	
55-001	Switch Only	
55-002	Switch Only, Cars w/Alternator	
55-55	Replacement Red Switch Handle With Screw	
55-120	Jumper Wire, 3" Long Wire For Use With 55-011 Or 55-012 To Simplify Wiring	

55-021

Battery Disconnect Boots

Protects battery disconnect terminals from being accidentally shorted.

57-601	Red, Pair
57-602	Black, Pair





Master Disconnect Switch W/Removable Key 55-003

Removable key adds a measure of safety and security, while limiting switch access.

55-004 Replacement Key

Heavy Duty Starter Solenoid 50-430

Durable solenoid is impervious to dirt, heat and vibration. Will still function while others fail.



Starter Jumper Wires





Starter jumper wire is used when a remote solenoid is also being used.



Wire jumps power from the solenoid to the starter when starter is engaged. Choose from wires with spade or ring style terminal ends.

50-2001	Spade Type Jumper Wire, Allstar Performance Or Tilton Starters
50-2002	Ring Terminal Jumper Wire, Bert Or Brinn Starters







Battery Quick Disconnects

The battery cable quick disconnect enables you to change out a battery fast. Also used for battery charging and anywhere a quick disconnect is helpful. Sold individually, complete with required connectors. Three are generally used; (1) for the battery end, (1) for the car end and (1) for a spare battery or battery charger.

57-705	2 AWG
57-706	4 AWG
57-704	8 AWG
50-513	6 AWG Connector Holster
50-514	6 AWG Connector Pin



Stud Feed-Thru 57-700

Designed for use where a 12-volt power source must pass through a panel (i.e. firewall).



Remote Outlet Kits

	Remote Outlet For Oil Heater Or Battery Charger
57-723	Remote Battery Charger Outlet With Cover



Male Recessed Outlet 57-710

Often used for remote access to battery or oil heater.

Firewall Grommets

Mounts securely to the firewall and locks onto the wire that passes through the bushing. Provides a waterproof seal and a vibration proof feed-through.

57-810	8-12 AWG
57-820	2-4 AWG
57-830	1/0 AWG



57-820 57-830

LED Under Car Light Kit 61-795

Perfect for dark pit areas when an urgent, under car repair is required. Bright white, 18" long LED light strip. Installs easily under car or in any dark area.

61-9795 Replacement LED Strip With Connectors



LED Light Strips can be placed virtually anywhere where lighting is desired, inside the driver's compartment, under the hood, etc. Offered in a variety of colors.

61-791	Yellow LED Strip
61-792	Blue LED Strip
61-793	Green LED Strip
61-794	Purple LED Strip
61-9790	Red LED Strip
61-9795	White LED Strip



Ignition Systems

QuickCar ignition wiring systems are used by many chassis builders and comply with specifications set by most sanctioning bodies.

QuickFire Ignition System 50-212

The QuickFire all-in-one ignition system is simple, affordable and eases the car building process. Fully assembled unit features an MSD Digital 6AL ignition with built-in rev control and Blaster coil for reliable, trouble-free operation. Ignition control panel uses double pole, high current switches for ignition and accessory with pilot lights, and is wired using high temperature cross link polyethylene wire that includes heavy duty crimped and soldered connections. Terminal strip connections are provided for tachometer and accessory hook-up. Incorporated heavy duty solenoid and 24k gold plated connectors help ensure reliable starting, while the master disconnect switch provides complete system shut down.

Dual Module Plate 50-440

Aluminum mounting plate, which is pre-drilled to accept two 6000 series MSD ignition units, includes a raised platform design and may be mounted to any flat surface using provided 1/4" holes. Plate also has provisions for solenoid, noise capacitor and two circuit breakers.

Deutsch Weatherpack Adapter 50-2007

Eases the installation of MSD HVC ignitions, adapting the Deutsch square 6-pin connector to a 6-pin flat male Weatherpack connector.

MSD Magnetic Pickup To Weatherpack Adapter 50-207

Specialized adapter eliminates the need to cut MSD magnetic pickup wires when converting primary ignition wiring to Weatherpack connectors.

Crane Ignition Distributor Adapter 50-2008

Special wiring harness adapts Crane Ignition distributors that use a 3-pin Deutsch connector to a 2-pin Weather pack connector.



MSD Box Quick Release 50-442



Digital MSD Adapter 50-2006



Pigtail harness adapts an MSD Digital 6 ignition connector to a standard 6-pin flat male Weatherpack connector.



Ignition Control Panels

QuickCar has become the industry leader in ignition control panels. Panels include bridged double-pole switches, large gauge wiring with heavy duty connectors for improved conductivity and reliability. Panels are pre-wired to connect directly to our wiring harnesses.

Ignition Control Panel 50-020

Compact ignition panel includes push-to-start button, weatherproof ignition and an accessory switch. Panel is 4-5/8" wide x 2-1/2" high. Direct, plug-installation using the 50-200 or 50-201 wiring harness.







Ignition Control Panels

Ignition control panels are 3-3/8" wide x 3-5/8" high size. Panels have push-to-start button and ignition switch. Available with or without flip switch ignition cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness.

50-102	Ignition Control Panel	
50-103	Ignition Control Panel w/Flip Switch Ignition Cover	

50-102 50-103

Ignition Control Panels

Panels, which are 3-3/8" wide x 4-1/4" high, include ignition switch, push-to-start button and pilot light. Choice of panels with or without flip switch cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness

50-052	Ignition Control Panel
50-053	Ignition Control Panel w/Flip Switch Ignition Cover







50-053



Ignition Control Panel 50-820

Compact ignition panel includes push-to-start button, weatherproof ignition and an accessory switch. Panel is 4-5/8" wide x 2-1/2" high. Direct, plug-installation using the 50-200 or 50-201 wiring harness.







Ignition Control Panels

Ignition control panels are 3-3/8" wide x 3-5/8" high size. Panels have push-to-start button and ignition switch. Available with or without flip switch ignition cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness.

50-802	Ignition Control Panel	
50-803	Ignition Control Panel w/Flip Switch Ignition Cover	


Ignition Control Panels

Panels, which are 3-3/8" wide x 4-1/4" high, include ignition switch, push-to-start button and pilot light. Choice of panels with or without flip switch cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness

50-852	Ignition Control Panel
50-853	Ignition Control Panel w/Flip Switch Ignition Cover



50-803





50-853







50-023

Ignition Control Panels With Single Accessory Switch

Panels include ignition switch, push-to-start button, accessory switch and two pilot lights. Panels are 4-5/8" wide x 4-3/8" high. Choice of panels with or without flip switch cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness.

50-022	Ignition Control Panel
50-023	Ignition Control Panel w/Flip Switch Ignition Cover

Ignition Control Panel With Two Accessory Switches 50-025

Panel includes ignition switch, push-to-start button, two accessory switches and three pilot lights. Panel is 4-5/8" wide x 4-3/8" high. A direct, plug-in installation using 50-200 or 50-201 wiring harness.



Basic Ignition Wiring Harnesses

Ready-to-install, basic wiring harnesses ease the car building process. Each harness is 5' long and includes four individually labeled wires complete with direct, plug-in connector.

50-200	Basic Wiring Harness
50-201	Basic Wiring Harness, HEI









50-823

Ignition Control Panels With Single Accessory Switch

Panels include ignition switch, push-to-start button, accessory switch and two pilot lights. Panels are 4-5/8" wide x 4-3/8" high. Choice of panels with or without flip switch cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness.

50-	822	Ignition Control Panel
50-	823	Ignition Control Panel w/Flip Switch Ignition Cover

Ignition Control Panel With Two Accessory Switches 50-825

Panel includes ignition switch, push-to-start button, two accessory switches and three pilot lights. Panel is 4-5/8" wide x 4-3/8" high. A direct, plug-in installation using 50-200 or 50-201 wiring harness.



ignition switch, all in one.

Remote Start Button 50-434

Handy when performing valve lash adjustments. Includes heavy duty leads with gator clamps that connect to the starter solenoid, allowing the engine to be easily turned over.





Toggle Switch Extensions

Push on switch extensions ease toggle switch activation, particularly when wearing driving gloves. Sold in pairs in choice of red or black.

50-524	Red, Two Pack
50-526	Black, Two Pack



Ignition Control Panel 50-165

Compact ignition panel includes ignition switch, momentary start button and five accessory switches. Panel is 6-7/8" wide x 2" high.





Fused Ignition Control Panel 50-163

Panel features fused ignition switch, momentary start button and five fused accessory switches. Panel is 6-7/8" wide x 3-1/4" high.

Ignition Control Panel 50-166

Similar to the 50-165 ignition panel, but with the addition of six pilot lights. Panel, which is 6-7/8" wide x 3-1/4" high, includes ignition switch, momentary starter button, five accessory switches and six pilot lights.





Fused Ignition Control Panel 50-164

Similar and a bit larger than the 50-163 ignition panel, but with the addition of six pilot lights. Includes fused ignition switch, momentary starter button, five fused accessory switches and six pilot lights. Panel is 6-7/8" wide x 4-1/8" high.

Switch Panel Sticker Kits

Customize QuickCar ignition control panel quickly and easily, while keeping a professional appearance. Sticker kit includes labels for 16 various functions that may be activated with accessory switches.

50-003 Sticker Kit For QuickCar Panels With Six Or More Switches





Ignition Control Panel 50-865

Compact ignition panel includes ignition switch, momentary start button and five accessory switches. Panel is 6-7/8" wide x 2" high.





Fused Ignition Control Panel 50-863

Panel features fused ignition switch, momentary start button and five fused accessory switches. Panel is 6-7/8" wide x 3-1/4" high.

Ignition Control Panel 50-866

Similar to the 50-865 ignition panel, but with the addition of six pilot lights. Panel, which is 6-7/8" wide x 3-1/4" high, includes ignition switch, momentary starter button, five accessory switches and six pilot lights.





Fused Ignition Control Panel 50-864

Similar and a bit larger than the 50-863 ignition panel, but with the addition of six pilot lights. Includes fused ignition switch, momentary starter button, five fused accessory switches and six pilot lights. Panel is 6-7/8" wide x 4-1/8" high.

Roll Bar To Switch/Gauge Panel Mounting Brackets

Specialized brackets allow quickly mounting gauge or switch panels to roll bar. Mounts virtually any height panel. Simply snip off any extra bracket length, if desired. Available to mount to 1-1/2", 1-5/8" or 1-3/4" dia. roll bar. Sold in pairs.

66-939	Switch Panel Mounting Bracket, 1–1/2" Roll Bar
66-940	Switch Panel Mounting Bracket, 1–3/4" Roll Bar
66-945	Switch Panel Mounting Bracket, 1–5/8" Roll Bar





Weatherproof 2 Switch Ignition Control Panels

Weatherproof switch panels, which are 3-3/8" wide x 3-1/2" high, are a direct plug-in to the 50-200, 50-201, or 50-2031 wiring harness.

50-750	Ignition Control Panel, Use with 50-200 or 50-201 Harness	
50-7531	Single Ignition Control Panel, Use with 50-2031 Harness	





Weatherproof 3 Switch Ignition Control Panels

Weatherproof panels include ignition, momentary starter and single accessory switches. Panels are 4-5/8" wide x 2-1/2" high and are a direct, plug-in to the 50-200, 50-201, 50-2021 (dual ignition) or 50-2031 (single ignition) wiring harnesses.

50-720	Ignition Control Panel, Use 50-200 Or 50-201 Harness
50-711	Dual Ignition Control Panel, Use 50-2021 Harness
50-731	Single Ignition Control Panel, Use 50-2031 Harness

Weatherproof 4 Switch Ignition Control Panels

Weatherproof panels include ignition, momentary starter and single accessory switches. Panels are 4-1/8" wide x 3" high and are a direct, plug-in to the 50-200, 50-201, 50-2021 (dual ignition) or 50-2031 (single ignition) wiring harnesses.

50-740	Ignition Control Panel, Use with 50-200 Or 50-201 Harness
50-7411	Dual Ignition Control Panel, Use 50-2021 Harness
50-7431	Single Ignition Control Panel, Use 50-2031 Harness





50-771



50-1711

Weatherproof 5 Switch Ignition Control Panels

Weatherproof panels include ignition, momentary starter and three accessory switches. Panels are 4-1/8" wide x 3" high and are a direct, plug-in to the 50-2021 wiring harness.

Black	Checkered	
50-7711	50-1711	Dual Ignition Control Panel, Use with 50-2021 Harness
50-7713	50-1713	Dual Ignition Control Panel w/3-Wheel Braking, Use with 50-2021 Harness
50-7714	50-1714	Single Ignition Control Panel with Dual Pickup Distributor, Use with 50-2031 Harness
50-7731	_	Single Ignition Control Panel, Use with 50–2031 Harness





Weatherproof Fused Ignition Control Panel 50-7164

Ignition panel combines the benefits of weatherproof, precision micro switches with built-in fuse access and a compact, 6-7/8" wide x 4-1/8" high size. Includes momentary start, ignition and five accessory switches.





Weatherproof 6 Switch Ignition Control Panels NEW!

Weatherproof switch panels, which are 3-1/2" wide x 3-3/8" high, are a direct plug-in to the 50-200, 50-201, or 50-2031 wiring harness. Includes ignition, momentary start and four accessory switches.

	50-7611	Ignition Control Panel, Use with 50-201 Harness
	50-7631	Single Ignition Control Panel, Use with 50-2031 Harness
	50-7931	Single Ignition Control Panel, Use with 50-2034 Harness

Weatherproof 3 Switch Ignition Control Panels NEW!

Weatherproof panels include ignition, momentary start and single accessory switches. Panels are 2-1/2" wide x 4-5/8" high and are a direct, plug-in to the 50-200, 50-201, 50-2021 (dual ignition) or 50-2031 (single ignition) wiring harnesses.

50-790	Ignition Control Panel, Use 50–200 Or 50–201 Harness
50-7911	Dual Ignition Control Panel, Use 50-2021 Harness
50-7931	Single Ignition Control Panel, Use 50-2031 Harness





Single Ignition Control Panels

Pre-wired switch panels include ignition switch, push-to-start button and choice of single accessory or 3-wheel brake switch. Panels are 4-5/8" wide x 2-1/2" high. A direct, plug-in installation using the 50-2031 wiring harness.

50-031	Single Ignition Control w/Accessory Switch
50-033	Single Ignition Control w/3-Wheel Brake Switch

Switch Panel Sticker Kits

Customize QuickCar ignition control panels quickly and easily, while keeping a professional appearance. Sticker kits includes labels for 16 various functions that may be activated with accessory switches.

50-004	Sticker Kit For OuickCar Panels With Five Or Fewer Switches
JU 007	1 Sticker Nit For Quicked Failers With Five Of Fewer Switche.







Basic Ignition Wiring Harnesses

Ready-to-install, basic wiring harnesses ease the car building process. Each harness is 5' long and includes four individually labeled wires complete with plug-in connector.

50-200	Basic Wiring Harness
50-201	Basic Wiring Harness, HEI

Mod Ignition Wiring Harness Kit

Universal harness for UMP/IMCA modified will connect all ignition components. Includes switch panel with weatherproof switches.


50-2030	Checkered Panel
50-2037	Black Panel



Single Ignition Wiring Harness 50-2031

A universal Weatherpack harness for race cars utilizing a single box ignition system.





A universal Weatherpack harness for race cars using a dual box ignition system.



HEI Ignition Wiring Harness 50-2032

Universal wiring harness is designed for applications using an HEI ignition system. Designed for use with 50-031, 50-033, 50-731 or 50-7731 ignition panels, harness is constructed using Weatherpack connectors, heat shrink tubing and includes terminals for HEI distributor.



Crane Ignition/Asphalt Late Model Wiring Harness 50-2051

Specialized wiring harness is designed for asphalt late models using a single Crane 6700-6701 Ignition system. Sold complete with wiring and connectors. For use with any ignition panel that fits the 50-2031.



Dual Pickup Distributor Ignition Wiring Harness 50-2034

Universal Weatherpack wiring harness is designed for cars using a single ignition box and dual magnetic pickup distributor, or crank trigger/distributor combination.

Must be used with 50-1714 ignition panel.








Switch Panel To Wiring Harness Chart

The ignition switch panels listed below are designed as a direct, plug-in installation to a specific wiring harness, significantly easing and speeding-up the car building process. The chart identifies the proper wiring harness for each ignition switch panel.

Ignition Switch Panel	Wiring Harness
50-020/50-820	50-200 (BASIC) OR 50-201 (HEI)
50-022/50-822	50-200 (BASIC) OR 50-201 (HEI)
50-023/50-823	50-200 (BASIC) OR 50-201 (HEI)
50-025/50-825	50-200 (BASIC) OR 50-201 (HEI)
50-031	50-2031 (SINGLE IGNITION)
	OR 50-2032 (HEI)
50-033	50-2031 (SINGLE IGNITION)
	OR 50-2032 (HEI)
50-052/50-852	50-200 (BASIC) OR 50-201 (HEI)
50-053/50-853	50-200 (BASIC) OR 50-201 (HEI)
50-102/50-802	50-200 (BASIC) OR 50-201 (HEI)
50-103/50-803	50-200 (BASIC) OR 50-201 (HEI)
50-1711/50-7711	50-2021 (DUAL IGNITION)
50-1713/50-7713	50-2021 (DUAL IGNITION)
50-1714/50-7714	50-2034 (DUAL PICKUP IGNITION)
50-711	50-2021 (DUAL IGNITION)
50-720	50-200 (BASIC) OR 50-201 (HEI)
50.721	50-2031 (SINGLE IGNITION)
50-731	OR 50-2032 (HEI)

Ignition Switch Panel	Wiring Harness
50-740	50-200 (BASIC) OR 50-201 (HEI)
50-7411	50-2021 (DUAL IGNITION)
50.7434	50-2031 (SINGLE IGNITION)
0-7431	OR 50-2032 (HEI)
50-750	50-200 (BASIC) OR 50-201 (HEI)
50.7534	50-2031 (SINGLE IGNITION)
0-7531	OR 50-2032 (HEI)
50-7611	50-2021 (DUAL IGNITION)
	50-2031 (SINGLE IGNITION)
0-7631	OR 50-2032 (HEI)
50-7614	50-2034 (DUAL PICKUP IGNITION)
50 7734	50-2031 (SINGLE IGNITION)
50-7731	OR 50-2032 (HEI)
50-790	50-200 (BASIC) OR 50-201 (HEI)
50-7911	50-2021 (DUAL IGNITION)
	50-2031 (SINGLE IGNITION)
50-7931	OR 50-2032 (HEI)
52 SERIES ROCKER SWITCH PANELS	50-200 (BASIC) OR 50-201 (HEI)







HD Switch With Flip-Up Switch Cover 50-520

Heavy duty switch includes an aircraft-type, flip-up switch cover.



HD Switch With Black Switch Cover 50-522

Heavy duty switch includes a weatherproof black switch cover.



Ignition Control Panels With Rocker Switches NEW!

Similar in quality and construction to traditional QuickCar ICP's, but with premium rocker switches. Panels feature 25 amp capacity switches that are dust/water resistant and include screw-on terminal connections. Offered in checkered flag or black, panels are completely pre-wired and ready to install. May be plugged in directly to 50-200 or 50-201 wiring harnesses, if desired.

52-165 (Checkered Flag) 52-865 (Black)

Includes ignition switch, momentary starter switch and three accessory switches. Measures 7" wide x 3" high.









52-166 (Checkered Flag) 52-866 (Black)

Similar to the above panels, but with rocker switches that illuminate upon activation. Includes illuminated ignition switch, momentary starter switch and three illuminated accessory switches. Measures 7" wide x 3" high.

52-163 (Checkered Flag) 52-863 (Black)

Panel features the addition of fused rocker switches for added electrical system protection. Includes fused ignition switch, momentary starter switch and three fused accessory switches. Measures 7" wide x 3-1/2" high.





52-863





52-864

52-164 (Checkered Flag) 52-864 (Black)

Top-of-the-line panel incorporates rocker switches that are fused and illuminated. Includes illuminated and fused ignition switch, momentary starter switch, and three illuminated and fused accessory switches. Measures 7" wide x 3-1/2" high.

Replacement/Accessory Rocker Switches

52-200	Wiring Harness For Rocker Switch Panels
52-500	On/Off Rocker Switch
52-510	Momentary Start Rocker Switch
52-512	Momentary On/Off Rocker Switch
52-601	Lighted On/Off Rocker Switch, Red
52-602	Lighted On/Off Rocker Switch, Blue
52-604	Lighted On/Off Rocker Switch, Amber
52-609	Lighted On/Off Rocker Switch, Green
52-615	Lighted On/Off/On Rocker Switch, Red







Redline Gauge Panels NEW!

Competition, lightweight aluminum Redline Gauge Panels are fitted with reliable, USA-made electric stepper motor gauges. Precision, 2-5/8" diameter gauges are pre-programmed to illuminate in stages, quickly alerting the driver in the event of a problem. Panels are sold completely pre-wired for easy installation and include all necessary senders.



2-Gauge Panel 63-2001 **NEW!**

Basic panel includes gauges for oil pressure and water temperature. Panel is 7-1/4" wide x 4-1/2" high.

3-Gauge Panel 63-3011 NEW!

Panel includes gauges for oil pressure, water temperature and oil temperature. Panel is 10-1/2" wide x 4-1/2" high.





3-Gauge Panel 63-3012 **NEW!**

Panel includes gauges for oil pressure, water temperature and fuel pressure. Panel is 10-1/2" wide x 4-1/2" high.

3-Gauge Panel 63-3016 **NEW!**

Panel includes gauges for oil pressure, water temperature and water pressure. Panel is 10-1/2" wide x 4-1/2" high.





3-Gauge Panel 63-3017 **NEW!**

Panel includes gauges for oil pressure, water temperature and volt meter. Panel is 10-1/2" wide x 4-1/2" high.



4-Gauge Panel 63-4021 NEW!

Panel includes gauges for oil pressure, water temperature, oil temperature and fuel pressure. Panel is 13-5/8" wide x 4-1/2" high.





4-Gauge Panel 63-4026 NEW!

Panel includes gauges for oil pressure, water temperature, fuel pressure and water pressure. Panel is 13-5/8" wide x 4-1/2" high.

4-Gauge Panel 63-4027 NEW!

Panel includes gauges for oil pressure, water temperature, oil temperature and volt meter. Panel is 13-5/8" wide x 4-1/2" high.





5-Gauge Panel 63-5036 NEW!

Panel includes gauges for oil pressure, water temperature, oil temperature, fuel pressure and water pressure. Panel is 17" wide x 4-1/2" high.

5-Gauge Panel 63-5037 **NEW!**

Panel includes gauges for oil pressure, water temperature, oil temperature, fuel pressure and volt meter. Panel is 17" wide x 4-1/2" high.



2-5/8" Redline Gauges NEW!

May also be purchased separately. Sold complete with 12-volt lighting. Senders and pressure lines not included.



63-000 Fuel Pressure 0-15 PSI



63-003 Oil Pressure 0-100 PSI.



63-006 Water Temperature 100°-280° F.



63-007Volt Meter 8-18 Volts



63-008 Water Pressure 0-60 PSI



Oil Temperature 140°-320° F.

Replacement Senders 63-230 63-240



63-230 Oil Pressure/Water Pressure Sender63-240 Fuel Pressure Sender63-220 Water Temp/Oil Temp Sender



Extreme Gauge Panels

Extreme Gauge Panels feature lightweight, 2-5/8" diameter white face mechanical gauges with bright red pointers mounted in gloss black finished panels. USA-made panels are pre-wired, ready to install and include necessary senders. No external warning lights are needed; gauges use LED lights and switch automatically from white to designated color when a problem arises. Gauges are mounted using vibration absorbing grommets for added durability.

2-Gauge Panel 61-7001

Basic, 7-1/4" wide x 4-1/2" high panel includes gauges for oil pressure and water temperature.





3-Gauge Panel 61-7011

Panel is 10-1/2" wide x 4-1/2" high and features oil pressure, water temperature and oil temperature gauges.

3-Gauge Panel 61-7012

Panel is complete with oil pressure, water temperature and fuel pressure gauges, and is 10-1/2" wide x 4-1/2" high.





3-Gauge Panel 61-7017 **NEW!**

Panel is complete with oil pressure, water temperature and volt meter gauges. Panel is 10-1/2" wide x 4-1/2" high.

4-Gauge Panel 61-7021

Panel, which is 13-5/8" wide x 4-1/2" high, includes oil pressure, water temperature, oil temperature and fuel pressure gauges.





Extreme Gauge Panels With LED Digital Tachometer

Panels feature the addition of the Extreme LED Digital Tachometer, designed for use as an RPM indicator or shift light. RPM settings are adjusted by simply touching the lens with a finger. Fully assembled and pre-wired, panels are complete with necessary senders. May be assembled with any combination of gauges; please call with specific requirements.



2-1 Gauge Panel 61-7031

2-1 gauge panel is complete with gauges for oil pressure and water temperature, and the Extreme LED Digital Tachometer. Panel is 10-1/2" wide x 4-1/2" high.

3-1 Gauge Panel 61-7041

3-1 gauge panel includes oil pressure, water temperature and oil temperature gauges, and the Extreme LED Digital Tachometer. Panel is 13-5/8" wide x 4-1/2" high.





3-1 Gauge Panel 61-7042

3-1 gauge panel includes oil pressure, water temperature and fuel pressure gauges, and the Extreme LED Digital Tachometer. Panel is 13-5/8" wide x 4-1/2" high.

4-1 Gauge Panel 61-7051

4-1 gauge panel includes oil pressure. water temperature, oil temperature and fuel pressure gauges, and the Extreme LED Digital Tachometer. Panel is 17" wide x 4-1/2" high.



Warning

Light

2-5/8" Extreme Gauges

May also be purchased separately. Sold complete with 12-volt lighting. Senders and pressure lines not included.

Fuel Pressure 611-7000

Oil Pressure 611-7003



Volt Meter 611-7007



Oil Temperature 611-7009

Activated



Warning Light Activated

Water Temperature 611-7006



Warning Light Activated





Warning Light Activated





Transmission Temperature 611-7012

Warning Light Activated



Standard Gauge Panels

Standard gauge panels feature quality QuickCar 2-5/8" diameter mechanical gauges and accompanying warning lights. Panels are sold completely pre-wired for easy installation and include all necessary senders.

2-Gauge Panel 61-6001

Basic panel includes gauges for oil pressure and water temperature and accompanying warning lights. Panel is 7-1/4" wide x 4-1/2" high.





3-Gauge Panel 61-6011

Panel includes gauges for oil pressure, water temperature and oil temperature and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.

3-Gauge Panel 61-6012

Panel includes gauges for oil pressure, water temperature and fuel pressure and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.





4-Gauge Panel 61-6021

Panel features gauges for oil pressure, water temperature, oil temperature and fuel pressure and accompanying warning lights. Panel is 13-5/8" wide x 4-1/2" high.



Standard Gauge Panels Cont. (Black)

2-Gauge Panel 61-6701

Basic panel includes gauges for oil pressure and water temperature and accompanying warning lights. Panel is 7-1/4" wide x 4-1/2" high.





3-Gauge Panel 61-6717 NEW!

Panel is complete with oil pressure, water temperature and volt meter gauges and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.

3-Gauge Panel 61-6711

Panel includes gauges for oil pressure, water temperature and oil temperature and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.



3-Gauge Panel 61-6712

Panel includes gauges for oil pressure, water temperature and fuel pressure and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.

4-Gauge Panel 61-6721

Panel features gauges for oil pressure, water temperature, oil temperature and fuel pressure and accompanying warning lights. Panel is 13-5/8" wide x 4-1/2" high.





Standard Gauge Panels With 5" Tachometer



2-1 Gauge Panel 61-6031

Basic 2-1 panel includes a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.

3-1 Gauge Panel 61-6041

Panel incorporates a 5" diameter
QuickCar 10,000 RPM
recall tachometer, 2-5/8"
diameter mechanical
gauges for oil pressure,
water temperature and
oil temperature, and
accompanying warning
lights. Panel is 15-1/8"
wide x 4-1/2" high.



WATER TEMPERATURE PRESSURE AD SO THE SOURCE PRE

3-1 Gauge Panel 61-6042

Popular panel uses a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



4-1 Gauge Panel 61-6051

Panel features QuickCar 5" diameter, 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide $\times 4-1/2$ " high.



Standard Gauge Panels With 5" Tachometer Cont. (Black)



2-1 Gauge Panel 61-6731

Basic 2-1 panel includes a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.

3-1 Gauge Panel 61-6741

Panel incorporates a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high





3-1 Gauge Panel 61-6742

Popular panel uses a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



4-1 Gauge Panel 61-6751

Panel features QuickCar 5" diameter, 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.



Standard Gauge Panels With 3-3/8" Tachometers

2-1 Gauge Panel 61-60313

Basic panel includes a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.



OIL TO TEMPERATURE OIL TO

3-1 Gauge Panel 61-60413

Panel incorporates a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

3-1 Gauge Panel 61-60423

Panel features a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



4-1 Gauge Panel 61-60513

Panel combines a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.





Standard Gauge Panels With 3-3/8" Tachometers Cont. (Black)

2-1 Gauge Panel 61-67313

Basic panel includes a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.



3-1 Gauge Panel 61-67413

Panel incorporates a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

3-1 Gauge Panel 61-67423

Panel features a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



4-1 Gauge Panel 61-67513

Panel combines a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.





Tachometers

Made in the USA, QuickCar tachometers are used in the assembly of our quality built, ready to install panels, and are also offered separately.

Extreme LED Digital Tachometer 611-7010

Digital tachometer's compact, 2-5/8" diameter allows it to be installed into any Extreme gauge panel. Tachometer may be used simply as an RPM indicator, or as a shift light. RPM settings are adjusted by simply touching the lens with a finger. Unit also includes a recall feature, which displays the highest RPM attained at the end of the race.





Shift Lights On



Tachometer With Memory 611-6001

A true American made, 5" diameter tachometer that is affordable, dependable and accurate. Tachometer, which has a silver dial face with bright red pointer, has a 0-10,000 RPM range and popular memory feature, which allows displaying the highest RPM attained from the last race. Unit features an analog design, thereby lacking a microprocessor and providing legality in all sanctioning bodies. Now features bright white LED lighting.

Tachometer With Remote Recall 611-6002

Made in the USA, 3-3/8" diameter aluminum-cased tachometer includes a 0-10,000 RPM range. Designed for in-dash mounting, tachometer includes a silver dial face with bright red pointer, and includes a remote recall, which displays the highest RPM attained during the last race. Analog rather than microprocessor design allows legality in all sanctioning bodies. Now features bright white LED lighting.

611-096 Replace

Replacement Remote Recall Switch







Redline Multi-Recall Tachometers NEW!

Precision, 3" diameter tachometers combine accuracy and reliability with added multi-recall features. The built-in multi-recall function allows recalling the four highest (straightaway) and four lower (corner) RPM readings to help determine proper gearing, while the programmable shift light aids in performing timely shifts, when desired. Bright, LED lit 0-10,000 RPM tachs are offered with black or white dial faces.

63-001	Multi-Recall Tachometer (White)
63-002	Multi-Recall Tachometer (Black)

QuickTach LCD Recall Tachometers

Compact, yet accurate QuickTach features a 1-3/4" wide x 3/4" high LCD digital display of engine RPM, while also including the ability to recall the highest RPM attained during the last race. RPM recall is automatically displayed for up to 15 minutes once the engine is shut down, and clears when the engine is re-started. A reset button allows for occasions when it is desired to reset the unit during racing. Lightweight, aluminum cased unit is waterproof and is self-powered by a 9-volt battery.

611-099	QuickTach, White/Red With Checkered Flag
611-100	QuickTach, Black





611-099





Standard 2-5/8" Gauges

May also be purchased separately. Sold complete with 12-volt lighting. Senders and pressure line not included.







40 60 100 100 OIL

0-100 PSI.



100°-340° F.

Fuel Pressure 611-6000

ressure Volts 6000 611-6007 Water Temperature 611-6006

Oil Pressure Oil Temperature 611-6003 611-6009

0-15 PSI.

8-18 Volts.

100°-280° F.

Pressure and Temperature Switches

Fuel Pressure Switch 61-730

Activates warning light when fuel pressure drops below 4 PSI. Switch has 1/8" NPT.



Water Temperature Switches

Activates warning light when water temperature rises to 235° F. Offered with 3/8" or 1/2" NPT.

61-740	Water Temperature Switch, 1/2" NPT
61-748	Water Temperature Switch, 3/8" NPT

Oil Pressure Switches

Switches are offered to activate oil pressure warning light at 20 or 30 PSI. Switches have 1/8" NPT.

61-733	Oil Pressure Switch, Activates At 30 PSI
61-735	Oil Pressure Switch Activates At 20 PSI

Oil Temperature Switch 61-750

Activates warning light when oil temperature rises above 280° F. Has a 1/2" NPT.



LED Red Light Strip 61-790

Red, 18" long LED strip, which may be trimmed to length, is typically mounted to the dashboard and wired to a warning light, quickly alerting the driver in the event of a problem. Sold complete with necessary wiring.



Example of LED Red Light Strip, Gauge Panel Not Included

Replacement Warning Lights

Replacement lights are designed for QuickCar panels and include snap-in design. Lights feature a more durable, non-brittle one-piece body.

61-701	Red	
61-702	Blue	
61-704	Amber	
61-709	Green	
61-706	4-Pc. Warning Light Kit Includes (1) red, (1) blue, (1)	
	amber and (1) green warning light.	



LED Bulbs NEW!

New and improved bulbs fit into the back lighting of standard QuickCar gauges, offering bright illumination and easier gauge reading, while using less power and adding reliability. Perfect for 16V applications.

61-698	White LED Bulbs, 4-Pack
61-699	White LED Bulb, Each
61-691	Red LED Bulbs, Pair
61-692	Blue LED Blubs, Pair
61-693	Amber LED Bulbs, Pair
61-694	Green LED Bulbs, Pair





Fuel Pressure Isolator 61-300

Specialized isolator eliminates the hazards associated with driver's compartment mounted fuel pressure gauges. Typically mounted to the engine side firewall, isolator is plumbed with the pressure source on the inlet side and an anti-freeze/water mix on the outlet. which connects to the gauge. Compatible with gasoline, alcohol or methanol fuels, isolator is manufactured from black anodized, 6061-T6 billet aluminum for durability. Capable of monitoring pressures up to 80

PSI, unit is sold complete with -4AN adapter fittings, mounting bracket and necessary hardware.

Pressure Gauge Line Kits

Each kit includes two 1/8" NPT to -4AN adapter fittings and -4AN stainless steel braided line to hookup pressure gauges.

61-71012	12"
61-71024	24"
61-71036	36"
61-71048	48"
61-71060	60"



61-720

61-721

Brass 1/8" NPT Tee Fittings

Required when wiring in warning lights.

61-720	1/8" NPT "T"–Fitting, (2) Female Ports, (1) Male Port
61-721	1/8" NPT "T"–Fitting, (3) Female Ports



Installed in-line to allow monitoring engine oil temperature, manifold is constructed from rigid billet aluminum and black anodized for corrosion resistance. Manifold includes -10AN O-ring boss inlet and outlet ports, and a 3/8" female NPT port for an oil temperature probe.



1/8" NPT Pressure Gauae Line Kits

Designed to connect mechanical pressure gauges, kits are offered with copper or nylon tubing. Each kit is complete with required fittings.



61-710	Nylon Gauge Line Kit
61-7101	Copper Gauge Line Kit
61-724	1/8" NPT Female To -4AN Male Gauge Adapter (Each)
61-725	1/8" NPT Male To –4AN Male Gauge Adapter (Each)

Aluminum Tee Fitting 61-722



Temperature Adapters

Used to connect mechanical water or oil temperature gauges to engine.

611-900	1/2" NPT Brass Adapter
611-901	1/2" NPT Aluminum Adapter
611-902	3/8" NPT Aluminum Adapter
611-903*	3/8" NPT Extended Aluminum Adapter



^{*} Note: For use on applications where the temperature probe contacts the inside of the cylinder head before tightening. Typically required for most aluminum heads.



Quick-Lite Warning Light Kits

Warning light kits are designed to immediately alert the driver of any engine problems. Each kit is sold complete with warning light, sending switch and wiring.



Oil Pressure Kit 61-711

Kit includes a red warning light, pressure sending unit that actuates the warning light if oil pressure drops below 20 PSI, brass in-line tee for oil pressure line, and necessary pre-terminated wiring.

Water Temperature Kit 61-712

Kit includes a blue warning light, temperature sending unit that actuates the warning light if water temperature exceeds 235° F., and necessary pre-terminated wiring.





Water Pressure Kit 61-713

Kit includes a blue warning light, pressure sending unit that actuates the warning light if water pressure drops below 4 PSI, and necessary pre-terminated wiring. Kit provides instant notice of coolant pressure loss such as a blown hose, radiator or head gasket leakage. Sending unit may be installed virtually anywhere in the cooling system.



Kit includes an amber warning light, temperature sending unit that actuates the warning light if oil temperature exceeds 280° F., and necessary pre-terminated wiring.





Fuel Pressure Kit 61-719

Kit includes a green warning light, pressure sending unit that actuates the warning light if fuel pressure drops below 4 PSI, brass in-line tee and necessary pre-terminated wiring.

Water Pressure Kit With 2-1/16" Dia. Gauge 61-716

Keep track of spikes or loss of cooling system pressure, which if unnoticed, can cause catastrophic engine failure. Kit is similar to 61-713, but with the addition of a QuickCar 2-1/16" diameter mechanical 0-35 PSI water pressure gauge. Also includes blue warning light, pressure sending unit that actuates the warning light if water pressure drops below 4 PSI, brass in-line tee and necessary pre-terminated wiring.

61-697	Replacement LED Bulb
611-6008	Replacement Gauge, 0-35 PSI





Deluxe Sprint Gauge Panels

Innovative, two-gauge panels feature a self-contained, low oil pressure warning system. Panels are fitted with QuickCar 2-5/8" diameter oil pressure and water temperature gauges, use a 9-volt battery for power, and install with quick fasteners. Choose from lightweight aluminum or ultra-light carbon fiber panels. Sold complete with required fasteners and battery.

61-6005	Aluminum Gauge Panel
61-6005-1	Aluminum Gauge Panel, Includes Magneto Switch
61-7005	Carbon Fiber Gauge Panel





Pro Sprint Gauge Panels

Two-gauge panels weigh less than 1 lb., yet are very durable. Gauge panels are fitted with QuickCar 2-5/8" diameter oil pressure and water temperature gauges, and fasten to dash from engine bay using included quick fasteners. Choose from lightweight aluminum or ultra-light carbon fiber panels.

61-6004	Aluminum Gauge Panel	
61-6006	Aluminum Gauge Panel, Vertical Mount	
61-7004 Carbon Fiber Gauge Panel		



61-7005

61-7004

Replacement Gauges

Gauges include mounting grommet.

611-6004	Oil Pressure, 0-100 PSI	
611-6005	Water Temperature, 100°-280° F.	









Ultra-Nite Sprint Car Gauge Panels

Compact, lightweight gauge panels are fitted with Auto Meter 2-5/8" diameter Ultra-Nite glow-in-the-dark oil pressure and water temperature gauges. Gauges are mounted in aluminum or carbon fiber panels using shockproof rubber grommets. Available Deluxe gauge panels include 9-volt battery for self-sufficient power supply for low oil pressure warning light and toggle switch. All panels are sold complete with Quick fasteners.

61-0604	Ultra-Nite Pro Sprint Panel, Aluminum Panel	
61-0605 Ultra-Nite Deluxe Sprint Panel, Aluminum Panel, 9-Volt Powered		
61-0606 Ultra-Nite Vertical Mount Panel, Aluminum Panel		
61-0704 Ultra-Nite Pro Sprint Panel, Carbon Fiber Panel		
61-0705	Ultra-Nite Deluxe Sprint Panel, Carbon Fiber Panel, 9-Volt Powered	

61-0704





Rear View







Replacement Gauges

Gauges include mounting grommet.

611-4521	Oil Pressure, 0-100 PSI	
611-4531	Water Temperature, 140°-280° F.	



Offset Sprint Gauge Grommet 61-727

Special rubber grommet secures 2-5/8" diameter gauges into mounting panel, replacing traditional saddle brackets. Offsets gauges toward driver, while reducing gauge vibration for easier reading.



Weatherproof Switch 50-401

Quality momentary-off-momentary toggle switch. Commonly used in conjunction with an electric motor to activate a wing adjuster.





Aluminum Tee Fitting 61-722

Fitting includes a 1/8" NPT port to -4AN with 1/8" NPT side port for oil pressure sensor. Typically used with 61-6005 or 61-7005 gauge panels.



Weatherproof Momentary-Off- Momentary Switch 50-402

Momentary-off-momentary switch may be wired to reverse polarity and used with an electric motor to adjust wing angle.



Weatherproof Switch 50-403

Pre-wired switch is typically used on mini sprints with an electric motor to adjust wing angle.

50-402

Replacement Switch



a 9-volt battery, provides immediate warning of loss of oil pressure. Completely pre-wired and ready to install, kit is sold complete with warning light, switch, brass tee fitting, oil pressure sending unit and battery.



Weatherproof Magneto Switch 50-502

Common to sprint cars, weatherproof toggle switch is typically used to activate or shut-off the ignition on applications using a magneto.



Self-contained.

battery-powered kit is identical to the 61-717,

but with a lightweight aluminum tee fitting and weatherproof switch. Sold complete with warning light, switch, tee fitting, oil pressure sending unit and 9-volt battery.



tured from lightweight aluminum, is for use on applications where the temperature probe contacts the inside of the cylinder head before tightening. Typically required for most aluminum heads.





Wraparound Gauge Panels **NEW!**

Innovative, Wraparound Gauge Panels not only offer a professional appearance, but provide improved gauge placement. Panels, which are manufactured from lightweight gel-coated fiberglass, are 33" wide x 7" high x 13-1/2" deep with a 1" lip, and include gauges for oil pressure, water temperature, oil temperature and fuel pressure, are completely pre-wired and ready for installation. Choose from white or black panels with standard gauges and warning lights, or panels with premium Extreme gauges with built-in warning illumination.









Gauge Panels With Auto Meter Sport-Comp Gauges

Auto Meter's Sport-Comp gauge line is the most popular due to the fact that it combines the benefits of affordability, durability and performance. Gauges feature advanced, air-core meter movement for quicker response, while bold dials with fluorescent red pointers offer exceptional readability, even at the high speeds common to racing.

Auto Meter Sport-Comp 2-Gauge Panel 61-0101

Compact panel includes 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 7-1/4" wide x 4-1/2" high.



Auto Meter Sport-Comp 3-Gauge Panel 61-0201

Panel includes 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights.
Panel is 10-1/2" wide x 4-1/2" high.

Auto Meter Sport-Comp 3-Gauge Panel 61-0211

Panel features 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.



Auto Meter Sport-Comp 4-Gauge Panel 61-0301

Panel includes 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 13-5/8" wide x 4-1/2" high.





Gauge Panels With Auto Meter Sport-Comp Gauges (Cont.)



Auto Meter Sport-Comp 2-1 Gauge Panel 61-0371

Panel features a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical oil pressure and water temperature gauges, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.

Auto Meter Sport-Comp 3-1 Gauge Panel 61-0401

Popular panel incorporates a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



Auto Meter Sport-Comp 3-1 Gauge Panel 61-0411

Panel has a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

Auto Meter Sport-Comp Grand National Gauge Panel 61-0501

Grand National panel features a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.



Auto Meter Sport-Comp Replacement Gauges

611-3411	Fuel Pressure, 0-15 PSI	
611-3421	Oil Pressure, 0-100 PSI	
611-3431	Water Temperature, 140°-280° F.	
611-3441	Oil Temperature, 140°-280° F.	





Gauge Panels With Auto Meter Ultra-Lite Gauges

The Ultra-Lite line of gauges weighs less than half the weight of equivalent Sport-Comp gauges, while maintaining the performance and reliability you expect from Auto Meter. Gauges have a clear anodized aluminum bezel, bold numbers and fluorescent red pointers for quick, easy reading.



Auto Meter Ultra-Lite 2-Gauge Panel 61-0171

Basic panel includes 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 7-1/4" wide x 4-1/2 high.

Auto Meter Ultra-Lite 3-Gauge Panel 61-0271

Ultra-Lite panel includes 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.





Auto Meter Ultra-Lite 3-Gauge Panel 61-0281

Ultra-Lite panel includes 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights.
Panel is 10-1/2" wide x 4-1/2" high.

Auto Meter Ultra-Lite 4-Gauge Panel 61-0321

Panel includes 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 13-5/8" wide x 4-1/2" high.





Gauge Panels With Auto Meter Ultra-Lite Gauges (Cont.)

Auto Meter Ultra-Lite 2-1 Gauge Panel 61-0391

Panel features a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.





Auto Meter Ultra-Lite 3-1 Gauge Panel 61-0471

Panel includes a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

Auto Meter Ultra-Lite 3-1 Gauge Panel 61-0481

Panel combines a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



Auto Meter Ultra-Lite Grand National Gauge Panel 61-0571

Panel features a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.



Auto Meter Ultra-Lite Replacement Gauges

611-4411	Fuel Pressure, 0-15 PSI	
611-4421	Oil Pressure, 0-100 PSI	
611-4431	Water Temperature, 140°-280° F.	
611-4441	Oil Temperature, 140°-280° F.	





Gauge Panels With Auto Meter Pro-Comp Liquid-Filled Gauges

Auto Meter's Pro-Comp gauges are top-of-the-line, liquid-filled to dampen vibration and increase gauge accuracy.

A black dial face with bright fluorescent red pointer allow quick, easy gauge reading.



Auto Meter Pro-Comp 2-Gauge Panel 61-0151

Compact, basic panel includes 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 7-1/4" wide x 4-1/2" high.

Auto Meter Pro-Comp 3-Gauge Panel 61-0251

Panel features 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.





Auto Meter Pro-Comp 3-Gauge Panel 61-0261

Pro-Comp panel includes 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.

Auto Meter Pro-Comp 4-Gauge Panel 61-0311

Panel incorporates 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 13-5/8" wide x 4-1/2" high.





Gauge Panels With Auto Meter Pro-Comp Liquid-Filled Gauges (Cont.)

Auto Meter Pro-Comp 2-1 Gauge Panel 61-0381

Panel combines a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.





Auto Meter Pro-Comp 3-1 Gauge Panel 61-0451

Pro-Comp panel includes a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

Auto Meter Pro-Comp 3-1 Gauge Panel 61-0461

Panel is fitted with a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



Auto Meter Pro-Comp Grand National Gauge Panel 61-0551

Grand National panel includes a 5" diameter 10,000 RPM memory tachometer with recall, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.



Auto Meter Pro-Comp Replacement Gauges

611-5411	Fuel Pressure, 0-15 PSI	
611-5421	Oil Pressure, 0-100 PSI	
611-5431	Water Temperature, 140°-280° F.	
611-5441	Oil Temperature, 140°-280° F.	





Gauge Panels With Auto Meter Ultra-Nite Gauges

Auto Meter Ultra-Nite gauges feature blue bezels, glow-in-the-dark white dial faces and bright fluorescent red pointers. Gauges require no electrical power.



Auto Meter Ultra-Nite 2-Gauge Panel 61-0601

Basic panel includes 2-5/8" diameter mechanical oil pressure and water temperature gauges, and accompanying warning lights. Panel is 7-1/4" wide x 4-1/2" high.

Auto Meter Ultra-Nite 3-Gauge Panel 61-0611

Panel incorporates 2-5/8" diameter mechanical oil pressure, water temperature and oil temperature gauges, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.





Auto Meter Ultra-Nite 3-Gauge Panel 61-0621

Panel includes 2-5/8" diameter mechanical oil pressure, water temperature and fuel pressure gauges, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.

Auto Meter Ultra-Nite 4-Gauge Panel 61-0631

Ultra-Nite panel features 2-5/8" diameter mechanical oil pressure, water temperature, oil temperature and fuel pressure gauges, and accompanying warning lights. Panel is 13-5/8" wide x 4-1/2" high.





Gauge Panels With Auto Meter Ultra-Nite Gauges (Cont.)

Auto Meter Ultra-Nite 2-1 Gauge Panel 61-0661

Ultra-Nite panel features a 5" diameter 10,000 RPM memory tachometer, 2-5/8" diameter mechanical oil pressure and water temperature gauges, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.





Auto Meter Ultra-Nite 3-1 Gauge Panel 61-0651

Panel includes a 5" diameter 10,000 RPM memory tachometer, 2-5/8" diameter mechanical oil pressure, water temperature and oil temperature gauges, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

Auto Meter Ultra-Nite 3-1 Gauge Panel 61-0652

Panel includes a 5" diameter 10,000 RPM memory tachometer, 2-5/8" diameter mechanical oil pressure, water temperature and fuel pressure gauges, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.





Auto Meter Ultra-Nite Grand National Gauge Panel 61-0641

Panel uses 5" diameter 10,000 RPM memory tachometer, 2-5/8" diameter mechanical oil pressure, water temperature, oil temperature and fuel pressure gauges, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.

Auto Meter Ultra-Nite Replacement Gauges

611-4511	Fuel Pressure, 0-15 PSI	
611-4521	Oil Pressure, 0-100 PSI	
611-4531	Water Temperature, 140°-280° F.	
611-4541	Oil Temperature, 140°-280° F.	







Weatherpack Terminals

A secure, virtually bulletproof wire termination with a waterproof cable seal for connecting ignition or accessories throughout the race car. One through six male and female connectors are available. Rated up to 20A at 12-volt DC. Sold individually.

50-300	Female Pin	
50-301	Male Pin	
50-302	Green Cable Seal, For 2.03–2.85mm Wire Dia.	
50-303	Blue Cable Seal, For 3.45-4.30mm Wire Dia.	
50-310	Female Connector, 1-Pin	
50-311	Male Connector, 1-Pin	
50-312	1-Pin Connector Kit, Male And Female	
50-320	Female Connector, 2-Pin	
50-321	Male Connector, 2-Pin	
50-322	2-Pin Connector Kit, Male And Female	
50-330	Female Connector, 3-Pin	
50-331	Male Connector, 3-Pin	
50-332	3-Pin Connector Kit, Male And Female	
50-340	Female Connector, 4-Pin	
50-341	Male Connector, 4-Pin	
50-342	4-Pin Connector Kit, Male And Female	
50-360	Female Connector, 6-Pin	
50-361	Male Connector, 6-Pin	
50-362	6-Pin Connector Kit, Male And Female	
	50-301 50-302 50-303 50-310 50-311 50-312 50-320 50-321 50-322 50-330 50-331 50-332 50-340 50-341 50-342 50-360 50-361	

Weatherpack Kit 50-380 230-piece Weatherpack

kit includes a wide variety of connectors, housing cable seals and contact pins. Sold in plastic carrying case.



Professional Crimping Tool 50-398

Required for terminating wire with Weatherpack terminals, providing a "positive lock" crimp on the wire.

Pin Tool Remover 50-399Required to remove contact pins from

Weatherpack housing.





Deutsch To Weatherpack Adapter 50-2007

Wiring adapter eases the installation of MSD HVC ignition boxes, adapting the Deutsch square 6-pin connector of the ignition box to Weatherpack flat

6-pin connector.

MSD Magnetic Pickup To Weatherpack Adapter 50-207

Specialized adapter eliminates the need to cut MSD magnetic pickup wires when converting primary ignition wiring to Weatherpack connectors.

Crane Ignition Distributor Adapter 50-2008

Special wiring harness adapts Crane Ignition distributors that use a 3-pin Deutsch connector to a 2-pin Weatherpack connector.

Deutsch Connectors

Durable, precision connectors include plastic male and female housing ends with indexed locks to securely lock, while sealing out dirt and moisture. Kits are sold complete with terminals, silicone rubber seals and strong crimp tabs for 12-18 gauge wires.

71-322	322 Deutsch Connector Kit, 2-Pin	
71-332	Deutsch Connector Kit, 3-Pin	
71-342	Deutsch Connector Kit, 4-Pin	
71-362	Deutsch Connector Kit 6-Pin	









Heavy Duty Automatic Wire Stripper Pliers 50-393 **NEW!**

Heavy duty, 6" pliers allow quickly stripping 8-18 gauge wires for termination. A bolt-on depth adjustment guide provides consistent, reliable strip length.



variety of electrical terminals including insulated, non-insulated, Weatherpack, small gauge or spark plug wire. Unique design allows quickly changing jaws without the need for tools.

Rigid, heavy duty pliers also allow adjustment for crimping pressure.



Tire Pressure Gauges

The QuickCar 2-1/2" diameter tire pressure gauge is regarded as the most reliable in the industry. Offered with a choice of Dry, Glo or Liquid-Filled face. High quality gauges feature pressure relief valves, rubber shock rings and 14" long hoses with 45° air chucks and strain reliefs on each end.



Economy Digital Tire Pressure Gauge 56-070

Economically-priced digital tire pressure gauge, which measures 0-100 PSI in 1/2 lb. increments and uses an auto-off feature for extended battery life, is more shock resistant than analog style gauges. Gauge includes a 14" long hose with 45° air chuck and bleeder for quick pressure adjustments.



Digital Tire Pressure Gauge 56-085

The most accurate tire pressure gauge currently offered by QuickCar is calibrated to .5% accuracy. Gauge, which reads in PSI, Bar, KG or KPA, incorporates an easy-to-read backlit screen, auto shut-off for extended battery life, and a premium, 14" long whip hose with angled air chuck. 0-60 lb. gauge.





Economy Tire Pressure Gauges

Tire Inflators

Check tire pressures while inflating or deflating tires. Precision tire inflators include air release buttons, stainless steel braided air hoses, chrome plated angle chucks and choice of Dry, Glo or Liquid-Filled gauge heads in 0-20 PSI, 0-40 PSI and 0-60 PSI versions. Digital Tire Inflators are also available, which incorporate easy-to-read backlit screens, auto shut-off feature for extended battery life, and accuracy calibrated to .5%.

Dry Heads

		107
56-220	0-20 PSI	
56-240	0-40 PSI	
56-260	0-60 PSI	11
		56-22



Glo Heads

56-222	0-20 PSI
56-242	0-40 PSI
56-262	0-60 PSI
	6
	de



Liquid Heads

56-221	0-20 PSI
56-241	0-40 PSI
56-261	0-60 PSI



Digital Heads

56-270	0-20 PSI	
56-285	0-40 PSI	



Economy Tire Pressure Gauges

Easy-to-read, 2" diameter gauges include shock rings, pressure relief valves and 12" flex hoses with 45° swivel air chucks.

56-009	0-20 PSI	
56-007	0-40 PSI	
56-008	0-60 PSI	



Tire Pressure Gauge Holster 56-010

Holster with belt loop keeps your tire gauge conveniently close and safe. May also be mounted in trailer or on tool boxes.



An An

Angle Style Air Chuck 56-9001

Angle style, 90° air chuck fits into hard-to-reach areas, easing tire pressure adjustments. Air chuck has 1/4" NPT threads.



Ball Style Air Chuck 56-9002

Compact, 90° air chuck fits into the tightest, hard-to-reach areas, easing tire pressure adjustments. Air chuck has 1/4" NPT threads.

Tire Pressure Gauge Replacement Parts


Replacement gauge heads, flex hoses and rubber shock rings are offered for QuickCar's premium tire pressure gauges.

56-001	14" Flex Hose With Pressure Relief	
56-002	Gauge Head, Dry 0-20 PSI	
56-004	Gauge Head, Dry 0-40 PSI	
56-006	Gauge Head, Dry 0-60 PSI	
56-0022	Gauge Head, Glo 0-20 PSI	
56-0042	Gauge Head, Glo 0-40 PSI	

56-0062	Gauge Head, Glo 0-60 PSI	
56-0021	Gauge Head, Liquid-Filled 0-20 PSI	
56-0041	Gauge Head, Liquid-Filled 0-40 PSI	
56-0061	Gauge Head, Liquid-Filled 0-60 PSI	
56-003	Rubber Shock Ring	



Aluminum Suspension Tubes



Length	21/32" O.D.	21/32" O.D.	21/32" O.D.	1-1/8" O.D.	1-1/4" O.D.
	5/16"-24 Thread	8mm-1.25 Thread	3/8"-24 Thread	5/8"-18 Thread	3/4"-16 Thread
6"	31-060	_	_	_	_
6.5"	31-065	_	_	_	_
7"	31-070	_	_	62-070	75-070
7.5"	31-075	_	_	62-075	75-075
8"	31-080	08-080	38-080	62-080	75-080
8.5"	31-085	08-085	38-085	62-085	75-085
9"					
	31-090	08-090	38-090	62-090	75-090
9.5"	31-095	08-095	38-095	62-095	75-095
10"	31-100	08-100	38-100	62-100	75-100
10.5"	31-105	08-105	38-105	62-105	75-105
11"	31-110	08-110	38-110	62-110	75-110
11.5"	31-115	08-115	38-115	62-115	75-115
12"	31-120	08-120	38-120	62-120	75-120
12.5"	31-125	08-125	38-125	62-125	75-125
13"	31-130	08-130	38-130	62-130	75-130
13.5"	31-135	08-135	38-135	62-135	75-135
14"	31-140	08-140	38-140	62-140	75-140
14.5"	31-145	08-145	38-145	62-145	75-145
15"	31-150	08-150	38-150	62-150	75-150
15.5"	31-155	08-155	38-155	62-155	75-155
16"	31-160	08-160	38-160	62-160	75-160
		08-165			
16.5"	31-165		38-165	62-165	75-165
17"	31-170	08-170	38-170	62-170	75-170
17.5"	31-175	08-175	38-175	62-175	75-175
18"	31-180	08-180	38-180	62-180	75-180
18.5"	31-185	08-185	38-185	62-185	75-185
19"	31-190	08-190	38-190	62-190	75-190
19.5"	31-195	08-195	38-195	62-195	75-195
20"	31-200	08-200	38-200	62-200	75-200
20.5"	31-205	<u> </u>	_	62-205	75-205
21"	31-210		_	62-210	75-210
21.5"	31-215	_	_	62-215	75-215
22"	31-220	_	_	62-220	75-220
22.5"	31-225		_	62-225	75-225
23"	31-230			62-230	75-230
23.5"			_		
	31-235		_	62-235	75-235
24"	31-240	<u> </u>	_	62-240	75-240
24.5"	31-245		_	_	_
25"	31-250	<u> </u>	_	_	75-250
25.5"	31-255	_	_	_	_
26"	31-260	_	_	_	75-260
27"		_	_	_	75-270
28"				62-280	75-280
	_			UZ-Z0U	
29"					75-290
30"	_		_	_	75-300
31"	_	_	_	62-310	75-310
32"		_	_	_	75-320
33"			_	_	75-330
34"	_	_	_	_	75-340
35"	_	_	_	_	75-350
36"	_		_	_	
			_	_	75-360
37"	_		_	_	75-370
38"	_		_	_	75-380
39"	_			62-390	75-390
40"			_	62-400	75-400
41"	_		_	—	75-410
42"				_	75-420
43"	_				75-430
	_		_		
44"	_		_		75-440
45.7"	_		_	62-457	_
46.5"			_	62-465	_
47.7"				62-477	
48"				62-480	_
48.7"	_		_		_
	_	<u> </u>	_	62-487	
49"	_		_	62-490	_
50"	_		_	62-500	_
51"	_	_	_	62-510	_
72"		_		62-600	75-600

Double Ended Suspension Tube Wrench 66-6275



Heavy duty steel, double ended wrench allows performing quick adjustments to QuickCar 5/8" or 3/4" threaded suspension tubing.

Suspension Tube Ruler 66-100



Measure nearly any suspension component fitted with rod ends, including suspension tubes, tie rods, etc., quickly and precisely. Black powder coated ruler includes a locking thumb screw and provides precise measurements up to 36". Sold complete with aluminum adapters to measure components with 1/2", 5/8" or 3/4" rod ends. Optional adapters allow measuring parts with 1/4", 5/16" or 3/8" rod ends.

	66-105	Ruler Adapters, Allows Measuring Components
	00-105	With 1/4", 5/16" Or 3/8" Rod Ends
	66-106	Ruler Adapters, Allows Measuring Components
		With 1/2", 5/8" Or 3/4" Rod Ends
		(Included With 66-100)



Torque Absorbers

Track-proven to increase forward bite out of the turns with sustained traction down the straight away, QuickCar's torque absorbers are IMCA-legal, and are lighter than spring style units. CNC-machined units feature internal brass bushing and grease fittings to eliminate any possibility of bind, while the specially-threaded cap allows easy biscuit changes. Offered in three versions: Standard, uses two interior biscuits and is 12-1/2" long; Intermediate, uses three interior biscuits and is 13" long; and Long, uses four interior biscuits and is 15" long. Softer or harder durometer biscuits may be purchased separately for tuning purposes.

66-500 Standard Torque Absorber, 12-1/2" Long	
66-400 Intermediate Torque Absorber, 13" Long	
66-499 Long Torque Absorber, 15"Long	



Torque Absorber Biscuit Tuning Kit 66-508

Designed to aid the tuning of QuickCar torque absorbers, kit includes (2) each of different durometer biscuits; blue (extra soft), green (extra soft/soft), yellow (soft), red (medium) and black (hard). Biscuits may also be purchased separately.

66-501	Extra Soft Blue Biscuit, Each	
66-509	Extra Soft/Soft Green Biscuit, Each NEW!	
66-502	Soft Yellow Biscuit, Each	
66-503	Medium/Soft Orange Biscuit, Each	
66-504	Medium Red Biscuit, Each	
66-506	Hard Black Biscuit, Each	



Travel Indicator 66-512



Specialized tool fits QuickCar and other small O.D. torque absorbers and is used to determine travel of the unit during acceleration and braking. Installs easily. Sold complete with indicator rod, two indicator mounting brackets and required hardware.

Torque Absorber CoversDurable nylon covers

Durable nylon covers keep dirt and debris out of QuickCar torque absorbers, while also preventing prying eyes from viewing biscuit colors and combinations. Covers may be easily

installed or removed, and are secured with Velcro.

66-520	Cover For QRP66-500, Standard 12-1/2" Long Torque Absorber
66-530	Cover For QRP66-499, Long 14" Long Torque Absorber

Outlaw Torque Absorber 66-550

Steel bodied Outlaw Torque Absorber delivers as designed, providing exceptional forward bite to



dry/slick track conditions. Torque absorber, which is 15" long, is standard with red (medium durometer) biscuit, but softer or harder durometer biscuits may be purchased separately for tuning purposes.

Outlaw Torque Absorber Biscuits

Choose from four different rates. Biscuits are 3" diameter.

66-551	Extra Soft Blue Biscuit (Each)	
66-552	Soft Yellow Biscuit (Each)	
66-554	Medium Red Biscuit (Each)	
66-556	Hard Black Biscuit (Each)	





Steering Wheels

Quality dished aluminum or steel spoked steering wheels are offered with a choice of smooth red, blue or black grips. Choose from 15" or 17" diameter.

15"		
Steel		
68-003	Black	
68-0031	Red	
68-0032	Blue	
Aluminum		
68-001	Black	
68-0011	Red	
68-0012	Blue	
	Blue	







Molded Steering Wheel Pad 58-244

Molded black pad fits flat or dished three-spoke steering wheels. Secures with velcro



Steering Wheel Pad 58-245

Black vinyl-covered foam pad attaches to most three-spoke racing steering wheels and offers added protection to the driver in the event of a crash. Pad is 5-3/4" diameter x 2" thick and attaches directly with three hook/loop straps.



NASCAR-legal switch is designed for steering wheel mounting, providing driver the ability to quickly disable electrical system in the event of a crash







Steering Wheel Disconnects

Lightweight, anodized aluminum disconnects allow quickly removing or replacing the steering wheel, often required to allow driver entry or exit. Designed for use with popular 3-bolt steering wheels and 3/4" diameter steering shafts, disconnects are sold complete with steel, weld-on hub adapter.

Hex Hub Button Style Aluminum Disconnect 68-010

Hex hub button style aluminum disconnect.



Hex Hub 360° Aluminum Disconnect 68-012

Comes complete with hardware and fasteners.



Comes complete with hardware and fasteners.





68-0129

Weld-On Hub Steel Adapters

Also available seperately, adapters are specifically made for QuickCar disconnects. Welds to 3/4" O.D. steering shaft.

68-0109	Fits Hex Hub Button Style (68-010)
68-0129	Fits Hex Hub 360° Style (68-012)
68-0159	Fits Fine Spline Hub 360° Style (68-015)



68-0159

Tire prep and selection are key to winning races and QuickCar offers a variety of tools to closely monitor them.



Chrome Valve Stems

Premium, chrome valve stems are sold each, or four to a card.

56-115	Chrome Valve Stem, Each
56-116	Chrome Valve Stems, Four To A Card

DHICKCAR



Valve Core Remover 56-119

Compact, pocket-sized tool allows quick valve core replacement and valve stem repair.

Aluminum Valve Core Tool 56-100

Compact, pocket-sized tool allows quickly removing or replacing valve cores. Tool is manufactured from durable, billet aluminum and red anodized finished for corrosion resistance.



Lightweight aluminum tire caliper measures circumference quickly and accurately, from 65" to 115".



Perfect for marking sizes, circumferences and locations, kit includes a silver tire pen and white tire marker.

64-400	White Tire Marker
64-403	Silver Tire Pen



Simple, yet accurate. Simply lean against each front tire and measure the distance between the two. Includes (2) 12' tire tapes.

64-703 Replacement Tire Tape





Tire Management Kit 56-105

All-in-one kit includes deluxe tire durometer (56-155), tire tread depth gauge (56-104) and tire tape (56-110), all in a foam-lined plastic storage case.












Tire Tread Depth Gauge 56-104

Monitor tire wear and ensure that your complete tire patch has maximum track contact. Durable, aluminum housed gauge includes professional scale graphics and allows measuring tread depth in 1/32" increments. Sold complete with carrying pouch.



Determine tread depth quickly and effectively. Precision gauge includes a digital display in decimals or fractions, while the billet aluminum, non-rocking base helps ensure accurate measurements.





Deluxe Tire Durometer 56-155

Determine tire hardness effectively and accurately. Gauge has a range of 0-100 durometer and is sold with carrying pouch.

Tire Tape

Hawk tip tire tape grabs onto the edge of virtually any surface, allowing easy measurements by just one person. Tape has a magnetic back and measures up to 10'.

56-110	Hawk Tip Tire Tape
56-111	Hawk Tip Tire Tape, Carded





Deluxe QuickAngle Tray

for the Smart Tray, the Deluxe QuickAngle Tray has added features including the ability to

A replacement add a caster/camber gauge adapter, or

use the included legs that attach directly to trailing arms, tie rods or chassis tubing, while the two-step base plate accepts the Smart Tool or other similar digital angle finders. Deluxe QuickAngle Tray offers digital, hands-free accuracy and is a great aid when determining angles, or while bending chassis tubing. Four versions are available to fit 1", 1.25", 1.50" or 1.75" dia. tubing. Legs may be changed to adapt tray to use with different size tubing.

56-167	Fits 1.25" O.D. Tubing	
56-168	Fits 1.50" O.D. Tubing	
56-169	Fits 1.75" O.D. Tubing	
56-170	Fits 1.00" O.D. Tubing	
Replacement Legs		
56-9141	1.25" Leg, Each	
56-9143	1.00" Leg, Each	
56-9144	1.50" Leg, Each	
56-9145	1.75" Leg, Each	

Smart Tool Digital Level 56-163

Ensure that chassis tubing, driveshaft angles and suspension components are level and



plumb. Particularly useful during chassis fabrication. Tool emits an audible beep at level and plumb and shuts off automatically.

Snap Cap Hub Adapter Kit 56-208

Special adapters screw directly onto Wide 5, 5/8"-11 wheel studs. Sold per pair.




Fits 13" to 17" wheels and takes measurements from the wheel instead of the spindle. Perfect when screw-on adapters are not available. Caster/Camber gauge must be purchased separately.

QuickAngle Kit

Kit includes both the Smart Tool and the Deluxe QuickAngle Tray in a handy foam-lined carrying case. Provides digital, hands free accuracy when determining the angles of chassis tubing, driveshafts, etc. Available with trays to fit either 1.25" or 1.00" chassis tubing.

56-161	Fits 1.25" O.D. Tubing
56-162	Fits 1.00" O.D. Tubing



56-830	Caster/Camber Gauge with Magnetic Adapter	
56-831	Caster/Camber Gauge, No Adapter	
56-833	Caster/Camber Gauge with Wide 5 Adapter	
56-834	Caster/Camber Gauge with Kart Adapter	
56-835	Caster/Camber Gauge with GM Adapter	
56-836	Caster/Camber Gauge with Small Ford Adapter	
56-837	Magnetic Adapter Only	
56-838	GM Adapter Only, 3/4"-20	
56-839	Ford Adapter Only, 13/16"-20	
56-842	Legends Adapter Only, 19mm-1.5	
56-843	Small Ford Adapter Only, 3/4"-16	
56-844	Wide 5 Adapter Only, 1.813"-16	
56-845	Kart Adapter Only, 5/8"-18	

A-Arm Shim Kit 56-124

Kit includes one each of 1/16", 1/8", 1/4" and 1/2" aluminum upper A-arm shims with 6" centers and installation tabs. Shims are also available separately.

Kit Includes:	
56-120	1/16" Shim
56-121	1/8" Shim
56-122	1/4" Shim
56-123	1/2" Shim







Throttle Stop Brackets

Offered for popular Holley carburetors, rigid, fully CNC-machined black anodized aluminum bracket includes adjustable throttle stop.

64-157	For Holley 4BBL
64-158	For Holley 2BBL

Throttle Return Spring Kit 65-096

Includes carb mount bracket, (4) return springs and required hardware.



Tall Aluminum Carburetor **Nut With O-Ring Seal**

Carb nut includes 5/16" threads. Choose from red anodized or natural finish.

64-148	Red
64-149	Aluminum

Aluminum Carburetor Hat 64-146

Durable, machined aluminum carb hat protects engine from dirt and debris when air cleaner has been removed.



Throttle Return Springs 64-169

Includes (2) throttle return springs.



Sure Seal Ring 65-106

Aluminum, 1/2" long O-ringed spacer installs between the carburetor and air cleaner, providing increased clearance for throttle linkage, HEI distributor, etc.



Timing systems

Timing systems include clipboard, choice of two stop watches, (5) qualifying sheets and (5) lap chart sheets, and choice of acrylic or aluminum clipboard. QuickCar acrylic or aluminum clipboard timing systems are visually unique, comfortable to hold, and durable.



Dual Timing Systems

Dual timing systems are complete with (2) Robic SC505 stop watches, acrylic clipboard, (5) qualifying sheets and (5) lap chart sheets. Choose from systems with red, black, yellow, or white clipboards.

51-051	Red
51-052	Black
51-053	Yellow
51-054	White



Dual Aluminum Timing Systems

Systems include (2) Robic stop watches, aluminum clipboard, (5) qualifying sheets and (5) lap chart sheets. Choose from systems with Robic SC848 or SC505 stop watches.

51-070	With Two Robic SC505 Stop Watches
51-071	With Two Robic SC848 Stop Watches



20-Lap Timing System With Acrylic Clipboard

Designed for monitoring 20-lap events, system includes (2) QuickCar stop watches, acrylic clipboard, (5) qualifying sheets and (5) lap chart sheets. Choose from systems with red, black, yellow or white clipboards.

51-0512	Red
51-0522	Black
51-0532	Yellow
51-0542	White



20-Lap Timing System 51-064

Timing system with aluminum clipboard is designed for 20-lap events, complete with (2) QuickCar stop watches, aluminum clipboard, (5) qualifying sheets and (5) lap chart sheets.



Lap Chart Pads

Lap charts are used to record lap times for practice, heat races and feature events. Each pad includes 50 sheets.

51-201	Chassis Set-Up
51-210	Before Race
51-215	After Race
51-230	50-Lap
51-235	100-Lap
51-236	Qualifying Organizer
51-237	Race Day Check List







THE PLAN OF THE PL







Clipboards

Our clipboards are so easy-to-hold, practical and attractive, that everyone at the track will want one. Choose from acrylic units in red, black, yellow or white, or a satin aluminum model.

51-041	Red Acrylic
51-043	Black Acrylic
51-044	Yellow Acrylic
51-046	White Acrylic
51-048	Aluminum











51-048





Stop Watch 51-004

Precision stop watch features a 20-lap memory that displays lap, splits, fastest, slowest and average lap. Instantly displays previous lap while timing existing lap.

Robic SC848 Stop Watch 51-017

Stop watch includes 300-lap dual memory, speed, time and number recall. Backlight illuminates entire display.



Robic SC505 Stop Watches

The SC505 series includes a 5-lap memory and auto lap counter. Choose from red, black, yellow or blue.







Sleeved Race Spark Plug Wire

Premium quality spark plug wire offers quick energy transfer, less than 40 ohms/ft. of resistance, high EMI (Electro Magnetic Interference) and RFI (Radio Frequency Interference) suppression. Flexible, high strength wire is constructed using a Kevlar core and nickel-copper alloy wound conductor that is covered with two full layers of silicone resulting in a 11.5mm O.D., while the impregnated fiberglass insulation provides up to 1,400° F, of heat resistance. High temperature silicone boots resist temperatures up to 600° F, while the posi-snap terminals provide a secure connection. Cylinder numbers are labeled on both ends. Compatible with most ignition systems.



40-100	SB Chevy Wire Set, Red, 24" Coil Wire
40-300	SB Chevy Wire Set, Black, 24" Coil Wire
40-150	SB Chevy Wire Set, Red, Without Coil Wire
40-350	SB Chevy Wire Set, Black, Without Coil Wire
40-500	GM LS1 Wire Set, Red
40-700	GM LS1 Wire Set, Black
40-121	Red Coil Wire, 12" HEI/HEI
40-123	Black Coil Wire, 12" HEI/HEI
40-125	Red Coil Wire, 12" HEI/Socket
40-127	Black Coil Wire, 12" HEI/Socket
40-181	Red Coil Wire, 18" HEI/HEI
40-183	Black Coil Wire, 18" HEI/HEI
40-185	Red Coil Wire, 18" HEI/Socket

Black Coil Wire, 18" HEI/Socket
Red Coil Wire, 24" HEI/HEI
Black Coil Wire, 24" HEI/HEI
Red Coil Wire, 24" HEI/Socket
Black Coil Wire, 24" HEI/Socket
Red Coil Wire, 36" HEI/HEI
Black Coil Wire, 36" HEI/HEI
Red Coil Wire, 36" HEI/Socket
Black Coil Wire, 36" HEI/Socket
Red Coil Wire, 42" HEI/HEI
Black Coil Wire, 42" HEI/HEI
Red Coil Wire, 42" HEI/Socket
Black Coil Wire, 42" HEI/Socket



Automatic Fan Kit 60-037

Electric fan kit includes an adjustable thermostat, which automatically activates or deactivates fan as needed. Sold complete with 14" diameter fan, thermostat, relay, wiring harness and connectors. Fan is factory pre-set at +/- 200° F., but may be adjusted as desired. Requires a 15-1/2" x 3" mounting area. May be set-up as pusher or puller. Fan may also be purchased separately.

14" Electric Fan Only 60-035





Curved Blade Automatic Fan Kit 60-041

Thermostat automatically activates or deactivates fan at a pre-set, adjustable temperature. Sold complete with efficient, 16" diameter curved blade electric fan, thermostat, relay, wiring harness and connectors. Fan is factory pre-set at +/- 200° F., but may be adjusted as desired. Requires a 17" x 2-3/4" mounting area. May be set-up as pusher or puller. Fan may also be purchased separately.

16" Curved Blade Electric Fan Only 60-034



Kit includes 40 Amp relay, adjustable water temperature sender switch and wiring harness.



Electric Fan Accessories

60-032	Electric Fan Mounting Kit
60-040	Adjustable Water Temperature Sender Switch, Pre-Set To +/-200° F.









Bumper Ducts

Bumper ducts direct air flow to brakes, preventing overheating and prolonging brake life. Durable and easy to install.

60-008	Single
60-009	Dual
60-005	Headlight Duct

NACA Duct Hose

Wire reinforced, 3" diameter duct hose will not collapse and is used to deliver continuous air flow to high temperature areas.

60-020	Neoprene Hose For Standard Temperatures, 10' Long
60-030 Silicone Hose For Extreme Temperatures, 11' Long	
60-018	Helmet Hose With Cuffs, 4' Long







Impact Crimper 64-020

Tool is designed for crimping standard power rings onto battery cables for a permanent termination.



Camloc Tool 64-262

Engineered specifically for use in the installation of Camloc fasteners.



Tire Tape

Hawk tip design securely grabs onto virtually any surface and won't pull loose. Includes a magnetic back and measures up to 10'.

56-110	Tire Tape
56-111	Tire Tape, Carded



Ride Height Gauge Checker 56-108

Back by popular demand. Pocket-sized ride height gauge is simply placed under the frame and once the button is depressed, an etched stem pops out and reads the ride height.


Measures ride heights

from 3-1/2" to 6".



Safety Wire 64-015

Includes 1 lb. of .032" diameter safety wire.



Rugged pliers include an end bearing for smoother, faster twisting, particularly in tight areas where a second pull is needed.



AN Aluminum Angle Head Wrench Set 64-709

Aluminum AN wrenches feature an angle head design for improved fitting access. Five-piece set includes -6AN, -8AN, -10AN, -12AN and -16AN.



AN Aluminum Wrench Set 64-708

Five-piece aluminum wrench set includes -6AN, -8AN, -10AN, -12AN and -16AN.





Lightweight, high quality aluminum 6-pump jack features a 3,000 lb. capacity. Low profile jack rolls under the lowest slung race chassis, with a maximum lifting height of 17-1/2".



Pit Sockets

The same steel, 1/2" drive sockets used by many top racing teams.

64-076	1" Socket, 3-1/4" Long	
64-077	Pro 1" Socket, 3-1/4" Long	
64-078	Pro 1" Socket, 2-1/4" Long	



Cleco Fasteners

Pin-style fasteners provide quick, easy installation of sheet metal during initial fitting. May be used with material up to 1/4" thick.

64-175	1/8" Clecos, 25 Pack
64-176	3/16" Clecos, 25 Pack

Cleco Pliers 64-180

Specialized tool is used to install or remove Cleco fasteners.



terminals including insulated, noninsulated, Weatherpack, small gauge or spark plug wire. Unique design allows quickly changing jaws without the need for tools. Rigid, heavy duty pliers also allow adjustment for crimping pressure.

Heavy Duty Automatic Wire Stripper Pliers 50-393 **NEW!**

Heavy duty, 6" pliers allow quickly stripping 8-18 gauge wires for termination. A bolt-on depth adjustment guide provides consistent, reliable strip length.

Weatherpack Terminal Tool 50-399

Tool is used to remove male and female pin terminals from Weatherpack connectors.

Valve Core Tool 56-100

Compact, pocket-sized tool allows quickly removing or replacing valve cores. Tool is manufactured from durable, billet aluminum and red anodized finished for corrosion resistance.



DUICKCAR

Door Bar Pad 58-210

Closed cell padding offers added driver protection from hard surfaces inside a race car including door bars and seat supports. Pad, which is 36" x 48" in size, may also be used to increase comfort in racing seats. Not fireproof.



Roll Bar Padding

Closed cell foam progressively absorbs shock and increases density as it is compressed. Offset inside diameter allows installing thicker padding toward driver for added protection. Sold in 3' lengths.

58-231	Red
58-221	Red, Case Of 12
58-232	Blue
58-222	Blue, Case Of 12
58-233	Black
58-223	Black, Case Of 12
58-234	Yellow
58-224	Yellow, Case Of 12
58-235	Orange
58-225	Orange, Case Of 12





Premium Black Cable Ties 58-250

Black, 15" long cable ties are made from weather resistant nylon and include metal locking barbs in head to provide a reliable, locking force. Domed top ties include smooth edges and a high strength, low thread force. Sold in packs of 50.

Fire resistant roll bar padding meets SFI 45.1 specifications, won't melt in the event of a fire and offers 180° coverage to roll bar tubing. Sold in 3' lengths. Offered in black only.

58-211	1-5/8" To 2" O.D. Roll Bar Padding
58-212	1-1/4" To 1-3/4" O.D. Roll Bar Padding

Nylon Wire Ties

Secure roll bar padding, electrical wiring, gauge lines, etc. Heavy duty, 14" long wire ties are sold in bags of 100.

58-236	Orange
58-237	Black
58-238	Red
58-239	Blue
58-240	Yellow









Bolt-in style, 5-point racing harness features heavy duty, forged steel racing buckle, 3" wide shoulder and lap belts, and 1" wide anti-submarine belt. Harness meets stringent SFI 16.1 specifications. Optional sternum straps are also available separately.

58-011	Red
58-012	Blue
58-013	Black





Sternum Straps

Strap provides increased driver safety by holding the shoulder harness together in the event of an impact.

58-021	Red
58-022	Blue
58-023	Black

Harness Pads

Pads attach to racing harness and increase driver comfort, particularly when belts are cinched down. Sold per pair.

58-024	Red
58-025	Blue
58-026	Black













Arm Restraints 58-020

Designed for use in open cockpit cars, restraints keep arms contained within the car. Offered in black only, restraints are sold per pair.



Dual Anti-Submarine Belt 58-016

Dual, anti-submarine 1" wide belt converts traditional 5-point racing harness into a 6-point style. Offered in black only.



Fireproof Shifter Boot 60-045

Shifter boot prevents heat or flames from entering the driver's compartment. Sold complete with mounting plate kit.






Triangle Window Nets


Typically used in sprint or midget applications, but may also be used on late models or modifieds.

58-047	Red
58-048	Blue
58-049	Black




Mesh Window Net 58-032

Mesh style window net increases driver vision, yet stops smaller debris when compared to traditional ribbon-style nets. Rectangular net is 18" x 22" and offered in black only. Meets SFI 27.1 specifications.




Standard, ribbon style window net is 24" x 18" in size.

58-041	Red
58-042	Blue
58-043	Black
58-034	Yellow
58-035	Orange
58-036	Purple
58-037	Pink









Angle Window Nets

Angle window nets, in standard or with extended lower mounting straps, are 17" wide at top, 22" wide at bottom x 17" high, and meet SFI 27.1 specifications. Black only.

58	3-044	Angle Window Net
58	3-046	Angle Window Net With Extended Lower Straps

Window Net Installation Kit 58-030

Lever latch release style kit includes 1" x 3/16" thick x 26" long steel bar, which anchors the window net, and necessary brackets for mounting.



entry and exit. Pushing against the handle releases or engages the window net. Sold complete with 9/16" diameter x 26-1/2" long spring-loaded tube, 3/4" flat aluminum strap for bottom of net, and mounting brackets.






Brake Bias Gauge Panels

Brake bias gauge panels are fitted with two 1-1/2" diameter, liquid-filled pressure gauges that read from 0-1,000 PSI, allowing driver to track pressure at both the front and rear calipers. Panels include bleeders to evacuate air from the system. Replacement gauge: 611-90

Vertical Mini Brake Bias Gauge 61-101

Vertical design panel is 2-3/4" wide x 4-1/2" high.







Horizontal Mini Brake Bias Gauge 61-103

Horizontal design panel is 4-1/2" wide x 2-3/4" high.

Vertical Mini Brake Bias Gauge 61-105

Vertical design panel is 2-3/4" wide x 4-1/2" high. Black.

Brake Caliper Pressure Test Kits





Brake system troubleshooting tool allows checking brake pressure at the caliper, quickly and accurately. Each kit is packed in a neat, foam-lined case.

64-510	1/8" NPT, Most Aftermarket Calipers	
64-511	10mm-1.50, GM Metric Calipers	

Brake Bleeder Bottle 66-700

Eliminates messy brake bleeding. Bleeder bottle has a high grade surgical hose for a secure seal on bleeders and includes an extra nipple to put your hose on once bleeding is complete. Steel lanyard allows hanging bottle on chassis during bleeding process.







Carburetor Box 64-140 Protect expensive carburetors from dirt and debris. Ideal for storage or transport, container accepts popular Holley 4150/4160 4BBL carburetors and includes a locking lid.

Plastic Carburetor Tray 64-150

Tray sets directly
atop carburetor, protecting
engine when air
cleaner has been
removed, while providing a
convenient spot for tools or components when servicing engine.



Gear Box 64-230

Durable plastic box stores and protects matched quick change gear sets.

Plastic Caps And Plugs 64-225

Commonly used to keep debris out of spare or stored fuel pumps, regulators, dry sump pumps, etc. Includes (5) of each size, -3AN thru -16AN.





Plastic Carburetor Hat 64-145

Cover protects engine when air cleaner has been removed. Hat includes provision to hold eight spark plugs.

Radio Boxes

Aluminum radio box has a padded insert to absorb vibration. Accepts most racing radios and clamps directly to roll bar tubing.

66-923	1.75" Tube Mount
66-931	1.50" Tube Mount



Helmet Hook

Lightweight anodized aluminum hook, which clamps directly to roll bar, provides an anchor for helmet strap.

66-920	1-3/4" Tube Mount
66-936	1-1/2" Tube Mount

Drink Holder With Bottle

Lightweight, anodized aluminum holder clamps directly to roll bar near driver, providing a convenient spot for a cool drink.

66-922	1-3/4" Tube Mount
66-933	1-1/2" Tube Mount
66-934	Replacement Drink Bottle



Aluminum Coil Clamps

Anodized aluminum bracket allows mounting of ignition coil directly to firewall or chassis tubing.

66-925	Firewall Mount
66-927	1-3/4" Tube Mount
66-929	1-1/2" Tube Mount

ICKCAR

66-925

Roll Bar Clamp Reducer 66-908

Lightweight aluminum reducer is used to adapt existing radio boxes, drink bottle holders, etc. from 1-3/4" to 1-1/2" diameter tubing.

Vent Clamps

Clamp-on breather, ideal for use with transmissions, rear ends, etc. clamps directly to chassis tubing.

66-937	1-3/4"
66-938	1-1/2"
66-9381	Replacement Element



Coil Selector Mount 66-914

Aluminum mount clamps directly to 1-3/4" dia. roll bar tubing and accepts an ignition coil selector.



Convex Mirrors

Special convex mirrors provide a wide rear view of the competition. Choose from 14" or 17" wide mirrors. 14" wide model may be purchased as a kit, complete with mounting bracket that clamps directly to 1-3/4" diameter roll cage tubing. Available 17" mirror may be mounted using the 66-756 bracket, purchased separately.

66-752	14" Wide Mirror Kit With Mounting Brackets
66-754	14" Wide Mirror Only
66-756	Mounting Bracket Only, 1-3/4" Dia., Pair
66-757	17" Wide Mirror Only



Line Clamps

The professional method when securing fuel lines, electrical wiring, etc. to chassis. Rubber coated clamps are sold ten to a card.

66-850	1/4" Clamp
66-852	3/8" Clamp
66-854	1/2" Clamp
66-856	5/8" Clamp
66-858	3/4" Clamp
66-860	1" Clamp



Spoiler Supports

Rigid, 8" long lightweight aluminum bracket allows precise spoiler angle adjustments. Available spoiler support washers provide an added, professional fit.

66-941	Spoiler Support, Each
66-942	Spoiler Support Washers, Four To A Card

Fender Supports With Mounting Bracket 66-950

Fender supports are flexible and resilient. Supports, which are 32" long, spring straight when fender is pulled back out. Sold in pairs, complete with mounting brackets.



Chrome Valve Cover Breathers

Breathers clamp directly to valve covers using breather tubes and are complete with shield.

Breathers are offered to fit 1-3/8" or 1-1/2" diameter breather tubes.

65-192	Shielded Breather, Fits 1-1/2" Breather Tube
65-196	Shielded Breather, Fits 1-3/8" Breather Tube



Camlocs

Ideally used when panels need to be removed frequently. A one time installation that involves no loose parts.

64-260	Large Camlocs, Pair
64-261	Small Camlocs, Pair
64-262	Camloc Tool





Hood Pins

64-208	Aluminum Hood Pin Kit			
64-210	Hood Pin Clips, Pair			
64-211	Hood Pin			
64-212	Scuff Plate			

Header Wrap 60-050

Dyno tests have proven that lower engine compartment temperatures combined with increased internal header temperatures provide more horsepower.

Premium vermiculite tape wraps around headers, keeping heat in. Includes 2" wide x 100' long roll, enough to wrap a set of V-8 headers.

Tie Downs

Designed for securing vehicles or pit equipment, tie downs are 8' long, include 5,000 lb. capacities and feature large, heavy duty handles for easy operation.

64-253	Ratchet Tie Down
64-255	Ratchet Tie Down With Axle Strap
64-257	Two Foot Axle Strap







Decals

Racing decal is 3" x 11" contingency size.

T-Shirt Black

Emblazoned with a large QuickCar logo on the back and a small favacon logo on the chest, T-shirt is a 90% cotton/10% polyester blend and pre-shrunk.

APP-BM	Medium	
APP-BL	Large	
APP-BXL	X-Large	
APP-BXXL	XX-Large	









T-Shirt Grey

Emblazoned with a large QuickCar logo on the back and a small logo on the chest, T-shirt is a 90% cotton/10% polyester blend and pre-shrunk.

APP-S	Small
APP-M	Medium
APP-L	Large
APP-XL	X-Large
APP-XXL	XX-Large



Hat APP-A-HAT

Black/white QuickCar hat includes an embroidered logo and adjustable head band.



V-Neck T-Shirt

V-neck design T-shirt includes small QuickCar logo on the left front chest. Made from pre-shrunk, 90% cotton/10% polyester blend.

APP-FMM	Medium
APP-FML	Large



A	C (Cont.)	П
A-Arm Shim Kit 64	Cleco Fasteners73	Harness Pads 75
Air Cleaner Spacer Ring 65	Pliers 73	Header Wrap79
Air Ducts 71	Clipboards 66-67	Heat Shrink Tubing 10
Aluminum Jack 73	Coil, Ignition	Helmet Hook 78
Dirt Wing 73	Clamps 78	Hood Pins 79
AN Wrenches 72	Selector Mount	Hose 71
Apparel 80	Wires 69	Hydraulic Jack73
Arm Restraints 75	Control Arm Shim Kit 64	•
Auto Meter Gauge Panels . 43, 46-53		/
	D	Ignition Box Mounting Plates 15
В	Deutsch Connectors55	Ignition Control Panels 16-23, 27
Battery Cable10, 11	Dirt Wing 73	Mounting Brackets 21
Boots 13	Disconnects, Master 13	Wiring Harnesses 18, 24-25
Quick Disconnects 14	Distributor Wire 10	Ignition Switch 26
Stud Feed-Thru14	Door Bar Pad 74	Boot 26
Terminals 10	Drink Bottle Holder 78	Starter Button 26
Battery Charging Posts 12	Bottle 78	Switch Extensions 19
Mounting Bracket 12		Ignition System 15
Battery Disconnects 13	E	Ignition Wiring Adapters 15
Boots 13	Electric Fan70	Impact Crimper10, 72
Jumper Wires 13	Mounting Kit70	
Brake	Relay Kit 70	J
Bias Panel 77	Electrical Outlets 14	Jack, Hydraulic 73
Bleeder Bottle 77	Electrical Wire 10	Dirt Wing 73
Caliper Pressure Kit 77	Terminals 10	
Brake Ducts 71	Stripper 10, 55, 73	L
Hose71	Exhaust Header Wrap79	LED Lights/Bulbs
7.030	Extreme	Strips14, 39
<i>C</i>	Gauges/Panels30-31, 38, 45	Line Clamps79
Cable Ties 74		M
Camlocs 79	F	Manifold, Oil Temperature 40
Tool72 79	Fans 70	Master Disconnects
Caps and Plugs 78	Firewall Grommets 14	Boots
Carburetor	Fittings, AN/NPT 40	Jumper Wires 13
Box 78	Fuel Pressure Isolator 40	Mirror 79
Hat65, 78	G	Mounting Brackets79
Nut 65	Gauges	
Tray 78		Mounting Plate, Ignition 15
Caster/Camber Gauge 64	Panels 28-37, 42-43, 45-53	N
Adapters 64	Replacement 29, 31, 38-39, 47, 49, 51, 53	NACA Ducts71
Chassis Height Gauge 72	Sprint42-43	Nylon Ties74
Check Lists 67	Gear Tote/Box	•
Circuit Breaker 26	Ground Cables11	0
Clamps, Line	Grouna Cavies 11	Oil Filter Cutter 73
		Oil Temperature Manifold 40



P	S (Cont.)
Pilot Light 26	Sternum Strap 75
Pit Jack 73	Stop Watch 68
Pit Sockets 73	Stud Feed-Thru 14
Pressure Line Kits 40	Submarine Belt75
Pull Bar 59	Sure Seal Spacer Ring 65
	Suspension Tubes 58
Q	Ruler 58
Qualifying Organizer 67	Wrench58
QuickAngle Tool 64	Switches
QuickFire Ignition System 15	Rocker 27
R	Toggle 26
Racing Harness75	_
Radio Box 78	<i>T</i>
Ratchet Tie Downs 79	Tachometers
Rear View Mirror 79	Tape Measure 62
Mounting Bracket 79	Temperature Adapters40, 44
Remote Electrical Outlets 14	Terminals, Electrical 10
Remote Starter Button 19	Throttle Linkage 65
Replacement Gauges	Return Springs 65
Auto Meter 43, 46-53	Throttle Stop 65
Extreme 31	Tie Downs 79
Redline29	Timing Systems 66
Sprint 42	Tire
Standard39	Caliper 62
Ride Height Gauge72	Durometer 63
Roll Bar Padding74	Gauge 56-57
non but I uduniy	Gauge Holster 57
5	Management Kit 63
Safety Wire 72	Markers 62
Pliers 72	Scribe 62
Seat Belts75	Tape 72
Senders, Pressure/Temperature	Toe Plates 62
Mechanical 29	Toggle Switch 26
Electric 29	Aircraft Cover 26
Shifter Boot 75	Boot 26
Smart Tool 64	Tools
Solenoid, Starter 13	AN Wrenches72
Spark Plug Wire Sets 69	Camloc72, 79
Spoiler Supports79	Impact Crimper 10, 72
Starter Solenoid 13	Oil Filter Cutter 73
Jumper Wires 13	Safety Wire Pliers72
Steering Wheel 60	Weather Pack 54-55, 73
Disconnect 61	Wrenches, AN 72
Kill Switch 60	Torque Absorbers 59
Pads 60	Biscuits 59

T(Cont.)
Tread Depth Gauge 63
U
Under-Car Light Kit 14
V
Valve Cover Breathers 79
Valve Stems 62
Core Remover62, 73
Vent Clamps 78
W
Warning Lights 39
Kits 41
Water Pressure Gauge 41
Weatherpack Connectors 54
Crimper 54-55, 73
Kit 54
Removal Tool54, 73
Weatherproof Switch 26
Window Nets 76
Installation Kit 76
Wire, Electrical 10
Wiring Harnesses 18, 24-25
Wiring Kits 8-9
Wrenches, AN 72
Z
Zip Ties74





08-08058	38-14558	50-2359	50-80217	56-002257	57-00911
08-08558	38-15058	50-2369	50-80317	56-00357	57-01011
08-09058	38-15558	50-30054	50-82017	56-00457	57-01112
08-09558	38-16058	50-30154	50-82219	56-004157	57-01211
08-10058	38-16558	50-30254	50-82319	56-004257	57-01411
08-10558	38-17058	50-30354	50-82519	56-00657	57-09110
08-11058	<i>38-17558</i>	50-31054	50-8308	56-006157	<i>57-092</i> 10
08-11558	38-18058	50-31154	50-8318	56-006257	57-09310
08-12058	38-18558	50-31254	50-8328	56-00757	57-09410
08-12558	38-19058	50-32054	50-8349	56-00857	57-10110
		50-32154			57-10210
08-13058	38-19558		50-8359	56-00957	
08-13558	38-20058	50-32254	50-8369	56-01057	57-10310
08-14058	40-10069	50-33054	50-85217	56-02056	57-10410
08-14558	40-12169	50-33154	50-85317	56-02156	<i>57-180911</i>
08-15058	40-12369	50-33254	50-86321	56-02256	57-181011
08-15558	40-12569	50-34054	50-86421	56-04056	57-20010
08-16058	40-12769	50-34154	50-86521	56-04156	57-20110
08-16558		50-34254		56-04256	57-201110
	40-15069		50-86621		
08-17058	40-18169	50-36054	51-00468	56-06056	57-20310
08-17558	40-18369	50-36154	51-01768	56-06156	57-203110
08-18058	40-18569	50-36254	51-03768	56-06256	57-23610
08-18558	40-18769	50-38054	51-03868	56-07056	57-236110
08-19058	40-24169	50-39310,55,73	51-03968	56-08556	57-24010
08-19558	40-24369	50-39510,55,73	51-04068	56-100 62,73	57-240110
08-20058	40-24569	50-39854	51-04167	56-10263	57-44010
31-06058	40-24769	50-399 54,73	51-04367	56-10463	57-44110
31-06558	40-30069	50-40026	51-04467	56-10563	57-44310
31-07058	40-35069	50-401 26,44	51-04667	56-10872	57-44510
31-07558	40-36169	50-402 26,44	51-04867	56-110 63,72	57-45010
31-08058	40-36369	50-40344	51-05166	56-111 63,72	57-47010
31-08558	40-36569	50-41026	51-051266	56-11562	57-49010
31-09058					57-52010
	40-36769	50-41526	51-05266	56-11662	
31-09558	40-42169	50-41726	51-052266	56-11962	57-52510
31-10058	40-42369	50-42026	51-05366	56-12064	<i>57-530 10</i>
31-10558	40-42569	50-42226	51-053266	56-12164	<i>57-540 10</i>
31-11058	40-42769	50-42426	51-05466	56-12264	57-55010
31-11558	40-50069	50-43013	51-054266	56-12364	57-60113
31-12058	40-70069	50-43419	51-06466	56-12464	57-60213
			51-07066		
31-12558	50-00320	50-43511		56-12864	57-60412
31-13058	50-00423	50-44015	51-07166	56-15563	57-60712
31-13558	50-02016	50-44215	51-20167	56-16164	<i>57-610 12</i>
31-14058	50-02218	50-50026	51-21067	56-16264	<i>57-620 12</i>
31-14558	50-02318	50-50126	51-21567	56-16364	<i>57-660</i> 12
31-15058	50-02518	50-502 26,44	51-23067	56-16764	57-70014
31-15558	50-03123	50-50326	51-23567	56-16864	57-70112
31-16058	50-03323	50-50426	51-23667	56-16964	57-70212
31-16558	50-03426	50-50526	51-23767	56-17064	57-70312
31-17058	50-05216	50-50626	52-16327	56-20864	57-70414
31-17558	50-05316	50-50719	52-16427	56-22057	57-70514
31-18058	50-10216	50-51026	52-16527	56-22157	57-70614
31-18558	50-10316	50-51226	52-16627	56-22257	57-70812
31-19058	50-16320	50-51314	52-20027	56-24057	57-70912
31-19558	50-16420	50-51414	52-50027	56-24157	57-71014
31-20058	50-16520	50-52026	52-51027	56-24257	57-71114
31-20558	50-16620	50-52226	52-51227	56-26057	57-71812
31-21058	50-171122	50-52419	52-60127	56-26157	57-71912
31-21558	50-171322	50-52619	52-60227	56-26257	57-72314
31-22058	50-171422	50-60126	52-60427	56-27057	57-79214
31-22558	50-19060	50-60926	52-60927	56-28557	57-79314
31-23058	50-200 18,24	50-61026	52-61527	56-83064	57-79414
31-23558	50-200113	50-71122	52-86327	56-83164	57-81014
31-24058	50-200213	50-716423	52-86427	56-83364	57-82014
31-24558	50-2006 15,55	50-72022	<i>5</i> 2-8 <i>6</i> 527	56-83464	<i>57-83014</i>
31-25058	<i>50-2007 15,55</i>	50-73122	<i>52-86627</i>	56-83564	57-94410
31-25558	50-2008 15,55	50-74022	55-00113	56-83664	57-979014
31-26058	50-201 18,24	50-741122	55-00213	56-83764	57-979514
38-08058	50-202124	50-743122	55-00313	56-83864	58-01175
38-08558	50-203024	50-75022	55-00413	56-83964	58-01275
38-09058	50-203124	50-753122	55-00913	56-84264	58-01375
38-09558	50-203224	50-761123	55-01013	56-84364	58-01675
38-10058	50-203425	50-763123	55-01113	56-84464	<i>58-02075</i>
38-10558	50-203724	50-771122	55-01213	56-84564	58-02175
38-11058	50-205125	50-771322	55-02113	56-900157	58-02275
38-11558	50-207 15,55	50-771422	55-02213	56-900257	58-02375
38-12058	50-21215	50-773122	55-12013	56-914164	58-02475
38-12558	50-2308	50-79023	55-5513	56-914364	58-02575
38-13058	50-2318	50-791123	56-00157	56-914464	<i>58-02675</i>
38-13558	50-2328	50-793123	56-00257	56-914564	58-03076
38-14058	50-2349	50-793123	56-002157	57-00811	58-03176



50.000					40.004
58-03276	61-060543	61-674135	62-15558	64-25579	68-00460
58-03476	61-060643	61-6741337	62-16058	64-25779	68-004160
58-03576	61-061152	61-674235	62-16558	64-26079	68-004260
58-03676	61-062152	61-6742337	62-17058	64-26179	68-01061
58-03776	61-063152	61-675135	62-17558	64-262 72,79	68-010961
58-04176	61-064153	61-6751337	62-18058	64-40062	68-01261
					68-012961
58-04276	61-065153	61-69139	62-18558	64-40162	
58-04376	61-065253	61-69239	62-19058	64-51077	68-01561
58-04476	61-066153	61-69339	62-19558	64-51177	68-015961
58-04676	61-070443	61-69439	62-20058	64-70362	71-32255
58-04776	61-070543	61-69741	62-20558	64-70462	71-33255
58-04876	61-10177	61-69839	62-21058	64-70662	71-34255
		61-69939			71-36255
58-04976	61-10377		62-21558	64-70872	
58-21074	61-10577	61-700130	62-22058	64-70972	74-07873
58-21174	611-09638	61-700442	62-22558	64-72062	<i>75-07058</i>
58-21274	611-09938	61-700542	62-23058	64-73073	<i>75-07558</i>
58-22174	611-10038	61-70139	62-23558	65-09665	75-08058
58-22274	611-341147	61-701130	62-24058	65-10665	75-08558
58-22374		61-701230	62-28058	65-19279	75-09058
	611-342147				
58-22474	611-343147	61-701730	62-31058	65-19679	75-10058
58-22574	611-344147	61-70239	62-39058	65-40362	<i>75-10558</i>
58-23174	611-4411 49	61-702130	62-40058	66-40059	<i>75-11058</i>
58-23274	611-442149	61-702445	62-45758	66-49959	75-11558
58-23374	611-443149	61-703131	62-46558	66-50059	75-12058
58-23474	611-444149	61-70439	62-47758	66-50159	75-12558
58-23574	611-451153	61-704131	62-48058	66-50259	75-13058
58-23674	611-4521 43,53	61-704231	62-48758	66-50359	75-13558
58-23774	611-4531 43,53	61-705131	62-49058	66-50459	<i>75-14058</i>
58-23874	611-454153	61-70639	62-50058	66-50659	75-14558
58-23974	611-541151	61-70939	62-51058	66-50859	75-15058
58-24074	611-542151	61-71040	62-60058	66-50959	75-15558
58-24460		61-710140	63-00029	66-51259	75-16058
	611-543151				
58-24560	611-544151	61-7101240	63-00138	66-52059	75-16558
58-25074	611-600039	61-7102440	63-00238	66-53059	75-17058
60-00071	611-600138	61-7103640	63-00329	66-55059	75-17558
60-00371	611-600238	61-7104840	63-00629	66-55159	<i>75-18058</i>
60-00571	611-600339	61-7106040	63-00729	66-55259	<i>75-18558</i>
60-00871	611-600442	61-71141	63-00829	66-55459	75-19058
60-00971	611-600542	61-71241	63-00929	66-55659	75-19558
60-01071	611-600639	61-71341	63-200128	66-70077	75-20058
60-01371	611-600739	61-71441	63-22029	66-75279	75-20558
60-01571	611-600841	61-71641	63-23029	66-75479	75-21058
60-01871	611-600939	61-71744	63-24029	66-75679	75-21558
60-02071	611-700031	61-71844	63-301128	66-75779	75-22058
60-03071	611-7003 31	61-71941	63-301228	66-85079	<i>75-22558</i>
60-03270	611-700631	61-72040	63-301628	66-85279	<i>75-23058</i>
60-03470	611-700731	61-72140	63-301728	66-85479	75-23558
60-03570	611-700931	61-722 40,44	63-402129	66-85679	75-24058
60-03770	611-701038	61-72440	63-402629	66-85879	75-25058
60-03970	611-701231	61-72540	63-402729	66-86079	75-26058
60-04070	611-90040	61-72744	63-503629	66-90878	75-27058
60-04170	611-90140	61-73039	63-503729	66-91478	<i>75-28058</i>
60-04575	611-90240	61-73339	64-01072	66-92078	<i>75-29058</i>
60-05079	611-903 40,44	61-73539	64-01572	66-92278	75-30058
61-010146	61-30040	61-74039	64-020 10,72	66-92378	75-31058
61-015150	61-600132	61-74839	64-07673	66-92578	75-32058
61-017148	61-600442	61-75039	64-07773	66-92778	75-33058
61-020146	61-600542	61-75540	64-08673	66-92978	75-34058
61-021146	61-6005-1 42	61-772445	64-08773	66-93178	<i>75-35058</i>
61-025150	61-600642	61-79039	64-08873	66-93378	<i>75-36058</i>
61-026150	61-601132	61-79114	64-14078	66-93478	75-37058
61-027148	61-601232	61-79514	64-14578	66-93678	75-38058
61-028148	61-602132	61-979514	64-14665	66-93778	75-39058
61-030146	61-602445	62-07058	64-14865	66-93878	75-40058
61-031150	61-603134	62-07558	64-14965	66-938178	75-41058
61-032148	61-6031336	62-08058	64-15078	66-93921	75-42058
61-037147	61-604134	62-08558	64-15765	66-94021	<i>75-43058</i>
61-038151	61-6041336	62-09058	64-15865	66-94179	<i>75-44058</i>
61-039149	61-604234	62-09558	64-16265	66-94279	<i>75-60058</i>
61-040147	61-6042336	62-10058	64-16965	66-94521	
61-041147	61-605134	62-10558	64-17573	66-95079	
61-045151	61-6051336	62-11058	64-17673	68-00160	
61-046151	61-670133	62-11558	64-18073	68-001160	
61-047149	61-671133	62-12058	64-20879	68-001260	
61-048149	61-671233	62-12558	64-21079	68-00260	
61-050147	61-671733	62-13058	64-21179	68-002160	
61-055151	61-672133	62-13558	64-21279	68-002260	
61-057149	61-672445	62-14058	64-22578	68-00360	
61-060152	61-673135	62-14558	64-23078	68-003160	
61-060443	61-6731337	62-15058	64-25379	68-003260	
01 000711111111111111111111111111111111					

