

SPICER®



Spicer®

Ratio Flexibility

Program Guide



Open Your Browser. Close the Sale.

Spicer® Ratio Flexibility Program

Everything you need to process your Ratio Flexibility Program request.

Same Great Service.
Backed by the same Spicer service team you count on.



Quicker Turnaround.

Easy step-by-step process helps you close the deal
—hassle free!

DON'T LET THE WRONG RATIO STALL YOUR STOCK TRUCK SALE. The Spicer Ratio Flexibility program helps you close sales of stock vehicles that might otherwise be at risk because the axle ratios in those vehicles do not meet the customer's requirements. You'll save the time and expense associated with disassembly by substituting complete head assemblies. Plus, you can satisfy customer ratio requirements without jeopardizing warranty coverage due to internal gearing replacement. Stock vehicles that have never been licensed and are equipped with Spicer axles as original equipment are eligible.

SPICER®



Table of Contents

Genuine Spicer® Ratio Flexibility Program Introduction	2
Processing Genuine Spicer® Ratio Flexibility Program Requests	3
Ratio Flexibility Program Guidelines and Instructions	4
Carrier Weights Chart.....	5
Dana Model Nomenclature	6
Eligible Carrier Listings - Single Drive Axles	
S110, S110 ABS, S110L, S110L ABS	8
S110FR, S110FLR, S111 ABS, S111L ABS	9
S130, S130L, S130L ABS	10
S130FR, S130FLR	11
19060S, 19060S PB,	12
19060S BC, 19060 BC PB, 19060D	13
19060 PB	14
19060S NS, 19060S NS/BC, 19060S NS/PB	15
21060S BC, 21060S PB, 21060S NS, 21060D PB	16
P20060R, P20060DR	17
23060SH BC, 19055T, 19055T PB, 19055T NS, 19055T NS PB, 21065T	18
23082T, 23082T NS	19
S170, S170 BC, S170R, S170D	20
S170DR, S170NS, S190	21
S190R, S190D	22
S190DR, S190NS	23
Eligible Carrier Listings - Tandem Drive Axles	
DS344, RS344	24
DS404	25
DS404P, RS404	26
RST40, RST40 NS	27
DD404, DD404P	28
RD404, DSP40	29
DSP40P	30
RSP40	31
DDP40	32
DDP40P	33
RDP40, DSH40	34
DSH40P, RSH40, DDH40	35
DDH40P, RDH40, RSH44 NS	36
D170, D170P	37
R170, R170NS	38
D170D, D170DP	39
R170D, D190P	40
R190, D190DP	41
R190D	42

Ratio Flexibility Program

Processing your Ratio Flexibility Program request has never been easier.

MODEL/RATIO		UPGRADE OPTIONS		
SINGLES MODELS	RATIOS	LIMITED-SLIP	NO-SPIN	DIFF. LOCK
S110, S111	4.30 - 5.57	yes	n/a	n/a
S130	4.30 - 5.57	yes	n/a	n/a
17060S/D	3.70 - 6.17	n/a	yes	n/a
19060S/D	3.70 - 6.17	n/a	yes	n/a
21060S/D	3.70 - 6.17	n/a	yes	n/a
22060S/D	3.70 - 6.17	n/a	yes	n/a
P20060S/D	3.70 - 6.17	n/a	yes	n/a
P21060S/D	3.70 - 6.17	n/a	yes	n/a
P22060S/D	3.70 - 6.17	n/a	yes	n/a
23060S/H	3.70 - 6.17	n/a	yes	n/a
S170S/D	3.07 - 5.57	n/a	yes	yes
S190S/D	3.42 - 5.57	n/a	yes	yes
19055T	3.70 - 5.57	n/a	yes	n/a
21065T	3.70 - 5.57	n/a	yes	n/a
23082T	3.70 - 5.57	n/a	yes	n/a

TANDEMS MODELS	RATIOS	PUMP	NO-SPIN	DIFF. LOCK
D/R404/405	3.08 - 4.88	yes	yes	yes
DSP/RSP40/41	3.08 - 4.88	yes	yes	yes
DST/RST40/41	3.08 - 4.88	yes	yes	yes*
DSH/RSH40/41	3.08 - 4.88	yes	yes	yes
D/R170	3.07 - 5.57	yes	yes	yes
D/R190	3.42 - 5.57	Std	yes	yes

**Differential lock upgrade may not be available on all models due to housing configuration. Please contact Dana Aftermarket Group for specific upgrade options by model*

Any ratio flex request for RATIOS that fall outside the approved ratios listed in the chart must be pre-approved and could be subject to additional fees as quoted out by Dana Aftermarket Group.

Ratio Flexibility Program Guidelines and Instructions

- 1) OE Dealers go to the Spicer website listed below to submit a request.
- 2) Select Ratio Flex "Order Form" button and the On Line Request Form will populate with the required fieldstobe filled in. A valid e-mail address is required as this is the preferred means for communication of the request. Enter the required information and click the Submit button to send Dana your request. **See Note 1 below.**
- 3) Dana Aftermarket Group will receive your request and process it immediately. Processing request time can vary depending on volumes and the complexity of each individual request. Dana to commit to having request quotes for ratio flexorders back within 24 hours after a request is made.
- 4) OE Dealers will be sent an electronic quote response back for each request. The Ratio Flex quote form will include all applicable Administration Fees and the carrier cost for that ratio flex request. Each approved request will also include a return goods authorization form. A unique RGA number is assigned with further instructions for the dealer. **The dealer is required to pay for the administration fees as quoted.**
- 5) **They must have the following information in hand to process their ratio flexrequest .**
 - The unique RGA number from Ratio Flex quote
 - A Valid Credit Card or Purchase Order
 - Carrier Shipping Instructions or name of Freight Carriers
- 8) The Dealer will be sent a complete invoice for the admin fees and new carriers by Dana after they ship out. Once the original carriers are returned back to Dana in like new condition, the invoice amount for the carriers will be credited back in full. **See Note 2 below.**
- 9) Upon receiving the new carriers, **the Dealer must ship the original take out carriers back to Dana within 30 days as instructed on the original request quote.** The RGA form will contain detailed carrier return instructions and shipping return address.
- 10) Upon receipt and inspection of the original carriers by Dana, full credit will be issued for the invoice amount of the carriers less any repairs required to the original carrier(s).

IMPORTANT: Please have the RGA number available when doing any inquiries to Dana regarding your Ratio Flex request or for any other related questions. Not having this number will only delay the response time.

- 6) A Dana customer service rep will process and complete the ratio flex order and will give the calling OE Dealer a confirmation number.
- 7) The order for carriers will be placed immediately by Dana. Shipments of carriers are sent FREIGHT COLLECT. Shipping times for replacement carriers can vary depending on number of carriers involved or model options being selected.

NOTE: Dana will process orders and request shipping of replacement product within 10 business days. While the intent is to ship product before the 10 days, it does not constitute a guarantee shipping date.

NOTE 1: The dealer will receive a system generated e-mail confirmation for the data they entered pertaining to their request.

NOTE 2: The dealer is only responsible to pay for all admin fees or late charges on invoices.

Carrier Weights Chart


SINGLE CARRIER MODELS	LBS	KG
S110, S110FR	200	91
S110L, S110FLR	225	102
S111	200	91
S111L	225	102
S130, S130FR	190	86
S130L, S130FLR	200	91
17060S, 19060S	300	136
17060D, 19060D	300	136
19060S NS	300	136
21060S, 22060S	300	136
21060D, 22060D	300	136
P20060R, P21060R, P22060R	300	136
P20060DR, P21060DR, P22060DR	300	136
23060SH	300	136
19055T, 19055T PB	400	181
19055T NS	400	181
21065T	400	181
23082T	500	227
23082T NS	510	231
S170	460	209
S170D	475	215
S170NS	460	209
S190, S190R	475	215
S190D, S190DR	485	220
S190NS	475	215

Note: Weights listed are nominal
 Typical skid weight is 35 lbs.
 Standard carriers carton and skid dimensions are:
 22"x30"x40"w



TANDEM CARRIER MODELS	LBS	KG
DS344, DS404, DS405	450	204
DS404P, DS405P	475	215
DSP40, DSP41	450	204
DSP40P, DSP41P	475	215
DSH40, DSH44	450	204
DSH40P, DSH44P	475	215
DST40, DST41	450	204
DD404, DD405	475	215
DD404P, DD405P	500	227
DDP40, DDP41	475	215
DDP40P, DDP41P	500	227
DDH40, DDH44	475	215
DDH40P, DDH44P	500	227
D170, D170P	635	288
D170D, D170DP	645	293
D190P, D190DP	685	311
R170	460	209
R170D	475	215
R190	475	215
R190D	485	220
RS344, RS404, RS405	300	136
RSH40, RSH44	300	136
RSH40NS, RSH44NS	310	141
RSP40, RSP41	300	136
RST40, RST41	300	136
RST40NS	310	141
RD344, RD404, RD405	300	136
RDH40, RDH44	300	136
RDP40, RDP41	300	136


Dana Model Nomenclature





Model, Part, and Serial Numbers are located on the data plate on the axle centerline

Note: This is the serial number of the carrier assembly assigned by the mfg. plant. This number will be 10 characters in length. 2 alpha characters for the plant code and 8 numbers.

Plant Codes: HN - Henderson, KY
 MY - Monterrey, MX



Dana Model Nomenclature



Example:
DS = Forward Tandem/Single Reduction
 or
RS = Rear Tandem/Single Reduction

Example: 40 = 40,000 lbs

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
SINGLE DRIVE AXLES							
S110	676050	3.73	34 Inv	200	91	Single Axle - Standard Carrier	514120
	676052	3.91					
	676051	4.10					
	676053	4.30					
	676060	4.56					
	676057	4.78					
	676054	4.88					
	676061	5.13					
	676058	5.38					
	676059	6.14					
	676056	6.50					
S110 ABS	681564	3.91	34 Inv	200	91	Single Axle - ABS Ready	514120
	681480	4.10					
	676069	4.30					
	681481	4.56					
	676070	4.88					
	676074	5.38					
S110L	676082	3.73	34 Inv	225	102	Single Axle - Limited Slip	514120
	676084	3.91					
	676083	4.10					
	676085	4.30					
	676092	4.56					
	676089	4.78					
	676086	4.88					
	676093	5.13					
	676090	5.38					
	676091	6.14					

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S110L ABS	681578	3.91	34 Inv	225	102	Single Axle - Limited Slip, ABS Ready	514120
	681565	4.10					
	676101	4.30					
	681579	4.56					
	676102	4.88					
	676106	5.38					
S110FR	681451	3.73	34 Inv	200	91	Single Axle - Retarder / Parking Brake Ready, Rolled Over	514120
	681452	3.91					
	681453	4.10					
	681454	4.30					
	681455	4.56					
	513743	4.78					
	681456	4.88					
	681457	5.13					
	681458	5.38					
S110FLR	681616	3.73	34 Inv	200	91	Single Axle - Limited Slip, Retarder/ Parking Brake Ready, Rolled Over	514120
	681649	4.10					
	681617	4.30					
	681650	4.56					
	681618	4.78					
	681353	5.14					
	681384	6.14					
S111 ABS	681624	4.10	34 Inv	200	91	Single Axle - ABS Ready - Comes with Flange Yoke Installed	514120
	681625	4.44					
	681626	4.88					
S111L ABS	681627	4.10	34 Inv	225	102	Single Axle - Limited Slip, ABS Ready - Comes with Flange Yoke Installed	514120
	681628	4.44					
	681629	4.88					
S111L	681623	4.10	34 Inv	225	102	Single Axle - Limited Slip - Comes with Flange Yoke Installed	514120
	681622	4.44					
	681620	4.88					

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S130	681263	3.73	36 Inv	190	86	Single Axle - Standard Carrier	514120
	681264	3.91					
	681266	4.10					
	681267	4.30					
	681268	4.56					
	681269	4.78					
	681270	4.88					
	681271	5.13					
	681272	5.38					
	681265	5.57					
	681273	5.86					
	681274	6.14					
	681275	6.50					
S130L	676146	4.10	36 Inv	200	91	Single Axle - Limited Slip	514120
	681446	4.30					
	681447	4.56					
	681360	4.78					
	681619	4.88					
	681364	5.13					
	681448	5.38					
	681365	5.57					
	681449	6.50					
S130L ABS	681450	4.30	36 Inv	200	91	Single Axle - Limited Slip Option w/ ABS	514120
	681280	4.88					

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S130FR	681440	3.58	36 Inv	190	86	Single Axle - Retarder / Parking Brake Ready, Rolled Over	514120
	681439	3.73					
	681438	3.91					
	681395	4.10					
	681396	4.30					
	681397	4.56					
	681278	4.78					
	681460	4.88					
	681442	5.13					
	681398	5.38					
	681571	5.57					
	681461	6.14					
	681399	6.50					
S130FLR	681421	3.58	36 Inv	200	91	Single Axle - Limited Slip, Retarder/ Parking Brake Ready, Rolled Over	514120
	681422	3.73					
	681423	3.91					
	681424	4.10					
	681425	4.30					
	681426	4.56					
	681427	4.78					
	681428	4.88					
	681429	5.13					
	681430	5.38					
	681431	5.57					
	681432	5.86					
	681433	6.14					
	681434	6.50					

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
19060S	675914	3.08	39 Inv	300	136	Single Axle - Thin Flange Design (Note 19060S used to service RS344)	511600
	681435	3.25					
	675565	3.36					
	675566	3.55					
	675623	3.70					
	675564	3.90					
	675414	4.11					
	675415	4.33					
	675416	4.63					
	675417	4.88					
	675418	5.29					
	675419	5.57					
	675420	6.17					
	675421	6.50					
675422	7.17						
19060S PB	675930	2.85	39 Inv	300	136	Single Axle - Parking Brake Option - Thin Flange	511600
	675932	3.08					
	675933	3.25					
	675934	3.36					
	675935	3.55					
	675936	3.70					
	675937	3.90					
	675938	4.11					
	675939	4.33					
	675940	4.63					
	675941	4.88					

Note: In certain International applications, original Dana Spicer® Production Carriers are identified as 21060L and 21060D. These carriers are built with 39 involute spline side gears. Carriers with 39 involute spline side gears are sold as 19060S, 19060L, and 19060D. Refer to the 19060 section of this IPL for those replacement part numbers. **Be sure to check spline configuration before ordering a replacement carrier.**

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
19060S BC	681406	4.30	39 Inv	300	136	Single Axle - GenTech Gearing - Thin Flange	511600
	681351	4.78					
	681562	4.88					
	681357	5.29					
	681400	5.57					
	681401	6.17					
	681402	6.50					
	681403	7.17					
19060S BC PB	512771	4.30	39 Inv	300	136	Single Axle - GenTech Gearing, Parking Brake Ready - Thin Flange	511600
	511165	4.78					
	675942	5.29					
	675943	5.57					
	675944	6.17					
	675945	6.50					
	675946	7.17					
19060D	675874	3.08	39 Inv	300	136	Single Axle - Diff Lock Option - Thin Flange	511600
	675625	3.36					
	676138	3.55					
	676139	3.70					
	676045	3.90					
	675423	4.11					
	675424	4.33					
	675425	4.63					
	675426	4.88					
	675427	5.29					
	675428	5.57					
	675429	6.17					
	675430	6.50					
	675431	7.17					

Note: In certain International applications, original Dana Spicer® Production Carriers are identified as 21060L and 21060D. These carriers are built with 39 involute spline side gears. Carriers with 39 involute spline side gears are sold as 19060S, 19060L, and 19060D. Refer to the 19060 section of this IPL for those replacement part numbers. **Be sure to check spline configuration before ordering a replacement carrier.**

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
19060D PB	681284	3.08	39 Inv	300	136	Single Axle - Diff Lock, Parking Brake Option - Thin flange	511600
	676137	3.25					
	681285	3.36					
	681286	3.55					
	681287	3.70					
	681289	3.90					
	681290	4.11					
	681291	4.33					
	681292	4.63					
	681293	4.88					
	681294	5.29					
	681295	5.57					
	681296	6.17					
	681297	6.50					
681298	7.17						
19060S NS	512030	3.25	39 Inv	300	136	Single Axle - No Spin Option - Thin Flange	511600
	508306	3.55					
	681407	3.90					
	681348	4.11					
	508236	4.33					
	508307	4.63					
	508311	4.88					
	681385	5.29					
	681386	5.57					
	508174	6.50					
	512093	7.17					
19060S NS	681347	6.17	39 Inv	300	136	Single Axle - No Spin Option, GenTech Gearing - Thin	511600

Note: In certain International applications, original Dana Spicer® Production Carriers are identified as 21060L and 21060D. These carriers are built with 39 involute spline side gears. Carriers with 39 involute spline side gears are sold as 19060S, 19060L, and 19060D. Refer to the 19060 section of this IPL for those replacement part numbers. **Be sure to check spline configuration before ordering a replacement carrier.**

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
19060S NS PB	681563	3.70	39 Inv	300	136	Single Axle - No Spin, Parking Brake Option -Thin Flange	511600
	511625	3.90					
	681363	4.63					
	681404	4.88					
	681362	5.29					
	511486	5.57					
	511930	6.17					
	512088	7.17					
21060S BC	675629	4.30	41 Inv	300	136	Single Axle - GenTech Gearing - Thin Flange	511600
	681462	4.63					
	675873	4.78					
	676145	5.29					
	681459	5.57					
	676149	6.17					
	676150	6.50					
	676151	7.17					
21060S PB	676121	3.55	41 Inv	300	136	Single Axle - Parking Brake Option - Thin Flange	511600
	676122	3.70					
	676123	3.90					
	676124	4.11					
	676125	4.33					
	676126	4.63					
	676127	4.88					
	676128	5.29					
	676129	5.57					
	681283	6.50					

Note: In certain International applications, original Dana Spicer® Production Carriers are identified as 21060L and 21060D. These carriers are built with 39 involute spline side gears. Carriers with 39 involute spline side gears are sold as 19060S, 19060L, and 19060D. Refer to the 19060 section of this IPL for those replacement part numbers. **Be sure to check spline configuration before ordering a replacement carrier.**

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
21060D PB	681300	3.55	41 Inv	300	136	Single Axle - Diff Lock, Parking Brake Option - Thin Flange	511600
	681299	3.70					
	681301	3.90					
	681302	4.11					
	681303	4.33					
	681304	4.63					
	681305	4.88					
	681306	5.29					
	681307	5.57					
	681308	6.50					
21060S NS	511236	3.90	41 Inv	300	136	Single Axle - No Spin Option - Thin Flange	511600
	511237	4.11					
	511238	4.33					
	511239	4.63					
	511240	4.88					
	511241	5.29					
	511242	5.57					
	511243	6.17					

Note: In certain International applications, original Dana Spicer® Production Carriers are identified as 21060L and 21060D. These carriers are built with 39 involute spline side gears. Carriers with 39 involute spline side gears are sold as 19060S, 19060L, and 19060D. Refer to the 19060 section of this IPL for those replacement part numbers. **Be sure to check spline configuration before ordering a replacement carrier.**

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
P20060S	676031	3.08	41 Inv	300	136	Single Axle - Thick Flange (Note - P20060S used to service P21060S & P22060S)	512087
	676032	3.25					
	676033	3.36					
	681537	3.42					
	676034	3.55					
	676035	3.70					
	676036	3.90					
	676037	4.11					
	676038	4.33					
	676039	4.63					
	676040	4.88					
	676041	5.29					
	676042	5.57					
	676043	6.17					
	676044	6.50					
681443	7.17						
P20060R	681514	3.08	41 Inv	300	136	Single Axle - Parking Brake Option - Thick Flange (Note - P20060R used to service P21060R & P22060R)	512087
	681515	3.25					
	681516	3.36					
	681517	3.55					
	681518	3.70					
	681519	3.90					
	681520	4.11					
	681521	4.33					
	681522	4.63					
	681523	4.88					
	681524	5.29					
	681525	5.57					
	681526	6.17					
	681527	6.50					

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
P20060D	676015	3.08	41 Inv	300	136	Single Axle - Diff Lock Option - Thick Flange (Note - P20060D used to service P21060D & P22060D)	512087
	676016	3.25					
	676017	3.36					
	681540	3.42					
	676018	3.55					
	676019	3.70					
	676020	3.90					
	676021	4.11					
	676022	4.33					
	676023	4.63					
	676024	4.88					
	676025	5.29					
	676026	5.57					
	676027	6.17					
	676028	6.50					
681444	7.17						
P20060DR	681463	3.08	41 Inv	300	136	Single Axle - Diff Lock Option, Parking Brake Option - Thick Flange (Note - P20060DR used to service P21060DR & P22060DR)	512087
	681464	3.25					
	681465	3.36					
	681466	3.55					
	681467	3.70					
	681468	3.90					
	681469	4.11					
	681470	4.33					
	681471	4.63					
	681472	4.88					
	681473	5.29					
	681474	5.57					
	681475	6.17					
	681476	6.50					
	681477	7.17					
23060SH BC	681462	4.63	41 Inv	288	131	Single Axle - GenTech Gearing - Thick Flange	512087
	681615	4.88					

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
19055T	681567	4.33/5.91	39 Inv	400	181	Single Axle - Two Speed	504064
	681568	5.29/7.21					
	681569	6.17/8.41					
	681570	6.50/8.86					
19055T PB	681555	3.90/5.32	39 Inv	400	181	Single Axle - Two Speed, Parking Brake Option	504064
	681556	4.11/5.61					
	681557	4.88/6.65					
	681558	5.29/7.21					
	681559	6.17/8.41					
	681560	7.17/9.77					
19055T NS	681554	5.57/7.60	39 Inv	400	181	Single Axle - Two-Speed, No Spin Option	504064
	681553	6.17/8.41					
	681552	7.17/9.77					
19055T NS PB	681561	3.90/5.32	39 Inv	400	181	Single Axle - Two Speed, No Spin Option, Parking Brake Option	504064
	681566	4.33/5.91					
21065T	681541	3.70/5.05	41 Inv	400	181	Single Axle - Two Speed	504064
	681542	3.90/5.32					
	681543	4.11/5.61					
	681544	4.33/5.91					
	681545	4.63/6.31					
	681546	4.88/6.65					
	681457	5.29/7.21					
	681548	5.57/7.60					
	681549	6.17/8.41					
	681550	6.50/8.86					
	681551	7.17/9.77					

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
23082T	509350	3.70/5.04	36 Inv	500	227	Single Axle - Two Speed (Note - 23080T used to service 23082T models)	511375
	681405	3.90/5.32					
	674531	4.11/5.60					
	508326	4.33/5.91					
	508343	4.56/6.21					
	675618	4.88/6.64					
	681361	5.43/7.39					
	508223	6.17/8.40					
	675610	6.67/9.08					
23082T NS	122553	3.70/5.04	36 Inv	510	231	Single Axle - Two Speed, No Spin Option (Note* - Specific Carrier built w/ 113866 triple lip seal) (Note - RT461NS used to service 23082T NS models)	511375
	213603	3.90/5.32					
	124632	4.11/5.60					
	681388	4.33/5.90					
	681389	4.56/6.21					
	681390	4.88/6.64					
	508442*	4.88/6.64					
	217742	5.43/7.39					
	214525	6.17/8.40					
	214962	6.67/9.08					

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S170	683183	3.07	46 Inv	460	209	Single Axle - Standard Carrier	512897
	683184	3.21					
	683186	3.42					
	683187	3.58					
	683188	3.73					
	683189	3.91					
	683190	4.10					
	683191	4.30					
	683192	4.56					
	683193	4.78					
	683194	5.25					
	683252	5.38					
	683253	5.57					
	683254	6.14					
	683255	6.83					
683256	7.17						
S170 BC	683394	4.30	46 Inv	460	209	Single Axle - Gentech Gearing	512897
	683500	4.78					
S170R	683349	5.25	46 Inv	460	209	Single Axle - Retarder / Parking Brake Ready	512897

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S170D	683198	3.07	46 Inv	475	215	Single Axle - Diff Lock Option	512897
	683199	3.21					
	683201	3.42					
	683202	3.58					
	683203	3.73					
	683204	3.91					
	683205	4.10					
	683206	4.30					
	683207	4.56					
	683208	4.78					
	683209	5.25					
	683257	5.38					
	683258	5.57					
	683259	6.14					
	683260	6.83					
683261	7.17						
S170DR	683350	5.25	46 Inv	475	215	Single Axle - Diff Lock Option,	512897
S170NS	683519	3.07	46 Inv	460	209	Single Axle - No Spin Option	512897
	683520	3.21					
	683521	3.42					
	683522	3.58					
	683523	3.73					
	683524	3.91					
	683525	4.10					
	683408	4.30					
	683409	4.56					
	683410	4.78					
	683411	5.25					
	683412	5.38					
	683382	5.57					
	683413	6.14					
	683414	6.83					
683526	7.17						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S190	683288	2.53	46 Inv	475	215	Single Axle - Standard Carrier	512897
	683210	2.69					
	683211	2.87					
	683212	2.93					
	683213	3.07					
	683214	3.21					
	683216	3.42					
	683217	3.58					
	683218	3.73					
	683219	3.91					
	683220	4.10					
	683221	4.30					
	683222	4.56					
	683223	4.78					
	683224	5.25					
	683225	5.38					
	683226	5.57					
	683227	6.14					
	683228	6.83					
683229	7.17						
683230	7.83						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S190R	683543	3.07	46 Inv	475	215	Single Axle - Retarder / Parking Brake Ready	512897
	683544	3.21					
	683545	3.42					
	683546	3.58					
	683547	3.73					
	683548	3.91					
	683549	4.10					
	683550	4.30					
	683551	4.56					
	683552	4.78					
	683553	5.25					
	683554	5.38					
	683479	5.57					
	683555	6.14					

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S190D	683478	2.53	46 Inv	485	220	Single Axle - Diff Lock Option	512897
	683231	2.69					
	683232	2.87					
	683233	2.93					
	683234	3.07					
	683235	3.21					
	683237	3.42					
	683238	3.58					
	683239	3.73					
	683240	3.91					
	683241	4.10					
	683242	4.30					
	683243	4.56					
	683244	4.78					
	683245	5.25					
	683246	5.38					
	683247	5.57					
	683248	6.14					
683249	6.83						
683250	7.17						
683251	7.83						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S190DR	683593	3.07	46 Inv	485	220	Single Axle - Diff Lock Option, Retarder / Parking Brake Ready	512897
	683594	3.21					
	683595	3.42					
	683596	3.58					
	683597	3.73					
	683598	3.91					
	683599	4.10					
	683600	4.30					
	683601	4.56					
	683602	4.78					
	683603	5.25					
	683604	5.38					
	683605	5.57					
	683592	6.14					

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S190NS	683527	2.69	46 Inv	475	215	Single Axle - No Spin Option	512897
	683528	2.87					
	683529	2.93					
	683530	3.07					
	683531	3.21					
	683532	3.42					
	683533	3.58					
	683534	3.73					
	683535	3.91					
	683536	4.10					
	683537	4.30					
	683538	4.56					
	683539	4.78					
	683540	5.25					
	683415	5.38					
	683416	5.57					
	683417	6.14					
	683418	6.83					
683541	7.17						
683542	7.83						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
TANDEM DRIVE AXLES							
DS344	682883	2.64	39 Inv	442	200	Tandem Axle - Forward - Standard Carrier - Thick Flange	512087
	682884	2.85					
	682885	2.93					
	682886	3.08					
	682887	3.25					
	682888	3.36					
	682889	3.55					
	682890	3.70					
	682891	3.90					
	682892	4.11					
	682893	4.33					
	682894	4.63					
	682895	4.88					
	682896	5.29					
	682897	5.57					
	682898	6.17					
682899	6.50						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
RS344	call dana	2.64	39 Inv	300	136	Tandem Axle - Rear Rear - Thin Flange Design (Note 19060S used to service RS344)	511600
	call dana	2.85					
	call dana	2.93					
	675914	3.08					
	681435	3.25					
	675565	3.36					
	675566	3.55					
	675623	3.70					
	675564	3.90					
	675414	4.11					
	675415	4.33					
	675416	4.63					
	675417	4.88					
	675418	5.29					
	675419	5.57					
	675420	6.17					
	675421	6.50					
675422	7.17						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
DS404	682861	2.64	41 Inv	442	200	Tandem axle - Forward - Standard Carrier - Thick Flange (Note - DS404 used to service DST40 or DST41 models)	512087
	682862	2.85					
	682634	2.93					
	682863	3.08					
	682864	3.25					
	682865	3.36					
	681572	3.42					
	682866	3.55					
	682867	3.70					
	682868	3.90					
	682869	4.11					
	682870	4.33					
	682871	4.63					
	682872	4.88					
	682873	5.29					
	682874	5.57					
	682875	6.17					
682876	6.50						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
DS404P	682200	2.64	41 Inv	475	215	Tandem Axle - Forward - Lube Pump Option - Thick Flange (Note - DS404P used to service DST40P or DST41P models)	512087
	682201	2.85					
	682114	2.93					
	682202	3.08					
	682203	3.25					
	682204	3.36					
	681573	3.42					
	682205	3.55					
	682206	3.70					
	682207	3.90					
	682208	4.11					
	682209	4.33					
	682210	4.63					
	682211	4.88					
	682212	5.29					
	682213	5.57					
682214	6.17						
682012	6.50						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
RS404	674877	2.64	41 Inv	300	136	Tandem Axle - Rear Rear - Standard Carrier - Thick Flange (Note - RS404 used to service 21060S models)	512087
	674878	2.85					
	675635	2.93					
	674879	3.08					
	674880	3.25					
	674881	3.36					
	681576	3.42					
	674882	3.55					
	674883	3.70					
	674884	3.90					
	674885	4.11					
	674886	4.33					
	674887	4.63					
	674888	4.88					
	674889	5.29					
	674890	5.57					
674891	6.17						
674892	6.50						
674893	7.17						
RST40	676134	2.64	41 Inv	300	136	Tandem Axle - Rear Rear - Standard Carrier	514260
	675904	3.08					
	675905	3.25					
	675906	3.36					
	675907	3.55					
	675908	3.70					
	675909	3.90					
	675910	4.11					
	675911	4.33					
	676116	4.88					
	676117	5.29					
	676118	5.57					
	676119	6.17					
	676120	6.50					

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
RST40 NS	676165	2.64	41 Inv	300	136	Tandem Axle - Rear Rear No Spin Option	514260
	676167	3.08					
	676168	3.25					
	676169	3.36					
	676170	3.55					
	676171	3.70					
	676172	3.90					
	676173	4.11					
	676174	4.33					
	676175	4.88					
	676176	5.29					
	676177	5.57					
	676178	6.17					
	676179	6.50					
DD404	682510	2.64	41 Inv	475	215	Tandem Axle - Forward - Diff Lock Option - Thick Flange	512087
	682251	2.85					
	682252	3.08					
	682253	3.25					
	682254	3.36					
	681574	3.42					
	682255	3.55					
	682256	3.70					
	682257	3.90					
	682258	4.11					
	682259	4.33					
	682260	4.63					
	682261	4.88					
	682262	5.29					
	682263	5.57					
	682264	6.17					
682265	6.50						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
DD404P	682303	2.64	41 Inv	500	227	Tandem Axle - Forward - Diff Lock, Pump Option - Thick Flange	512087
	682304	2.85					
	682305	3.08					
	682306	3.25					
	682307	3.36					
	681575	3.42					
	682308	3.55					
	682309	3.70					
	682310	3.90					
	682311	4.11					
	682312	4.33					
	682313	4.63					
	682314	4.88					
	682315	5.29					
	682316	5.57					
	682317	6.17					
682318	6.50						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
RD404	676013	2.64	41 Inv	300	136	Tandem axle - Forward - Diff Lock Option - Thick Flange (Note - RD404 models used to service 21060D & 22060D)	512087
	675281	2.85					
	675282	3.08					
	675283	3.25					
	675284	3.36					
	681577	3.42					
	675285	3.55					
	675286	3.70					
	675287	3.90					
	675288	4.11					
	675289	4.33					
	675290	4.63					
	675291	4.88					
	675292	5.29					
	675293	5.57					
	675294	6.17					
675295	6.50						
675296	7.17						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
DSP40	682965	2.64	41 Inv	450	204	Tandem Axle - Forward - Premium-40 - Thick Flange	512087
	681529	2.85					
	682966	2.93					
	682967	3.08					
	682968	3.25					
	682969	3.36					
	681535	3.42					
	682970	3.55					
	682971	3.70					
	682972	3.90					
	682973	4.11					
	682974	4.33					
	682975	4.63					
	682976	4.88					
	682977	5.29					
	682978	5.57					
	682979	6.17					
682980	6.50						
682014	7.17						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
DSP40P	682997	2.64	41 Inv	475	215	Tandem Axle - Forward - Premium-40, Lube Pump - Thick Flange	512087
	681530	2.85					
	682998	2.93					
	682999	3.08					
	682000	3.25					
	682001	3.36					
	681536	3.42					
	682002	3.55					
	682003	3.70					
	682004	3.90					
	682005	4.11					
	682006	4.33					
	682007	4.63					
	682008	4.88					
	682009	5.29					
	682010	5.57					
	682011	6.17					
682012	6.50						
682013	7.17						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
RSP40	676029	2.64	41 Inv	300	136	Tandem Axle - Rear Rear - Premium-40 - Thick Flange (Note* - RSP40 models are used to service RSH44 models)	512087
	681531	2.85					
	676030	2.93					
	676031	3.08					
	676032	3.25					
	676033	3.36					
	681537	3.42					
	676034	3.55					
	676035	3.70					
	676036	3.90					
	676037	4.11					
	676038	4.33					
	676039	4.63					
	676040*	4.88					
	676041*	5.29					
	676042*	5.57					
	676043*	6.17					
676044*	6.50						
681443*	7.17						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
DDP40	682949	2.64	41 Inv	475	215	Tandem Axle - Forward - Premium-40, Diff Lock Option - Thick Flange	512087
	681532	2.85					
	682950	2.93					
	682951	3.08					
	682952	3.25					
	682953	3.36					
	681538	3.42					
	682954	3.55					
	682955	3.70					
	682956	3.90					
	682957	4.11					
	682958	4.33					
	682959	4.63					
	682960	4.88					
	682961	5.29					
	682962	5.57					
	682963	6.17					
682964	6.50						
682015	7.17						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
DDP40P	682981	2.64	41 Inv	500	227	Tandem Axle - Forward - Premium-40, Diff Lock, Lube Pump Option - Thick Flange	512087
	681533	2.85					
	682982	2.93					
	682983	3.08					
	682984	3.25					
	682985	3.36					
	681539	3.42					
	682986	3.55					
	682987	3.70					
	682988	3.90					
	682989	4.11					
	682990	4.33					
	682991	4.63					
	682992	4.88					
	682993	5.29					
	682994	5.57					
	682995	6.17					
	682996	6.50					
682016	7.17						

Carrier Listing

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
RDP40	676013	2.64	41 Inv	310	141	Tandem Axle - Rear Rear - Premium-40, Diff Lock Option - Thick Flange	512087
	681534	2.85					
	676014	2.93					
	676015	3.08					
	676016	3.25					
	676017	3.36					
	681540	3.42					
	676018	3.55					
	676019	3.70					
	676020	3.90					
	676021	4.11					
	676022	4.33					
	676023	4.63					
	676024	4.88					
	676025	5.29					
	676026	5.57					
676027	6.17						
676028	6.50						
681444	7.17						
DSH40	682740	3.08	41 Inv	452	205	Tandem Axle - Forward - High Performance - Thick Flange	512087
	682741	3.25					
	682742	3.36					
	682743	3.55					
	682744	3.70					
	682745	3.90					
	682746	4.11					
	682747	4.33					
	682748	4.63					
	682749	4.88					

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
DSH40P	682750	3.08	41 Inv	475	215	Tandem Axle - Forward - High Performance - Lube Pump Option - Thick Flange	512087
	682751	3.25					
	682752	3.36					
	682753	3.55					
	682754	3.70					
	682755	3.90					
	682756	4.11					
	682757	4.33					
	682758	4.63					
	682759	4.88					
RSH40	675780	3.08	41 Inv	300	136	Tandem Axle - Rear Rear - High Performance - Thick Flange	512087
	675781	3.25					
	675782	3.36					
	675783	3.55					
	675784	3.70					
	675785	3.90					
	675786	4.11					
	675787	4.33					
	675788	4.63					
	675789	4.88					
DDH40	682760	3.08	41 Inv	475	215	Tandem Axle - Forward - High Performance - Diff Lock Option - Thick Flange	512087
	682761	3.25					
	682762	3.36					
	682763	3.55					
	682764	3.70					
	682765	3.90					
	682766	4.11					
	682767	4.33					
	682768	4.63					
	682769	4.88					

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
DDH40P	682770	3.08	41 Inv	500	227	Tandem Axle - Forward - High Performance - Diff Lock, Pump Option - Thick Flange	512087
	682771	3.25					
	682772	3.36					
	682773	3.55					
	682774	3.70					
	682775	3.90					
	682776	4.11					
	682777	4.33					
	682778	4.63					
	682779	4.88					
RDH40	675790	3.08	41 Inv	310	141	Tandem Axle - Rear Rear - High Performance - Diff Lock Option - Thick Flange	512087
	675791	3.25					
	675792	3.36					
	675793	3.55					
	675794	3.70					
	675795	3.90					
	675796	4.11					
	675797	4.33					
	675798	4.63					
	675799	4.88					
RSH44 NS	681609	4.88	41 Inv	300	136	Tandem Axle - Rear Rear - High Performance - No Spin Option - Thick Flange (Note* - RSH44 NS models are same as 22060SH NS models)	512087
	681610	5.29					
	681611	5.57					
	681612	6.17					
	681613	6.50					
	681614	7.17					

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
D170	683000	3.07	46 Inv	635	288	Tandem Axle - Forward - Standard Carrier - non pump	512896
	683001	3.21					
	683003	3.42					
	683004	3.58					
	683005	3.73					
	683006	3.91					
	683007	4.10					
	683008	4.30					
	683009	4.56					
	683010	4.78					
	683011	5.25					
	683012	5.38					
	683013	5.57					
	683014	6.14					
	683015	6.83					
	683016	7.17					
D170P	683034	3.07	46 Inv	635	288	Tandem Axle - Forward - Lube Pump Option	512896
	683035	3.21					
	683037	3.42					
	683038	3.58					
	683039	3.73					
	683040	3.91					
	683041	4.10					
	683042	4.30					
	683043	4.56					
	683044	4.78					
	683045	5.25					
	683046	5.38					
	683047	5.57					
	683048	6.14					
	683049	6.83					
	683050	7.17					

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S170	683183	3.07	46 Inv	460	209	Tandem Axle - Rear Rear - Standard Carrier	512897
	683184	3.21					
	683186	3.42					
	683187	3.58					
	683188	3.73					
	683189	3.91					
	683190	4.10					
	683191	4.30					
	683192	4.56					
	683193	4.78					
	683194	5.25					
	683252	5.38					
	683253	5.57					
	683254	6.14					
	683255	6.83					
683256	7.17						
S170NS	683519	3.07	46 Inv	460	209	Tandem Axle - Rear Rear - No Spin Option	512897
	683520	3.21					
	683521	3.42					
	683522	3.58					
	683523	3.73					
	683524	3.91					
	683525	4.10					
	683408	4.30					
	683409	4.56					
	683410	4.78					
	683411	5.25					
	683412	5.38					
	683382	5.57					
	683413	6.14					
	683414	6.83					
683526	7.17						

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
D170D	683017	3.07	46 Inv	645	293	Tandem Axle - Forward - Diff Lock Option	512896
	683018	3.21					
	683020	3.42					
	683021	3.58					
	683022	3.73					
	683023	3.91					
	683024	4.10					
	683025	4.30					
	683026	4.56					
	683027	4.78					
	683028	5.25					
	683029	5.38					
	683030	5.57					
	683031	6.14					
	683032	6.83					
683033	7.17						
D170DP	683051	3.07	46 Inv	645	293	Tandem Axle - Forward - Diff Lock & Pump Option	512896
	683052	3.21					
	683054	3.42					
	683055	3.58					
	683056	3.73					
	683057	3.91					
	683058	4.10					
	683059	4.30					
	683060	4.56					
	683061	4.78					
	683062	5.25					
	683063	5.38					
	683064	5.57					
	683065	6.14					
	683066	6.83					
683067	7.17						

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
S170D	683198	3.07	46 Inv	475	215	Tandem Axle - Rear Rear - Diff Lock Option	512897
	683199	3.21					
	683201	3.42					
	683202	3.58					
	683203	3.73					
	683204	3.91					
	683205	4.10					
	683206	4.30					
	683207	4.56					
	683208	4.78					
	683209	5.25					
	683257	5.38					
	683258	5.57					
	683259	6.14					
	683260	6.83					
683261	7.17						
D190P	683068	3.42	46 Inv	675	306	Tandem Axle - Forward - Standard Carrier (Note - Lube Pump standard in all D190 models)	512896
	683069	3.58					
	683070	3.73					
	683071	3.91					
	683072	4.10					
	683073	4.30					
	683074	4.56					
	683075	4.78					
	683076	5.25					
	683077	5.38					
	683078	5.57					
	683079	6.14					
	683080	6.83					
	683081	7.17					

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
R190	683288	2.53	46 Inv	475	215	Tandem Axle - Rear Rear - Standard Carrier	512897
	683210	2.69					
	683211	2.87					
	683212	2.93					
	683213	3.07					
	683214	3.21					
	683216	3.42					
	683217	3.58					
	683218	3.73					
	683219	3.91					
	683220	4.10					
	683221	4.30					
	683222	4.56					
	683223	4.78					
	683224	5.25					
	683225	5.38					
	683226	5.57					
	683227	6.14					
	683228	6.83					
	683229	7.17					
683230	7.83						

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
D190DP	683082	3.42	46 Inv	685	311	Tandem Axle - Forward - Diff Lock Option (Note - Lube Pump standard in all D190D models)	512896
	683083	3.58					
	683084	3.73					
	683085	3.91					
	683086	4.10					
	683087	4.30					
	683088	4.56					
	683089	4.78					
	683090	5.25					
	683091	5.38					
	683092	5.57					
	683093	6.14					
	683094	6.83					
	683095	7.17					

Model	Spicer® Part Number	Ratio	Spline	Lbs	Kilos	Carrier Design & Options	Carrier to Housing Fastener Kit
R190D	683478	2.53	46 Inv	485	220	Tandem Axle - Rear Rear - Diff Lock Option	512897
	683231	2.69					
	683232	2.87					
	683233	2.93					
	683234	3.07					
	683235	3.21					
	683237	3.42					
	683238	3.58					
	683239	3.73					
	683240	3.91					
	683241	4.10					
	683242	4.30					
	683243	4.56					
	683244	4.78					
	683245	5.25					
	683246	5.38					
	683247	5.57					
	683248	6.14					
	683249	6.83					
683250	7.17						
683251	7.83						

SPICER®



Spicer®

Ratio Flexibility Program

Don't let the wrong ratio stall your stock truck sale.

Swap heads for the wanted ratio and close the deal!

The Program

The Spicer Ratio Flexibility Program is designed to help dealers close sales of stock vehicles that otherwise might be in jeopardy because the axle ratios in those vehicles do not meet the customer's requirements.

Features

- Substitution of complete head assemblies saves dealer time and expense of disassembly required with gear set exchanges.
- Satisfies customer ratio requirements without jeopardizing warranty coverage due to internal gearing replacement.

Eligibility

Stock vehicles which have never been licensed and are equipped with Spicer axles as original equipment.



Discover other performance driveline & axles on our website.